

English version

e-SLOG 2.0 Electronic Invoice – Part 2: Document Composition

Rights and contacts

e-SLOG is a trademark of the Chamber of Commerce and Industry of Slovenia. e-SLOG 2.0 Electronic Invoice documentation was prepared by the ROSE "Readiness Of Slovenian E-Invoicing" Action no 2016-SI-IA-0103, which is co-financed by the European Union's Connecting Europe Facility (CEF). The documentation was implemented as milestone no. 2 "Manual for eSLOG 2.0 ready" of Activity 1 "Upgrade of the Slovenian national eInvoicing standard eSlog 1.6 to 2.0". The sole responsibility of this publication lies with the author. The European Union is not responsible for any use that may be made of the information contained therein. e-SLOG 2.0 Electronic Invoice documentation is published at <http://www.roseslovenia.eu/>.

Users are permitted to use all the published materials for the purposes of electronic commerce. Their use is free of charge. Editing the contents of the schemas is not permitted.

The Chamber of Commerce and Industry of Slovenia and the partners who participated in the ROSE project for the preparation of e-SLOG 2.0 standard shall not assume any direct or indirect liability for any damage caused by the use of the e-SLOG 2.0 standard.

Members of the working group for the preparation of e-SLOG 2.0 Electronic Invoice Documentation:

Dušan Zupančič (CCIS), Alan Ružič (ZZI), Rok Bojanc (ZZI), Tomaž Močnik (ZZI), Jorgo Bertalanič (PPA), Rok Bojkovič (Mojdenar IT).

Contact addresses:

Chamber of Commerce and Industry of Slovenia
Dimičeva 13
1504 Ljubljana
Telephone no.: +386 (0)1 58 98 000
E-mail: epp@gzs.si
Website: <https://e-slog.gzs.si>

ZZI, d. o. o.
Pot k sejmišču 33
1231 Ljubljana Črnuče
Telephone no.: +386 (0)1 53 03 300
E-mail: info@zzi.si
Website: <https://www.zzi.si>

Public Payment Administration of the Republic of Slovenia
Dunajska cesta 48
1000 Ljubljana
Telephone no.: +386 (0)1 47 51 651
E-mail: ujp@ujp.gov.si
Website: <http://www.ujp.gov.si>

Mojdenar IT, d. o. o.
Vurnikova ulica 2
1000 Ljubljana
Telephone no.: +386 (0)1 43 02 210
E-mail: info@mojdenar.com
Website: <http://www.mojdenar.si>

Table of Contents

Foreword	4
Introduction.....	5
1 Scope	6
2 Normative references	6
3 Terms and definitions.....	6
4 Message structure chart.....	6
5 Branching diagram.....	11
6 Segment details	23
Annex A (informative) Business terms (BT).....	166
A.1 List and description of business terms (BT) and business terms groups (BG)	166
Annex B (informative) e-SLOG 2.0 Schema.....	184
B.1 XML Schema.....	184
Annex C (informative) Demonstration example of use application.....	185
C.1 An example of using segment elements.....	185
Annex D (informative) Mapping table e-SLOG 1.6	186
D.1 Mapping table between e-SLOG 1.6 and e-SLOG 2.0	186
Literature.....	187

e-SLOG 2.0 Electronic Invoice – Part 2: Document Composition

Foreword

The e-SLOG 2.0 Electronic Invoice documentation was prepared by the ROSE "Readiness Of Slovenian E-Invoicing" project.

This document is part of a group of documents, consisting of:

- e-SLOG 2.0 Electronic Invoice – Part 1: General Instructions
- e-SLOG 2.0 Electronic Invoice – Part 2: Document Composition
- e-SLOG 2.0 Electronic Invoice – Part 3: Examples of Use




Figure 1: Link between the e-SLOG 2.0 electronic invoice documents

Introduction

On 6 May 2014, the European Parliament and the Council adopted Directive 2014/55/EU on establishing the EN 16931 electronic invoicing standard. The European standard was published in the Official Journal of the European Union on 17 October 2017.

The ROSE "Readiness Of Slovenian E-invoicing" measure was established in order to introduce the European electronic invoicing standard in the Slovenian public sector and in the economy. One of the fundamental objectives of the measure is to upgrade the e-SLOG standard to the 2.0 version, which is in line with the European standard. In the preparation of the e-SLOG 2.0 standard, UN/EDIFACT INVOIC syntax was used as a basis, the same as in the preparation of the previous e-SLOG standard versions.

Interoperability between the old e-SLOG 1.6 standard and the new e-SLOG 2.0 standard is provided by mapping tables, which enable mapping between the two standards. The mapping tables can be found in Annex D to the document *e-SLOG 2.0 Electronic Invoice – Part 2: Document Composition*.

e-SLOG 2.0 Electronic Invoice – Part 2: Document Composition

1 Scope

The purpose of the document is to provide composition of the document e-SLOG 2.0 – Electronic invoice and the connection of individual segments of the document with a semantic model described in SIST EN 16931-1:2017 [2]. It is intended for all legal and public persons implementing e-SLOG 2.0 0 – Electronic invoice into their software solutions.

2 Normative references

The following documents, in whole or in part, are normatively referenced in this document and are indispensable for its application. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

SIST EN 16931-1:2017 Electronic Invoicing – Part 1: Semantic data model of the core elements of an electronic invoice.

3 Terms and definitions

For the purposes of this document, the terms and definitions from *e-SLOG 2.0 Electronic Invoice – Part 1: General Instructions* shall apply.

Annex A contains a list and description of business terms.

4 Message structure chart

The message is composed by segments. The structure of the message is explained in *e-SLOG 2.0 Electronic Invoice - Part 1: General Instructions*, Chapter 7.3.1. Each segment is defined by segment code, serial number in documentation, obligation to enter segment¹, number of repetitions, segment name, and relationship with other segments.

UNH	1	M	1	- Message header
BGM	2	M	1	- Beginning of message
DTM	3	M	1	- Date/time/period
DTM	4	C	1	- Date/time/period
DTM	5	C	1	- Date/time/period
DTM	6	C	1	- Date/time/period
DTM	7	C	1	- Date/time/period
DTM	8	C	1	- Date/time/period
FTX	9	C	1	- Free text
FTX	10	C	1	- Free text
FTX	11	C	99	- Free text
FTX	12	M	1	- Free text
FTX	13	C	1	- Free text
FTX	14	C	1	- Free text
SG1		C	1	- RFF
RFF	15	M	1	- Reference
SG1		C	1	- RFF
RFF	16	M	1	- Reference
SG1		C	1	- RFF

¹ Obligation to enter segment is defined in the document *e-SLOG 2.0 Electronic Invoice – Part 1: General Instructions*, Chapter 7.2.

e-SLOG 2.0 Electronic Invoice – Part 2: Document Composition

└──RFF	17	M	1	- Reference
└──SG1		C	1	- RFF
└──RFF	18	M	1	- Reference
└──SG1		C	1	- RFF
└──RFF	19	M	1	- Reference
└──SG1		C	1	- RFF
└──RFF	20	M	1	- Reference
└──SG1		C	1	- RFF
└──RFF	21	M	1	- Reference
└──SG1		C	1	- RFF
└──RFF	22	M	1	- Reference
└──SG1		C	99999	- RFF-DTM
└──RFF	23	M	1	- Reference
└──DTM	24	C	1	- Date/time/period
└──SG1		C	1	- RFF
└──RFF	25	M	1	- Reference
└──SG2		R	1	- NAD-FII-FII-SG3-SG3-SG3-SG3-SG3-SG5-SG5
└──NAD	26	M	1	- Name and address
└──FII	27	C	1	- Financial institution information
└──FII	28	C	1	- Financial institution information
└──SG3		C	1	- RFF
└──RFF	29	M	1	- Reference
└──SG3		C	1	- RFF
└──RFF	30	M	1	- Reference
└──SG3		C	1	- RFF
└──RFF	31	M	1	- Reference
└──SG3		C	1	- RFF
└──RFF	32	M	1	- Reference
└──SG3		C	1	- RFF
└──RFF	33	M	1	- Reference
└──SG3		C	1	- RFF
└──RFF	34	M	1	- Reference
└──SG5		C	1	- CTA-COM
└──CTA	35	M	1	- Contact information
└──COM	36	C	1	- Communication contact
└──SG5		C	1	- CTA-COM-COM
└──CTA	37	M	1	- Contact information
└──COM	38	C	1	- Communication contact
└──COM	39	C	1	- Communication contact
└──SG2		R	1	- NAD-FII-SG3-SG3-SG3-SG5-SG5
└──NAD	40	M	1	- Name and address
└──FII	41	C	1	- Financial institution information
└──SG3		C	1	- RFF
└──RFF	42	M	1	- Reference
└──SG3		C	1	- RFF
└──RFF	43	M	1	- Reference
└──SG3		C	1	- RFF
└──RFF	44	M	1	- Reference
└──SG5		C	1	- CTA-COM
└──CTA	45	M	1	- Contact information
└──COM	46	C	5	- Communication contact
└──SG5		C	1	- CTA-COM-COM
└──CTA	47	M	1	- Contact information
└──COM	48	C	1	- Communication contact
└──COM	49	C	1	- Communication contact
└──SG2		C	1	- NAD-SG3
└──NAD	50	M	1	- Name and address
└──SG3		C	1	- RFF
└──RFF	51	M	1	- Reference
└──SG2		C	1	- NAD

e-SLOG 2.0 Electronic Invoice – Part 2: Document Composition

NAD	52	M	1	- Name and address
SG2		C	1	- NAD-SG3
NAD	53	M	1	- Name and address
SG3		R	1	- RFF
RFF	54	M	1	- Reference
SG7		R	1	- CUX
CUX	55	M	1	- Currencies
SG7		C	1	- CUX
CUX	56	M	1	- Currencies
SG8		C	1	- PAT-DTM-PAI
PAT	57	M	1	- Payment terms basis
DTM	58	C	1	- Date/time/period
PAI	59	R	1	- Payment instructions
SG16		C	9999	- ALC-SG19-SG20-SG20-SG22
ALC	60	M	1	- Allowance or charge
SG19		C	1	- PCD
PCD	61	M	1	- Percentage details
SG20		R	1	- MOA
MOA	62	M	1	- Monetary amount
SG20		C	1	- MOA
MOA	63	M	1	- Monetary amount
SG22		C	1	- TAX
TAX	64	M	1	- Duty/tax/fee details
SG16		C	9999	- ALC-SG19-SG20-SG20-SG22
ALC	65	M	1	- Allowance or charge
SG19		C	1	- PCD
PCD	66	M	1	- Percentage details
SG20		R	1	- MOA
MOA	67	M	1	- Monetary amount
SG20		C	1	- MOA
MOA	68	M	1	- Monetary amount
SG22		C	5	- TAX
TAX	69	M	1	- Duty/tax/fee details
SG26		R	9999999	- LIN-PIA-PIA-PIA-IMD-IMD-QTY-ALI-DTM-DTM-FTX-FTX-SG27-SG29-SG29-SG30-SG30-SG30-SG34-SG39-SG39-SG39
LIN	70	M	1	- Line item
PIA	71	C	1	- Additional product id
PIA	72	C	1	- Additional product id
PIA	73	C	25	- Additional product id
IMD	74	R	1	- Item description
IMD	75	C	1	- Item description
QTY	76	R	1	- Quantity
ALI	77	C	1	- Additional information
DTM	78	C	1	- Date/time/period
DTM	79	C	1	- Date/time/period
FTX	80	C	1	- Free text
FTX	81	C	99	- Free text
SG27		R	1	- MOA
MOA	82	M	1	- Monetary amount
SG29		R	1	- PRI
PRI	83	M	1	- Price details
SG29		C	1	- PRI
PRI	84	M	1	- Price details
SG30		C	1	- RFF
RFF	85	M	1	- Reference
SG30		C	1	- RFF
RFF	86	M	1	- Reference
SG30		C	1	- RFF
RFF	87	M	1	- Reference
SG34		R	1	- TAX

e-SLOG 2.0 Electronic Invoice – Part 2: Document Composition


TAX	88	M	1	- Duty/tax/fee details
SG39		C	30	- ALC-SG41-SG42-SG42
└─ ALC	89	M	1	- Allowance or charge
└─ SG41		C	1	- PCD
└─ PCD	90	M	1	- Percentage details
└─ SG42		R	2	- MOA
└─ MOA	91	M	1	- Monetary amount
└─ SG42		C	2	- MOA
└─ MOA	92	M	1	- Monetary amount
└─ SG39		C	30	- ALC-SG42
└─ ALC	93	M	1	- Allowance or charge
└─ SG42		C	1	- MOA
└─ MOA	94	M	1	- Monetary amount
└─ SG39		C	30	- ALC-SG41-SG42-SG42
└─ ALC	95	M	1	- Allowance or charge
└─ SG41		C	1	- PCD
└─ PCD	96	M	1	- Percentage details
└─ SG42		R	2	- MOA
└─ MOA	97	M	1	- Monetary amount
└─ SG42		C	2	- MOA
└─ MOA	98	M	1	- Monetary amount
SG26		C	9999999	- LIN-PIA-IMD-IMD-QTY-ALI-DTM-DTM-FTX-SG27-SG29-SG30-SG30-SG34
└─ LIN	99	M	1	- Line item
└─ PIA	100	C	1	- Additional product id
└─ IMD	101	R	1	- Item description
└─ IMD	102	C	1	- Item description
└─ QTY	103	R	1	- Quantity
└─ ALI	104	C	1	- Additional information
└─ DTM	105	C	1	- Date/time/period
└─ DTM	106	C	1	- Date/time/period
└─ FTX	107	C	1	- Free text
└─ SG27		R	1	- MOA
└─ MOA	108	M	1	- Monetary amount
└─ SG29		R	1	- PRI
└─ PRI	109	M	1	- Price details
└─ SG30		C	1	- RFF
└─ RFF	110	M	1	- Reference
└─ SG30		C	1	- RFF
└─ RFF	111	M	1	- Reference
└─ SG30		C	1	- RFF
└─ RFF	112	M	1	- Reference
└─ SG34		R	1	- TAX
└─ TAX	113	M	1	- Duty/tax/fee details
└─ SG26		C	9999999	- LIN-PIA-IMD-QTY-SG27-SG29-SG34
└─ LIN	114	M	1	- Line item
└─ PIA	115	C	1	- Additional product id
└─ IMD	116	R	1	- Item description
└─ QTY	117	R	1	- Quantity
└─ SG27		R	99	- MOA
└─ MOA	118	M	1	- Monetary amount
└─ SG29		R	1	- PRI
└─ PRI	119	M	1	- Price details
└─ SG34		R	1	- TAX
└─ TAX	120	M	1	- Duty/tax/fee details
└─ UNS	121	C	1	- Section control
└─ SG50		M	1	- MOA
└─ MOA	122	M	1	- Monetary amount
└─ SG50		M	1	- MOA

e-SLOG 2.0 Electronic Invoice – Part 2: Document Composition


└── MOA	123	M	1	- Monetary amount
└── SG50		M	1	- MOA
└── MOA	124	M	1	- Monetary amount
└── SG50		M	1	- MOA
└── MOA	125	M	1	- Monetary amount
└── SG50		C	1	- MOA
└── MOA	126	M	1	- Monetary amount
└── SG50		C	1	- MOA
└── MOA	127	M	1	- Monetary amount
└── SG50		C	1	- MOA
└── MOA	128	M	1	- Monetary amount
└── SG50		C	1	- MOA
└── MOA	129	M	1	- Monetary amount
└── SG50		C	1	- MOA
└── MOA	130	M	1	- Monetary amount
└── SG50		C	1	- MOA
└── MOA	131	M	1	- Monetary amount
└── SG52		R	10	- TAX-MOA-MOA
└── TAX	132	M	1	- Duty/tax/fee details
└── MOA	133	R	1	- Monetary amount
└── MOA	134	R	1	- Monetary amount
└── SG52		R	10	- TAX-MOA-MOA
└── TAX	135	M	1	- Duty/tax/fee details
└── MOA	136	R	1	- Monetary amount
└── MOA	137	R	1	- Monetary amount
└── UNT	138	C	1	- Message trailer

5 Branching diagram


Branching diagram presents the hierarchical structure of segments. Displayed information is described in the document *e-SLOG 2.0 Electronic Invoice – Part 1: General Instructions*, Chapter 7.3.2.




e-SLOG 2.0 Electronic Invoice – Part 2: Document Composition




e-SLOG 2.0 Electronic Invoice – Part 2: Document Composition




e-SLOG 2.0 Electronic Invoice – Part 2: Document Composition




e-SLOG 2.0 Electronic Invoice – Part 2: Document Composition




e-SLOG 2.0 Electronic Invoice – Part 2: Document Composition




e-SLOG 2.0 Electronic Invoice – Part 2: Document Composition




e-SLOG 2.0 Electronic Invoice – Part 2: Document Composition




e-SLOG 2.0 Electronic Invoice – Part 2: Document Composition




e-SLOG 2.0 Electronic Invoice – Part 2: Document Composition



e-SLOG 2.0 Electronic Invoice – Part 2: Document Composition



e-SLOG 2.0 Electronic Invoice – Part 2: Document Composition



6 Segment details

Each segment is described by the elements and the directions for the use of these elements. The links to the business terms (BT) of the semantic model and the case value from the demonstration example of use² are listed. Displayed information is described in the document *e-SLOG 2.0 Electronic Invoice – Part 1: General Instructions*, Chapter 7.3.3.

Segment number: 1

UNH - M 1 - Message header					
Function:					
To head, identify and specify a message.					
Notes:					
1. Data element S009/0057 is retained for upward compatibility. The use of S016 and/or S017 is encouraged in preference.					
2. The combination of the values carried in data elements 0062 and S009 shall be used to identify uniquely the message within its group (if used) or if not used, within its interchange, for the purpose of acknowledgement.					
e-SLOG 2.0			EN 16931		
Tag	Name	Format	St	Usage	Example
0062	Message reference number	an..14	M		TOSL110
S009	MESSAGE IDENTIFIER		M		
0065	Message type	an..6	M	INVOIC = Invoice message	INVOIC
0052	Message version number	an..3	M	D = Draft version/UN/EDIFACT Directory	D
0054	Message release number	an..3	M	01B = Release 2001 - B	01B
0051	Controlling agency, coded	an..3	M	UN = UN/CEFACT	UN
Segment Notes:					

² The demo example can be found in Annex C.

e-SLOG 2.0 Electronic Invoice – Part 2: Document Composition

Segment number: 2

BGM - M 1 - Beginning of message					
Function:					
To indicate the type and function of a message and to transmit the identifying number.					
e-SLOG 2.0			EN 16931		
Tag	Name	Format	St	Usage	Example
C002	DOCUMENT/MESSAGE NAME		R		
1001	Document name code	an..3	R	380 = Commercial invoice 381 = Credit note - goods and services BT:Invoice type code(BT-3) DESC:A code specifying the functional type of the Invoice.	380
C106	DOCUMENT/MESSAGE IDENTIFICATION		R		
1004	Document identifier	an..70	R	BT:Invoice number (BT-1) DESC:A unique identification of the Invoice.	TOSL110
Segment Notes:					

e-SLOG 2.0 Electronic Invoice – Part 2: Document Composition

Segment number: 3

DTM - M 1 - Date/time/period					
Function:					
To specify date, and/or time, or period.					
e-SLOG 2.0					EN 16931
Tag	Name	Format	St	Usage	Example
C507	DATE/TIME/PERIOD		M		
2005	Date or time or period function code qualifier	an..3	M	137 = Document/message date/time	137
2380	Date or time or period value	an..35	R	BT:Invoice issue date (BT-2) DESC:The date when the Invoice was issued.	2013-04-10
Segment Notes:					

e-SLOG 2.0 Electronic Invoice – Part 2: Document Composition

Segment number: 4

DTM - C 1 - Date/time/period					
Function:					
To specify date, and/or time, or period.					
e-SLOG 2.0					EN 16931
Tag	Name	Format	St	Usage	Example
C507	DATE/TIME/PERIOD		M		
2005	Date or time or period function code qualifier	an..3	M	131 = Tax point date	131
2380	Date or time or period value	an..35	R	BT:Value added tax point date (BT-7) DESC:The date when the VAT becomes accountable for the Seller and for the Buyer in so far as that date can be determined and differs from the date of issue of the invoice, according to the VAT directive...	2013-04-10
Segment Notes:					

e-SLOG 2.0 Electronic Invoice – Part 2: Document Composition

Segment number: 5

DTM - C 1 - Date/time/period					
Function:					
To specify date, and/or time, or period.					
e-SLOG 2.0					EN 16931
Tag	Name	Format	St	Usage	Example
C507	DATE/TIME/PERIOD		M		
2005	Date or time or period function code qualifier	an..3	M	3 = Invoice date/time 35 = Delivery date/time, actual 432 = Paid to date BT:Value added tax point date code (BT-8) DESC:The code of the date when the VAT becomes accountable for the Seller and for the Buyer.	35
Segment Notes:					

e-SLOG 2.0 Electronic Invoice – Part 2: Document Composition

Segment number: 6

DTM - C 1 - Date/time/period					
Function:					
To specify date, and/or time, or period.					
e-SLOG 2.0					EN 16931
Tag	Name	Format	St	Usage	Example
C507	DATE/TIME/PERIOD		M		
2005	Date or time or period function code qualifier	an..3	M	35 = <i>Delivery date/time, actual</i>	35
2380	Date or time or period value	an..35	R	BT:Actual delivery date (BT-72) DESC:The date on which the delivery is made.	2013-04-15
Segment Notes:					

e-SLOG 2.0 Electronic Invoice – Part 2: Document Composition

Segment number: 7

DTM - C 1 - Date/time/period					
Function:					
To specify date, and/or time, or period.					
e-SLOG 2.0					EN 16931
Tag	Name	Format	St	Usage	Example
C507	DATE/TIME/PERIOD		M		
2005	Date or time or period function code qualifier	an..3	M	167 = Charge period start date BT:DELIVERY OR INVOICE PERIOD (BG-14) DESC:A group of business terms providing information on the invoice period.	167
2380	Date or time or period value	an..35	R	BT:Invoicing period start date (BT-73) DESC:The date when the Invoice period starts.	2013-03-10
Segment Notes:					

e-SLOG 2.0 Electronic Invoice – Part 2: Document Composition

Segment number: 8

DTM - C 1 - Date/time/period					
Function:					
To specify date, and/or time, or period.					
e-SLOG 2.0					EN 16931
Tag	Name	Format	St	Usage	Example
C507	DATE/TIME/PERIOD		M		
2005	Date or time or period function code qualifier	an..3	M	168 = Charge period end date BT:DELIVERY OR INVOICE PERIOD (BG-14) DESC:A group of business terms providing information on the invoice period.	168
2380	Date or time or period value	an..35	R	BT:Invoicing period end date (BT-74) DESC:The date when the Invoice period ends.	2013-04-10
Segment Notes:					

Segment number: 9

FTX - C 1 - Free text					
Function:					
To provide free form or coded text information.					
e-SLOG 2.0			EN 16931		
Tag	Name	Format	St	Usage	Example
4451	Text subject code qualifier	an..3	M	AAB = Terms of payments	AAB
4453	Free text function code	an..3	N	Not used	
C107	TEXT REFERENCE		N		
4441	Free text value code	an..17	N	Not used	
C108	TEXT LITERAL		R		
4440	Free text value	an..512	M	BT:Payment terms (BT-20) DESC:A textual description of the payment terms that apply to the amount due for payment (Including description of possible penalties).	50% prepaid, 50% within one month
4440	Free text value	an..512	C		Additional text line 2
4440	Free text value	an..512	C		Additional text line 3
4440	Free text value	an..512	C		Additional text line 4
4440	Free text value	an..512	C		Additional text line 5
Segment Notes:					

e-SLOG 2.0 Electronic Invoice – Part 2: Document Composition

Segment number: 10

FTX - C 1 - Free text					
Function:					
To provide free form or coded text information.					
e-SLOG 2.0			EN 16931		
Tag	Name	Format	St	Usage	Example
4451	Text subject code qualifier	an..3	M	REG = Regulatory information	REG
4453	Free text function code	an..3	N	Not used	
C107	TEXT REFERENCE		N		
4441	Free text value code	an..17	N	Not used	
C108	TEXT LITERAL		R		
4440	Free text value	an..512	M	BT:Seller additional legal information (BT-33) DESC:Additional legal information relevant for the Seller.	Export
Segment Notes:					

Segment number: 11

FTX - C 99 - Free text					
Function:					
To provide free form or coded text information.					
e-SLOG 2.0			EN 16931		
Tag	Name	Format	St	Usage	Example
4451	Text subject code qualifier	an..3	M	GEN = Entire transaction set BT:Invoice note subject code (BT-21) DESC:The subject of the following textual note. Use UN code list 4451; GEN as default; others as appropriate	GEN
4453	Free text function code	an..3	N	Not used	
C107	TEXT REFERENCE		N		
4441	Free text value code	an..17	N	Not used	
C108	TEXT LITERAL		R		
4440	Free text value	an..512	M	BT:Invoice note (BT-22) DESC:A textual note that gives unstructured information that is relevant to the Invoice as a whole.	Ordered through our website
Segment Notes:					
BT:INVOICE NOTE (BG-1) DESC:A group of business terms providing textual notes that are relevant for the invoice, together with an indication of the note subject.					

e-SLOG 2.0 Electronic Invoice – Part 2: Document Composition

Segment number: 12

FTX - M 1 - Free text					
Function:					
To provide free form or coded text information.					
e-SLOG 2.0			EN 16931		
Tag	Name	Format	St	Usage	Example
4451	Text subject code qualifier	an..3	M	DOC = Documentation instructions	DOC
4453	Free text function code	an..3	N	Not used	
C107	TEXT REFERENCE		C		
4441	Free text value code	an..17	M	BT:Business process type (BT-23) DESC:Identifies the business process context in which the transaction appears, to enable the Buyer to process the Invoice in an appropriate way. P1 = Invoicing of deliveries of goods and services against purchase orders, based on a contract P2 = Invoicing deliveries of goods and services based on a contract P3 = Invoicing the delivery of an incidental purchase order P4 = Pre-payment P5 = Spot payment P6 = Payment in advance of delivery P7 = Invoices with references to a despatch advice P8 = Invoices with references to a despatch advice and a receiving advice P9 = Credit notes or invoices with negative amounts, issued for a variety of reasons including the return of empty packaging P10 = Corrective invoicing (cancellation/correction of an invoice) P11 = Partial and final invoicing P12 = Self billing	P1
C108	TEXT LITERAL		R		
4440	Free text value	an..512	M	BT:Specification identifier (BT-24) DESC:An identification of the specification containing the total set of rules regarding semantic content, cardinalities and business rules to which the data contained in the instance document conforms.	urn?:cen.eu?:en16931?:2017
Segment Notes:					
DESC:A group of business terms providing information on the business process and rules applicable to the Invoice document. BT:PROCESS CONTROLE (BG-2)					

e-SLOG 2.0 Electronic Invoice – Part 2: Document Composition

Segment number: 13

FTX - C 1 - Free text					
e-SLOG 2.0			EN 16931		
Tag	Name	Format	St	Usage	Example
4451	Text subject code qualifier	an..3	M	AAT = Mode of settlement information	AAT
4453	Free text function code	an..3	N	Not used	
C107	TEXT REFERENCE		N		
4441	Free text value code	an..17	N	Not used	
C108	TEXT LITERAL		R		
4440	Free text value	an..512	M	BT:Payment means text (BT-82) DESC:The means, expressed as text, for how a payment is expected to be or has been settled. Code AAT may be used for other than IATA	Half prepaid
Segment Notes:					

e-SLOG 2.0 Electronic Invoice – Part 2: Document Composition

Segment number: 14

FTX - C 1 - Free text					
Function:					
To provide free form or coded text information.					
e-SLOG 2.0					EN 16931
Tag	Name	Format	St	Usage	Example
4451	Text subject code qualifier	an..3	M	AGM = Exemption	AGM
4453	Free text function code	an..3	N	Not used	
C107	TEXT REFERENCE		C		
4441	Free text value code	an..17	M	BT:VAT exemption reason code (BT-121) DESC:A coded statement of the reason for why the amount is exempted from VAT.	
C108	TEXT LITERAL		R		
4440	Free text value	an..512	M	BT:VAT exemption reason text (BT-120) DESC:A textual statement of the reason why the amount is exempted from VAT or why no VAT is being charged	Exempt New Means of Transport
Segment Notes:					

e-SLOG 2.0 Electronic Invoice – Part 2: Document Composition

Segment number: 15

SG1	- C	1 - RFF						
RFF	- M	1 - Reference						
Function:								
To specify a reference.								
e-SLOG 2.0			EN 16931					
Tag	Name	Format	St	Usage	Example			
C506	REFERENCE		M					
1153	Reference code qualifier	an..3	M	AEP = Project number	AEP			
1154	Reference identifier	an..70	R	BT:Project reference (BT-11) DESC:The identification of the project the invoice refers to.	Project345			
Segment Notes:								

e-SLOG 2.0 Electronic Invoice – Part 2: Document Composition

Segment number: 16

SG1	- C	1 - RFF			
RFF	- M	1 - Reference			
Function:					
To specify a reference.					
e-SLOG 2.0					
Tag	Name	Format	St	Usage	Example
C506	REFERENCE		M		
1153	Reference code qualifier	an..3	M	CT = Contract number	CT
1154	Reference identifier	an..70	R	BT:Contract reference (BT-12) DESC:The identification of a contract.	2013-05
Segment Notes:					

e-SLOG 2.0 Electronic Invoice – Part 2: Document Composition

Segment number: 17

SG1	- C	1 - RFF																									
RFF	- M	1 - Reference																									
Function:																											
To specify a reference.																											
<table border="1"> <thead> <tr> <th colspan="2">e-SLOG 2.0</th> <th colspan="3">EN 16931</th> </tr> <tr> <th>Tag</th> <th>Name</th> <th>Format</th> <th>St</th> <th>Usage</th> </tr> </thead> <tbody> <tr> <td>C506</td> <td>REFERENCE</td> <td></td> <td>M</td> <td></td> </tr> <tr> <td>1153</td> <td>Reference code qualifier</td> <td>an..3</td> <td>M</td> <td>ON = Order number (buyer)</td> </tr> <tr> <td>1154</td> <td>Reference identifier</td> <td>an..70</td> <td>R</td> <td>BT:Purchase order reference (BT-13) DESC:An identifier of a referenced purchase order, issued by the Buyer.</td> </tr> </tbody> </table>			e-SLOG 2.0		EN 16931			Tag	Name	Format	St	Usage	C506	REFERENCE		M		1153	Reference code qualifier	an..3	M	ON = Order number (buyer)	1154	Reference identifier	an..70	R	BT:Purchase order reference (BT-13) DESC:An identifier of a referenced purchase order, issued by the Buyer.
e-SLOG 2.0		EN 16931																									
Tag	Name	Format	St	Usage																							
C506	REFERENCE		M																								
1153	Reference code qualifier	an..3	M	ON = Order number (buyer)																							
1154	Reference identifier	an..70	R	BT:Purchase order reference (BT-13) DESC:An identifier of a referenced purchase order, issued by the Buyer.																							
Segment Notes:																											

e-SLOG 2.0 Electronic Invoice – Part 2: Document Composition

Segment number: 18

SG1	- C	1 - RFF			
RFF	- M	1 - Reference			
Function:					
To specify a reference.					
e-SLOG 2.0		EN 16931			
Tag	Name	Format	St	Usage	Example
C506	REFERENCE		M		
1153	Reference code qualifier	an..3	M	VN = Order number (supplier)	VN
1154	Reference identifier	an..70	R	BT:Sales order reference (BT-14) DESC:An identifier of a referenced sales order, issued by the Seller..	123
Segment Notes:					

e-SLOG 2.0 Electronic Invoice – Part 2: Document Composition

Segment number: 19

SG1	- C	1 - RFF																									
RFF	- M	1 - Reference																									
Function:																											
To specify a reference.																											
<table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr style="background-color: #cccccc;"> <th colspan="2" style="text-align: left; padding: 2px;">e-SLOG 2.0</th> <th colspan="3" style="text-align: center; padding: 2px;">EN 16931</th> </tr> <tr style="background-color: #cccccc;"> <th style="text-align: left; padding: 2px;">Tag</th> <th style="text-align: left; padding: 2px;">Name</th> <th style="text-align: left; padding: 2px;">Format</th> <th style="text-align: left; padding: 2px;">St</th> <th style="text-align: left; padding: 2px;">Usage</th> </tr> </thead> <tbody> <tr> <td style="padding: 2px;">C506</td><td style="padding: 2px;">REFERENCE</td><td style="padding: 2px;"></td><td style="padding: 2px;">M</td><td style="padding: 2px;"></td></tr> <tr> <td style="padding: 2px;">1153</td><td style="padding: 2px;">Reference code qualifier</td><td style="padding: 2px;">an..3</td><td style="padding: 2px;">M</td><td style="padding: 2px;">ALO = Receiving advice number</td></tr> <tr> <td style="padding: 2px;">1154</td><td style="padding: 2px;">Reference identifier</td><td style="padding: 2px;">an..70</td><td style="padding: 2px;">R</td><td style="padding: 2px;">BT:Receiving advice reference (BT-15) DESC:An identifier of a referenced receiving advice.</td></tr> </tbody> </table>			e-SLOG 2.0		EN 16931			Tag	Name	Format	St	Usage	C506	REFERENCE		M		1153	Reference code qualifier	an..3	M	ALO = Receiving advice number	1154	Reference identifier	an..70	R	BT:Receiving advice reference (BT-15) DESC:An identifier of a referenced receiving advice.
e-SLOG 2.0		EN 16931																									
Tag	Name	Format	St	Usage																							
C506	REFERENCE		M																								
1153	Reference code qualifier	an..3	M	ALO = Receiving advice number																							
1154	Reference identifier	an..70	R	BT:Receiving advice reference (BT-15) DESC:An identifier of a referenced receiving advice.																							
Segment Notes:																											

e-SLOG 2.0 Electronic Invoice – Part 2: Document Composition

Segment number: 20

SG1	- C	1 - RFF			
RFF	- M	1 - Reference			
Function:					
To specify a reference.					
e-SLOG 2.0		EN 16931			
Tag	Name	Format	St	Usage	Example
C506	REFERENCE		M		
1153	Reference code qualifier	an..3	M	AAK = Despatch advice number	AAK
1154	Reference identifier	an..70	R	BT:Despatch advice reference (BT-16) DESC:An identifier of a referenced despatch advice.	5433
Segment Notes:					

e-SLOG 2.0 Electronic Invoice – Part 2: Document Composition

Segment number: 21

SG1	- C	1 - RFF																									
RFF	- M	1 - Reference																									
Function:																											
To specify a reference.																											
<table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr style="background-color: #cccccc;"> <th colspan="2" style="text-align: left; padding: 2px;">e-SLOG 2.0</th> <th colspan="3" style="text-align: center; padding: 2px;">EN 16931</th> </tr> <tr style="background-color: #cccccc;"> <th style="text-align: left; padding: 2px;">Tag</th> <th style="text-align: left; padding: 2px;">Name</th> <th style="text-align: left; padding: 2px;">Format</th> <th style="text-align: left; padding: 2px;">St</th> <th style="text-align: left; padding: 2px;">Usage</th> </tr> </thead> <tbody> <tr> <td style="padding: 2px;">C506</td><td style="padding: 2px;">REFERENCE</td><td style="padding: 2px;"></td><td style="padding: 2px;">M</td><td style="padding: 2px;"></td></tr> <tr> <td style="padding: 2px;">1153</td><td style="padding: 2px;">Reference code qualifier</td><td style="padding: 2px;">an..3</td><td style="padding: 2px;">M</td><td style="padding: 2px;">GC = Government contract number</td></tr> <tr> <td style="padding: 2px;">1154</td><td style="padding: 2px;">Reference identifier</td><td style="padding: 2px;">an..70</td><td style="padding: 2px;">R</td><td style="padding: 2px;">BT:Tender or lot reference (BT-17) DESC:The identification of the call for tender or lot the invoice relates to.</td></tr> </tbody> </table>			e-SLOG 2.0		EN 16931			Tag	Name	Format	St	Usage	C506	REFERENCE		M		1153	Reference code qualifier	an..3	M	GC = Government contract number	1154	Reference identifier	an..70	R	BT:Tender or lot reference (BT-17) DESC:The identification of the call for tender or lot the invoice relates to.
e-SLOG 2.0		EN 16931																									
Tag	Name	Format	St	Usage																							
C506	REFERENCE		M																								
1153	Reference code qualifier	an..3	M	GC = Government contract number																							
1154	Reference identifier	an..70	R	BT:Tender or lot reference (BT-17) DESC:The identification of the call for tender or lot the invoice relates to.																							
Segment Notes:																											

e-SLOG 2.0 Electronic Invoice – Part 2: Document Composition

Segment number: 22

SG1	- C	1 - RFF			
RFF	- M	1 - Reference			
Function:					
To specify a reference.					
e-SLOG 2.0		EN 16931			
Tag	Name	Format	St	Usage	Example
C506	REFERENCE		M		
1153	Reference code qualifier	an..3	M	ATS = External object reference BT:Scheme identifier(BT-18-1) DESC:The identification scheme identifier of the Invoiced object identifier. Use UN code list 1153; Use ATS as default value	ATS
1154	Reference identifier	an..70	R	BT:Invoiced object identifier (BT-18) DESC:The identification of the call for tender or lot the invoice relates to.	OBJ999
Segment Notes:					

Segment number: 23

SG1	- C	99999 - RFF-DTM																									
RFF	- M	1 - Reference																									
Function:																											
To specify a reference.																											
<table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr style="background-color: #cccccc;"> <th colspan="2" style="text-align: left;">e-SLOG 2.0</th> <th colspan="3" style="text-align: center;">EN 16931</th> </tr> <tr> <th style="text-align: left;">Tag</th> <th style="text-align: left;">Name</th> <th style="text-align: left;">Format</th> <th style="text-align: left;">St</th> <th style="text-align: left;">Usage</th> </tr> </thead> <tbody> <tr> <td>C506</td> <td>REFERENCE</td> <td></td> <td>M</td> <td></td> </tr> <tr> <td>1153</td> <td>Reference code qualifier</td> <td>an..3</td> <td>M</td> <td>OI = Previous invoice number</td> </tr> <tr> <td>1154</td> <td>Reference identifier</td> <td>an..70</td> <td>R</td> <td>BT:Preceding Invoice number (BT-25) DESC:The identification of an Invoice that was previously sent by the Seller..</td> </tr> </tbody> </table>			e-SLOG 2.0		EN 16931			Tag	Name	Format	St	Usage	C506	REFERENCE		M		1153	Reference code qualifier	an..3	M	OI = Previous invoice number	1154	Reference identifier	an..70	R	BT:Preceding Invoice number (BT-25) DESC:The identification of an Invoice that was previously sent by the Seller..
e-SLOG 2.0		EN 16931																									
Tag	Name	Format	St	Usage																							
C506	REFERENCE		M																								
1153	Reference code qualifier	an..3	M	OI = Previous invoice number																							
1154	Reference identifier	an..70	R	BT:Preceding Invoice number (BT-25) DESC:The identification of an Invoice that was previously sent by the Seller..																							
Segment Notes:																											

e-SLOG 2.0 Electronic Invoice – Part 2: Document Composition

Segment number: 24

SG1	- C	99999 - RFF-DTM			
DTM	- C	1 - Date/time/period			
Function:					
To specify date, and/or time, or period.					
e-SLOG 2.0		EN 16931			
Tag	Name	Format	St	Usage	Example
C507	DATE/TIME/PERIOD		M		
2005	Date or time or period function code qualifier	an..3	M	384 = Previous invoice date	384
2380	Date or time or period value	an..35	R	BT:Preceding Invoice issue date(BT-26) DESC:The date when the Preceding Invoice was issued.	2013-03-10
Segment Notes:					

Segment number: 25

SG1	- C	1 - RFF						
RFF	- M	1 - Reference						
Function:								
To specify a reference.								
e-SLOG 2.0			EN 16931					
Tag	Name	Format	St	Usage	Example			
C506	REFERENCE		M					
1153	Reference code qualifier	an..3	M	PQ = Payment reference	PQ			
1154	Reference identifier	an..70	R	BT:Remittance information (BT-83) DESC:A textual value used to establish a link between the payment and the Invoice, issued by the Seller.	Payref1			
Segment Notes:								

e-SLOG 2.0 Electronic Invoice – Part 2: Document Composition

Segment number: 26

SG2	- R	1 - NAD-FII-SG3-SG5						
NAD	- M	1 - Name and address						
Function:								
To specify the name/address and their related function, either by C082 only and/or unstructured by C058 or structured by C080 thru 3207.								
e-SLOG 2.0			EN 16931					
Tag	Name	Format	St	Usage	Example			
3035	Party function code qualifier	an..3	M	BY = Buyer BT:BUYER (BG-7) DESC:A group of business terms providing information about the Buyer.	BY			
C082	PARTY IDENTIFICATION DETAILS		C					
3039	Party identifier	an..35	M	BT:Buyer identifier(BT-46) DESC:An identifier of the Buyer..	5790000436 057			
1131	Code list identification code	an..17	C	BT:Buyer identifier identification scheme identifier(BT-46-1) DESC:The identification scheme identifier of the Buyer identifier. Use ISO 6523 ICD list; e.g. 0088 = Global Location Number (GLN); 0060 = Data Universal Numbering System (D-U-N-S)	0088			
C058	NAME AND ADDRESS		N					
3124	Name and address description	an..35	N	Not used				
C080	PARTY NAME		R					
3036	Party name	an..70	M	BT:Buyer name(BT-44) DESC:The full name of the Buyer.	BuyerCompany ltd			
3036	Party name	an..70	C	BT:Buyer trading name(BT-45) DESC:A name by which the Buyer is known, other than Buyer name (also known as Business name).	Buyco			
C059	STREET		C					
3042	Street and number or post office box identifier	an..35	M	BT:Buyer address line 1(BT-50) DESC:The main address line in an address.	Anystreet, Building 1			
3042	Street and number or post office box identifier	an..35	C	BT:Buyer address line 2(BT-51) DESC:An additional address line in an address that can be used to give further details supplementing the main line.	5th floor			
3042	Street and number or post office box identifier	an..35	C	BT:Buyer address line 3(BT-163) DESC:An additional address line in an address that can be used to give further	5th door			

e-SLOG 2.0 Electronic Invoice – Part 2: Document Composition

Segment number: 26

e-SLOG 2.0			EN 16931		
Tag	Name	Format	St	Usage	Example
				details supplementing the main line.	
3164	City name	an..35	C	BT:Buyer city(BT-52) DESC:The common name of the city, town or village, where the Buyer's address is located.	Anytown
C819	COUNTRY SUB-ENTITY DETAILS		C		
3229	Country sub-entity name code	an..9	N	Not used	
1131	Code list identification code	an..17	N	Not used	
3055	Code list responsible agency code	an..3	N	Not used	
3228	Country sub-entity name	an..70	R	BT:Buyer country subdivision(BT-54) DESC:The subdivision of a country.	Jutland
3251	Postal identification code	an..17	C	BT:Buyer post code(BT-53) DESC:The identifier for an addressable group of properties according to the relevant postal service.	101
3207	Country name code	an..3	R	BT:Buyer country code(BT-55) DESC:A code that identifies the country.	DK

Segment Notes:

BT:BUYER POSTAL ADDRESS (BG-8)

DESC:A group of business terms providing information about the postal address for the Buyer.

e-SLOG 2.0 Electronic Invoice – Part 2: Document Composition

Segment number: 27

SG2	- R	1 - NAD-FII-SG3-SG5			
FII	- C	1 - Financial institution information			
Function:					
To identify an account and a related financial institution.					
e-SLOG 2.0		EN 16931			
Tag	Name	Format	St	Usage	Example
3035	Party function code qualifier	an..3	M	PB = Paying financial institution BT:PAYOUT CARD INFORMATION(BG-18) DESC:A group of business terms providing information about card used for payment contemporaneous with invoice issuance.	PB
C078	ACCOUNT HOLDER IDENTIFICATION		R		
3194	Account holder identifier	an..35	R	BT:Payment card primary account number(BT-87) DESC:The Primary Account Number (PAN) of the card used for payment	510510?*?*? *?*?*?*5100
3192	Account holder name	an..35	C	BT:Payment card holder name(BT-88) DESC:The name of the payment card holder.	John hansen
Segment Notes:					

e-SLOG 2.0 Electronic Invoice – Part 2: Document Composition

Segment number: 28

SG2	- R	1 - NAD-FII-SG3-SG5			
FII	- C	1 - Financial institution information			
Function:					
To identify an account and a related financial institution.					
e-SLOG 2.0					
EN 16931					
Tag	Name	Format	St	Usage	Example
3035	Party function code qualifier	an..3	M	BI = Buyer's financial institution BT:DIRECT DEBIT(BG-19) DESC:A group of business terms to specify a direct debit.	BI
C078	ACCOUNT HOLDER IDENTIFICATION		R		
3194	Account holder identifier	an..35	R	BT:Debited account identifier(BT-91) DESC:The account to be debited by the direct debit.	DK1212341 234123412
Segment Notes:					

e-SLOG 2.0 Electronic Invoice – Part 2: Document Composition

Segment number: 29

SG2	- R	1 - NAD-FII-SG3-SG5			
SG3	- C	1 - RFF			
RFF	- M	1 - Reference			
Function:					
To specify a reference.					
e-SLOG 2.0					
Tag	Name	Format	St	Usage	Example
C506	REFERENCE		M		
1153	Reference code qualifier	an..3	M	CR = Customer reference number	CR
1154	Reference identifier	an..70	R	BT:Buyer reference (BT-10) DESC:An identifier assigned by the Buyer used for internal routing purposes.	qwerty
Segment Notes:					

e-SLOG 2.0 Electronic Invoice – Part 2: Document Composition

Segment number: 30

SG2	- R	1 - NAD-FII-SG3-SG5			
SG3	- C	1 - RFF			
RFF	- M	1 - Reference			
Function:					
To specify a reference.					
e-SLOG 2.0			EN 16931		
Tag	Name	Format	St	Usage	Example
C506	REFERENCE		M		
1153	Reference code qualifier	an..3	M	AOU = Cost account	AOU
1154	Reference identifier	an..70	R	BT:Buyer accounting reference (BT-19) DESC:A textual value that specifies where to book the relevant data into the Buyer's financial accounts.	67543
Segment Notes:					

e-SLOG 2.0 Electronic Invoice – Part 2: Document Composition

Segment number: 31

SG2	- R	1 - NAD-FII-SG3-SG5			
SG3	- C	1 - RFF			
RFF	- M	1 - Reference			
Function:					
To specify a reference.					
e-SLOG 2.0			EN 16931		
Tag	Name	Format	St	Usage	Example
C506	REFERENCE		M		
1153	Reference code qualifier	an..3	M	GN = Government reference number BT:Buyer legal registration identifier identification scheme identifier (BT-47-1). DESC:The identification scheme identifier of the Buyer legal registration identifier.	GN
1154	Reference identifier	an..70	R	BT:Buyer legal registration identifier (BT-47) DESC:An identifier issued by an official registrar that identifies the Buyer as a legal entity or person.	DK1635660 7
Segment Notes:					

Segment number: 32

SG2	- R	1 - NAD-FII-SG3-SG5			
SG3	- C	1 - RFF			
RFF	- M	1 - Reference			
Function:					
To specify a reference.					
e-SLOG 2.0			EN 16931		
Tag	Name	Format	St	Usage	Example
C506	REFERENCE		M		
1153	Reference code qualifier	an..3	M	VA = VAT registration number	VA
1154	Reference identifier	an..70	R	BT:Buyer VAT identifier (BT-48) DESC:The Buyer's VAT identifier (also known as Buyer VAT identification number).	DK1635660 7
Segment Notes:					

e-SLOG 2.0 Electronic Invoice – Part 2: Document Composition

Segment number: 33

SG2	- R	1 - NAD-FII-SG3-SG5			
SG3	- C	1 - RFF			
RFF	- M	1 - Reference			
Function:					
To specify a reference.					
e-SLOG 2.0			EN 16931		
Tag	Name	Format	St	Usage	Example
C506	REFERENCE		M		
1153	Reference code qualifier	an..3	M	AVS = Mandate Reference BT:DIRECT DEBIT(BG-19) DESC:A group of business terms to specify a direct debit.	AVS
1154	Reference identifier	an..70	R	BT:Mandate reference identifier (BT-89) DESC:Unique identifier assigned by the Payee for referencing the direct debit mandate.	123456
Segment Notes:					

e-SLOG 2.0 Electronic Invoice – Part 2: Document Composition

Segment number: 34

SG2	- R	1 - NAD-FII-SG3-SG5			
SG3	- C	1 - RFF			
RFF	- M	1 - Reference			
Function:					
To specify a reference.					
e-SLOG 2.0			EN 16931		
Tag	Name	Format	St	Usage	Example
C506	REFERENCE		M		
1153	Reference code qualifier	an..3	M	AII = Bank's common transaction reference number BT:DIRECT DEBIT(BG-19) DESC:A group of business terms to specify a direct debit.	AII
1154	Reference identifier	an..70	R	BT:Bank assigned creditor identifier (BT-90) DESC:Unique banking reference identifier of the Payee or Seller assigned by the Payee or Seller bank.	DK5678
Segment Notes:					

e-SLOG 2.0 Electronic Invoice – Part 2: Document Composition

Segment number: 35

SG2	- R	1 - NAD-FII-SG3-SG5			
SG5	- C	1 - CTA-COM			
CTA	- M	1 - Contact information			
Function:					
To identify a person or a department to whom communication should be directed.					
e-SLOG 2.0		EN 16931			
Tag	Name	Format	St	Usage	Example
3139	Contact function code	an..3	R	IC = Information contact	IC
Segment Notes:					

e-SLOG 2.0 Electronic Invoice – Part 2: Document Composition

Segment number: 36

SG2	- R	1 - NAD-FII-SG3-SG5			
SG5	- C	1 - CTA-COM			
COM	- C	1 - Communication contact			
Function:					
To identify a communication number of a department or a person to whom communication should be directed.					
e-SLOG 2.0			EN 16931		
Tag	Name	Format	St	Usage	Example
C076	COMMUNICATION CONTACT		M		
3148	Communication address identifier	an..512	M	BT:Buyer electronic address(BT-49) DESC:Identifies the Buyer's electronic address to which a business document should be delivered.	info@buyerc ompany.dk
3155	Communication address code qualifier	an..3	M	EM = Electronic mail BT:Buyer electronic address identification scheme identifier (BT-49-1) DESC:The identification scheme identifier of the Buyer electronic address. Use EM (= Email) as default; look at code list mapping for other values	EM
Segment Notes:					

e-SLOG 2.0 Electronic Invoice – Part 2: Document Composition

Segment number: 37

SG2	- R	1 - NAD-FII-SG3-SG5		
SG5	- C	1 - CTA-COM		
CTA	- M	1 - Contact information		
Function:				
To identify a person or a department to whom communication should be directed.				
e-SLOG 2.0		EN 16931		
Tag	Name	Format	St	Usage
3139	Contact function code	an..3	R	PD = Purchasing contact BT:BUYER CONTACT(BG-9) DESC:A group of business terms providing contact information relevant for the Buyer.
C056	DEPARTMENT OR EMPLOYEE DETAILS		C	
3413	Department or employee name code	an..17	R	BT:Buyer contact point(BT-56) DESC:A contact point for a legal entity or person.
Segment Notes:				

e-SLOG 2.0 Electronic Invoice – Part 2: Document Composition

Segment number: 38

SG2	- R	1 - NAD-FII-SG3-SG5			
SG5	- C	1 - CTA-COM			
COM	- C	1 - Communication contact			
Function:					
To identify a communication number of a department or a person to whom communication should be directed.					
e-SLOG 2.0					
Tag	Name	Format	St	Usage	Example
C076	COMMUNICATION CONTACT		M		
3148	Communication address identifier	an..512	M	BT:Buyer contact email address(BT-58) DESC:An e-mail address for the contact point.	info@buyerc ompany.dk
3155	Communication address code qualifier	an..3	M	EM = Electronic mail	EM
Segment Notes:					

e-SLOG 2.0 Electronic Invoice – Part 2: Document Composition

Segment number: 39

SG2	- R	1 - NAD-FII-SG3-SG5			
SG5	- C	1 - CTA-COM			
COM	- C	1 - Communication contact			
Function:					
To identify a communication number of a department or a person to whom communication should be directed.					
e-SLOG 2.0					
Tag	Name	Format	St	Usage	Example
C076	COMMUNICATION CONTACT		M		
3148	Communication address identifier	an..512	M	BT:Buyer contact telephone number. (BT-57) DESC:A phone number for the contact point.	4598989898
3155	Communication address code qualifier	an..3	M	TE = Telephone	TE
Segment Notes:					

e-SLOG 2.0 Electronic Invoice – Part 2: Document Composition

Segment number: 40

SG2	- R	1 - NAD-FII-SG3-SG5			
NAD	- M	1 - Name and address			
Function:					
To specify the name/address and their related function, either by C082 only and/or unstructured by C058 or structured by C080 thru 3207.					
e-SLOG 2.0					
EN 16931					
Tag	Name	Format	St	Usage	Example
3035	Party function code qualifier	an..3	M	SE = Seller BT:SELLER (BG-5) DESC:A group of business terms providing information about the Seller.	SE
C082	PARTY IDENTIFICATION DETAILS		C		
3039	Party identifier	an..35	M	BT:Seller identifier(BT-29) DESC:An identification of the Seller.	5790000434 101
1131	Code list identification code	an..17	C	BT:Seller identifier identification scheme identifier(BT-29-1) DESC:The identification scheme identifier of the Seller identifier. Use ISO 6523 ICD list; e.g. 0088 = Global Location Number (GLN); 0060 = Data Universal Numbering System (D-U-N-S)	0088
C058	NAME AND ADDRESS		N		
3124	Name and address description	an..35	N	Not used	
C080	PARTY NAME		R		
3036	Party name	an..70	M	BT:Seller name(BT-27) DESC:The full formal name by which the Seller is registered in the national registry of legal entities or as a Taxable person or otherwise trades as a person or persons.	SellerCompany
3036	Party name	an..70	C	BT:Seller trading name(BT-28) DESC:A name by which the Seller is known, other than Seller name (also known as Business name).	SelCo
C059	STREET		C		
3042	Street and number or post office box identifier	an..35	M	BT:Seller address line 1(BT-35) DESC:The main address line in an address.	Hoofdstraat 4
3042	Street and number or post office box identifier	an..35	C	BT:Seller address line 2(BT-36) DESC:An additional address line in an address that can be used to give further details supplementing the main line.	Om de hoek

e-SLOG 2.0 Electronic Invoice – Part 2: Document Composition

Segment number: 40

e-SLOG 2.0			EN 16931		
Tag	Name	Format	St	Usage	Example
3042	Street and number or post office box identifier	an..35	C	BT:Seller address line 3(BT-162) DESC:An additional address line in an address that can be used to give further details supplementing the main line.	Om de hoek 2
3164	City name	an..35	C	BT:Seller city(BT-37) DESC:The common name of the city, town or village, where the Seller address is located.	Grootstad
C819	COUNTRY SUB-ENTITY DETAILS		C		
3229	Country sub-entity name code	an..9	N	Not used	
1131	Code list identification code	an..17	N	Not used	
3055	Code list responsible agency code	an..3	N	Not used	
3228	Country sub-entity name	an..70	R	BT:Seller country subdivision(BT-39) DESC:The subdivision of a country.	Overijssel
3251	Postal identification code	an..17	C	BT:Seller post code(BT-38) DESC:The identifier for an addressable group of properties according to the relevant postal service.	54321
3207	Country name code	an..3	R	BT:Seller country code(BT-40) DESC:A code that identifies the country.	NL
Segment Notes:					
BT:SELLER POSTAL ADDRESS (BG-5) DESC:A group of business terms providing information about the address of the Seller.					

e-SLOG 2.0 Electronic Invoice – Part 2: Document Composition

Segment number: 41

SG2	- R	1 - NAD-FII-SG3-SG5			
FII	- C	1 - Financial institution information			
Function:					
To identify an account and a related financial institution.					
e-SLOG 2.0					
EN 16931					
Tag	Name	Format	St	Usage	Example
3035	Party function code qualifier	an..3	M	RB = Receiving financial institution	RB
C078	ACCOUNT HOLDER IDENTIFICATION		R		
3194	Account holder identifier	an..35	R	BT:Payment account identifier(BT-84) DESC:A unique identifier of the financial payment account, at a payment service provider, to which payment should be made.	DK1212341 234123412
3192	Account holder name	an..35	C	BT:Payment account name(BT-85) DESC:The name of the payment account, at a payment service provider, to which payment should be made.	SellerCompany
C088	INSTITUTION IDENTIFICATION		C		
3433	Institution name code	an..11	R	BT:Payment service provider identifier(BT-86) DESC:An identifier for the payment service provider where a payment account is located.	DNBANOKK
Segment Notes:					
BT:CREDIT TRANSFER(BG-17) DESC:A group of business terms to specify credit transfer payments.					

e-SLOG 2.0 Electronic Invoice – Part 2: Document Composition

Segment number: 42

SG2	- R	1 - NAD-FII-SG3-SG5			
SG3	- C	1 - RFF			
RFF	- M	1 - Reference			
Function:					
To specify a reference.					
e-SLOG 2.0			EN 16931		
Tag	Name	Format	St	Usage	Example
C506	REFERENCE		M		
1153	Reference code qualifier	an..3	M	GN = Government reference number BT:Seller legal registration identifier identification scheme identifier (BT-30-1). DESC:The identification scheme identifier of the Seller legal registration identifier.	GN
1154	Reference identifier	an..70	R	BT:Seller legal registration identifier (BT-30) DESC:An identifier issued by an official registrar that identifies the Seller as a legal entity or person.	NL16356706
Segment Notes:					

Segment number: 43

SG2	- R	1 - NAD-FII-SG3-SG5			
SG3	- C	1 - RFF			
RFF	- M	1 - Reference			
Function:					
To specify a reference.					
e-SLOG 2.0			EN 16931		
Tag	Name	Format	St	Usage	Example
C506	REFERENCE		M		
1153	Reference code qualifier	an..3	M	VA = VAT registration number	VA
1154	Reference identifier	an..70	R	BT:Seller VAT identifier (BT-31) DESC:The Seller's VAT identifier (also known as Seller VAT identification number).	NL16356706
Segment Notes:					

e-SLOG 2.0 Electronic Invoice – Part 2: Document Composition

Segment number: 44

SG2	- R	1 - NAD-FII-SG3-SG5			
SG3	- C	1 - RFF			
RFF	- M	1 - Reference			
Function:					
To specify a reference.					
e-SLOG 2.0			EN 16931		
Tag	Name	Format	St	Usage	Example
C506	REFERENCE		M		
1153	Reference code qualifier	an..3	M	AHP = Tax registration number	AHP
1154	Reference identifier	an..70	R	BT:Seller tax registration identifier (BT-32) DESC:The local identification (defined by the Seller's address) of the Seller for tax purposes or a reference that enables the Seller to state his registered tax status.	NL16356706
Segment Notes:					

e-SLOG 2.0 Electronic Invoice – Part 2: Document Composition

Segment number: 45

SG2	- R	1 - NAD-FII-SG3-SG5			
SG5	- C	1 - CTA-COM			
CTA	- M	1 - Contact information			
Function:					
To identify a person or a department to whom communication should be directed.					
e-SLOG 2.0			EN 16931		
Tag	Name	Format	St	Usage	Example
3139	Contact function code	an..3	R	IC = Information contact	IC
Segment Notes:					

e-SLOG 2.0 Electronic Invoice – Part 2: Document Composition

Segment number: 46

SG2	- R	1 - NAD-FII-SG3-SG5			
SG5	- C	1 - CTA-COM			
COM	- C	5 - Communication contact			
Function:					
To identify a communication number of a department or a person to whom communication should be directed.					
e-SLOG 2.0					
Tag	Name	Format	St	Usage	Example
C076	COMMUNICATION CONTACT		M		
3148	Communication address identifier	an..512	M	BT:Seller electronic address(BT-34) DESC:Identifies the Seller's electronic address to which a business document may be delivered.	info@selco.nl
3155	Communication address code qualifier	an..3	M	EM = Electronic mail BT:Seller electronic address identification scheme identifier (BT-34-1) DESC:The identification scheme identifier of the Seller electronic address Use EM (= Email) as default; look at code list mapping for other values	EM
Segment Notes:					

e-SLOG 2.0 Electronic Invoice – Part 2: Document Composition

Segment number: 47

SG2	- R	1 - NAD-FII-SG3-SG5			
SG5	- C	1 - CTA-COM			
CTA	- M	1 - Contact information			
Function:					
To identify a person or a department to whom communication should be directed.					
e-SLOG 2.0			EN 16931		
Tag	Name	Format	St	Usage	Example
3139	Contact function code	an..3	R	SU = Supplier contact BT:SELLER CONTACT (BG-6) DESC:A group of business terms providing contact information about the Seller.	SU
C056	DEPARTMENT OR EMPLOYEE DETAILS		C		
3413	Department or employee name code	an..17	C		
3412	Department or employee name	an..256	R	BT:Seller contact point(BT-41) DESC:A contact point for a legal entity or person.	Anthon Larsen
Segment Notes:					

e-SLOG 2.0 Electronic Invoice – Part 2: Document Composition

Segment number: 48

SG2	- R	1 - NAD-FII-SG3-SG5			
SG5	- C	1 - CTA-COM			
COM	- C	1 - Communication contact			
Function:					
To identify a communication number of a department or a person to whom communication should be directed.					
e-SLOG 2.0			EN 16931		
Tag	Name	Format	St	Usage	Example
C076	COMMUNICATION CONTACT		M		
3148	Communication address identifier	an..512	M	BT:Seller contact telephone number(BT-42) DESC:A phone number for the contact point.	3198989898
3155	Communication address code qualifier	an..3	M	TE = Telephone	TE
Segment Notes:					

e-SLOG 2.0 Electronic Invoice – Part 2: Document Composition

Segment number: 49

SG2	- R	1 - NAD-FII-SG3-SG5			
SG5	- C	1 - CTA-COM			
COM	- C	1 - Communication contact			
Function:					
To identify a communication number of a department or a person to whom communication should be directed.					
e-SLOG 2.0					
Tag	Name	Format	St	Usage	Example
C076	COMMUNICATION CONTACT		M		
3148	Communication address identifier	an..512	M	BT:Seller contact email address(BT-43) DESC:An e-mail address for the contact point.	anthon@selco.nl
3155	Communication address code qualifier	an..3	M	EM = Electronic mail	EM
Segment Notes:					

e-SLOG 2.0 Electronic Invoice – Part 2: Document Composition

Segment number: 50

SG2	- C	1 - NAD-SG3																																																		
NAD	- M	1 - Name and address																																																		
Function:																																																				
To specify the name/address and their related function, either by C082 only and/or unstructured by C058 or structured by C080 thru 3207.																																																				
<table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th colspan="2" style="text-align: center;">e-SLOG 2.0</th> <th colspan="3" style="text-align: center;">EN 16931</th> </tr> <tr> <th>Tag</th> <th>Name</th> <th>Format</th> <th>St</th> <th>Usage</th> </tr> </thead> <tbody> <tr> <td>3035</td> <td>Party function code qualifier</td> <td>an..3</td> <td>M</td> <td>PE = Payee BT:PAYEE (BG-10) DESC:A group of business terms providing information about the Payee, i.e. the role that receives the payment.</td> </tr> <tr> <td>C082</td> <td>PARTY IDENTIFICATION DETAILS</td> <td></td> <td>C</td> <td></td> </tr> <tr> <td>3039</td> <td>Party identifier</td> <td>an..35</td> <td>M</td> <td>BT:Payee identifier(BT-60) DESC:An identifier for the Payee.</td> </tr> <tr> <td>1131</td> <td>Code list identification code</td> <td>an..17</td> <td>C</td> <td>BT:Payee identifier identification scheme identifier(BT-60-1) DESC:The identification scheme identifier of the Payee identifier. Use ISO 6523 ICD list; e.g. 0088 = Global Location Number (GLN); 0060 = Data Universal Numbering System (D-U-N-S)</td> </tr> <tr> <td>C058</td> <td>NAME AND ADDRESS</td> <td></td> <td>N</td> <td></td> </tr> <tr> <td>3124</td> <td>Name and address description</td> <td>an..35</td> <td>N</td> <td>Not used</td> </tr> <tr> <td>C080</td> <td>PARTY NAME</td> <td></td> <td>R</td> <td></td> </tr> <tr> <td>3036</td> <td>Party name</td> <td>an..70</td> <td>M</td> <td>BT:Payee name(BT-59) DESC:The name of the Payee.</td> </tr> </tbody> </table>			e-SLOG 2.0		EN 16931			Tag	Name	Format	St	Usage	3035	Party function code qualifier	an..3	M	PE = Payee BT:PAYEE (BG-10) DESC:A group of business terms providing information about the Payee, i.e. the role that receives the payment.	C082	PARTY IDENTIFICATION DETAILS		C		3039	Party identifier	an..35	M	BT:Payee identifier(BT-60) DESC:An identifier for the Payee.	1131	Code list identification code	an..17	C	BT:Payee identifier identification scheme identifier(BT-60-1) DESC:The identification scheme identifier of the Payee identifier. Use ISO 6523 ICD list; e.g. 0088 = Global Location Number (GLN); 0060 = Data Universal Numbering System (D-U-N-S)	C058	NAME AND ADDRESS		N		3124	Name and address description	an..35	N	Not used	C080	PARTY NAME		R		3036	Party name	an..70	M	BT:Payee name(BT-59) DESC:The name of the Payee.
e-SLOG 2.0		EN 16931																																																		
Tag	Name	Format	St	Usage																																																
3035	Party function code qualifier	an..3	M	PE = Payee BT:PAYEE (BG-10) DESC:A group of business terms providing information about the Payee, i.e. the role that receives the payment.																																																
C082	PARTY IDENTIFICATION DETAILS		C																																																	
3039	Party identifier	an..35	M	BT:Payee identifier(BT-60) DESC:An identifier for the Payee.																																																
1131	Code list identification code	an..17	C	BT:Payee identifier identification scheme identifier(BT-60-1) DESC:The identification scheme identifier of the Payee identifier. Use ISO 6523 ICD list; e.g. 0088 = Global Location Number (GLN); 0060 = Data Universal Numbering System (D-U-N-S)																																																
C058	NAME AND ADDRESS		N																																																	
3124	Name and address description	an..35	N	Not used																																																
C080	PARTY NAME		R																																																	
3036	Party name	an..70	M	BT:Payee name(BT-59) DESC:The name of the Payee.																																																
Segment Notes:																																																				
BT:SELLER POSTAL ADDRESS (BG-5) DESC:A group of business terms providing information about the address of the Seller.																																																				

e-SLOG 2.0 Electronic Invoice – Part 2: Document Composition

Segment number: 51

SG2	- C	1 - NAD-SG3			
SG3	- C	1 - RFF			
RFF	- M	1 - Reference			
Function:					
To specify a reference.					
e-SLOG 2.0			EN 16931		
Tag	Name	Format	St	Usage	Example
C506	REFERENCE		M		
1153	Reference code qualifier	an..3	M	GN = Government reference number BT:Payee legal registration identifier identification scheme identifier (BT-61-1). DESC:The identification scheme identifier of the Payee legal registration identifier.	GN
1154	Reference identifier	an..70	R	BT:Payee legal registration identifier (BT-61) DESC:An identifier issued by an official registrar that identifies the Payee as a legal entity or person.	DK1635660 8?'
Segment Notes:					

e-SLOG 2.0 Electronic Invoice – Part 2: Document Composition

Segment number: 52

SG2	- C	1 - NAD						
NAD	- M	1 - Name and address						
Function:								
To specify the name/address and their related function, either by C082 only and/or unstructured by C058 or structured by C080 thru 3207.								
e-SLOG 2.0			EN 16931					
Tag	Name	Format	St	Usage	Example			
3035	Party function code qualifier	an..3	M	DP = Delivery party BT:DELIVERY INFORMATION (BG-13) DESC:A group of business terms providing information about where and when the goods and services invoiced are delivered.	DP			
C082	PARTY IDENTIFICATION DETAILS		C					
3039	Party identifier	an..35	M	BT:Deliver to location identifier(BT-71) DESC:An identifier for the location at which the goods and services are delivered.	5790004360 68			
1131	Code list identification code	an..17	C	BT:Deliver to location identifier identification scheme identifier (BT-71-1) DESC:The identification scheme identifier of the Deliver to location identifier Use ISO 6523 ICD list; e.g. 0088 = Global Location Number (GLN); 0060 = Data Universal Numbering System (D-U-N-S)	0088			
C058	NAME AND ADDRESS		N					
3124	Name and address description	an..35	N	Not used				
C080	PARTY NAME		C					
3036	Party name	an..70	M	BT:Deliver to party name(BT-70) DESC:The name of the party to which the goods and services are delivered.	Logistic service ltd			
C059	STREET		C					
3042	Street and number or post office box identifier	an..35	M	BT:Deliver to address line 1(BT-75) DESC:The main address line in an address.	Delivery street			
3042	Street and number or post office box identifier	an..35	C	BT:Deliver to address line 2(BT-76) DESC:An additional address line in an address that can be used to give further details supplementing the main line.	Gate 15			
3042	Street and number or post office box identifier	an..35	C	BT:Deliver to address line 3(BT-165) DESC:An additional address line in an	Floor 2			

e-SLOG 2.0 Electronic Invoice – Part 2: Document Composition

Segment number: 52

e-SLOG 2.0			EN 16931		
Tag	Name	Format	St	Usage	Example
				address that can be used to give further details supplementing the main line.	
3164	City name	an..35	C	BT:Deliver to city(BT-77) DESC:The common name of the city, town or village, where the deliver to address is located.	Delivery city
C819	COUNTRY SUB-ENTITY DETAILS		C		
3229	Country sub-entity name code	an..9	C		
1131	Code list identification code	an..17	C		
3055	Code list responsible agency code	an..3	C		
3228	Country sub-entity name	an..70	R	BT:Deliver to country subdivision(BT-79) DESC: The subdivision of a country.	Jutland
3251	Postal identification code	an..17	C	BT:Deliver to post code(BT-78) DESC: The identifier for an addressable group of properties according to the relevant postal service.	9000
3207	Country name code	an..3	R	BT:Deliver to country code(BT-80) DESC:A code that identifies the country.	DK
Segment Notes:					
BT:DELIVER TO ADDRESS(BG-15) DESC:A group of business terms providing information about the address to which goods and services invoiced were or are delivered.					

e-SLOG 2.0 Electronic Invoice – Part 2: Document Composition

Segment number: 53

SG2	- C	1 - NAD-SG3			
NAD	- M	1 - Name and address			
Function:					
To specify the name/address and their related function, either by C082 only and/or unstructured by C058 or structured by C080 thru 3207.					
e-SLOG 2.0					
Tag	Name	Format	St	Usage	Example
3035	Party function code qualifier	an..3	M	LC = Party declaring the Value Added Tax (VAT) BT:SELLER TAX REPRESENTATIVE POSTAL ADDRESS (BG-12) DESC:A group of business terms providing information about the postal address for the tax representative party.	LC
C082	PARTY IDENTIFICATION DETAILS		N		
3039	Party identifier	an..35	N	Not used	
C058	NAME AND ADDRESS		N		
3124	Name and address description	an..35	N	Not used	
C080	PARTY NAME		R		
3036	Party name	an..70	M	BT:Seller tax representative name(BT-62) DESC:The full name of the Seller's tax representative party.	Dick Panama
C059	STREET		C		
3042	Street and number or post office box identifier	an..35	M	BT:Tax representative address line 1(BT-64) DESC:The main address line in an address.	AnyStreet, buliding 1
3042	Street and number or post office box identifier	an..35	C	BT:Tax representative address line 2(BT-65) DESC:An additional address line in an address that can be used to give further details supplementing the main line.	6th floor
3042	Street and number or post office box identifier	an..35	C	BT:Tax representative address line 3(BT-164) DESC:An additional address line in an address that can be used to give further details supplementing the main line.	6th door
3164	City name	an..35	C	BT:Tax representative city(BT-66) DESC:The common name of the city, town or village, where the tax representative address is located.	Anytown

e-SLOG 2.0 Electronic Invoice – Part 2: Document Composition

Segment number: 53

e-SLOG 2.0			EN 16931		
Tag	Name	Format	St	Usage	Example
C819	COUNTRY SUB-ENTITY DETAILS		C		
3229	Country sub-entity name code	an..9	C		
1131	Code list identification code	an..17	C		
3055	Code list responsible agency code	an..3	C		
3228	Country sub-entity name	an..70	R	BT:Tax representative country subdivision(BT-68) DESC:The subdivision of a country.	Jutland
3251	Postal identification code	an..17	C	BT:Tax representative post code(BT-67) DESC:The identifier for an addressable group of properties according to the relevant postal service.	101
3207	Country name code	an..3	R	BT:Tax representative country code(BT-69) DESC:A code that identifies the country.	DK
Segment Notes: BT:SELLER TAX REPRESENTATIVE PARTY (BG-11) DESC:A group of business terms providing information about the Seller's tax representative.					

e-SLOG 2.0 Electronic Invoice – Part 2: Document Composition

Segment number: 54

SG2	- C	1 - NAD-SG3			
SG3	- R	1 - RFF			
RFF	- M	1 - Reference			
Function:					
To specify a reference.					
e-SLOG 2.0					
Tag	Name	Format	St	Usage	Example
C506	REFERENCE		M		
1153	Reference code qualifier	an..3	M	VA = VAT registration number	VA
1154	Reference identifier	an..70	R	BT:Seller tax representative VAT identifier (BT-63) DESC:The VAT identifier of the Seller's tax representative party.	DK1635660 9
Segment Notes:					

Segment number: 55

SG7	- R	1 - CUX																									
CUX	- M	1 - Currencies																									
Function:																											
To specify currencies used in the transaction and relevant details for the rate of exchange.																											
<table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th colspan="2" style="text-align: left; padding: 2px;">e-SLOG 2.0</th> <th colspan="3" style="text-align: center; padding: 2px;">EN 16931</th> </tr> <tr> <th style="text-align: left; width: 10%;">Tag</th> <th style="text-align: left; width: 40%;">Name</th> <th style="text-align: left; width: 10%;">Format</th> <th style="text-align: left; width: 20%;">St</th> <th style="text-align: left; width: 20%;">Usage</th> </tr> </thead> <tbody> <tr> <td style="padding: 2px;">C504</td> <td style="padding: 2px;">CURRENCY DETAILS</td> <td style="padding: 2px;"></td> <td style="padding: 2px;">R</td> <td style="padding: 2px;"></td> </tr> <tr> <td style="padding: 2px;">6347</td> <td style="padding: 2px;">Currency usage code qualifier</td> <td style="padding: 2px;">an..3</td> <td style="padding: 2px;">M</td> <td style="padding: 2px; color: red;">2 = Reference currency</td> </tr> <tr> <td style="padding: 2px;">6345</td> <td style="padding: 2px;">Currency identification code</td> <td style="padding: 2px;">an..3</td> <td style="padding: 2px;">R</td> <td style="padding: 2px; vertical-align: top;"> BT:Invoice currency code(BT-5) DESC:The currency in which all Invoice amounts are given, except for the Total VAT amount in accounting currency. Use UN code list 6345 </td> </tr> </tbody> </table>			e-SLOG 2.0		EN 16931			Tag	Name	Format	St	Usage	C504	CURRENCY DETAILS		R		6347	Currency usage code qualifier	an..3	M	2 = Reference currency	6345	Currency identification code	an..3	R	BT:Invoice currency code(BT-5) DESC:The currency in which all Invoice amounts are given, except for the Total VAT amount in accounting currency. Use UN code list 6345
e-SLOG 2.0		EN 16931																									
Tag	Name	Format	St	Usage																							
C504	CURRENCY DETAILS		R																								
6347	Currency usage code qualifier	an..3	M	2 = Reference currency																							
6345	Currency identification code	an..3	R	BT:Invoice currency code(BT-5) DESC:The currency in which all Invoice amounts are given, except for the Total VAT amount in accounting currency. Use UN code list 6345																							
Segment Notes:																											

e-SLOG 2.0 Electronic Invoice – Part 2: Document Composition

Segment number: 56

SG7	- C	1 - CUX																									
CUX	- M	1 - Currencies																									
Function:																											
To specify currencies used in the transaction and relevant details for the rate of exchange.																											
<table border="1"> <thead> <tr> <th colspan="2">e-SLOG 2.0</th> <th colspan="3">EN 16931</th> </tr> <tr> <th>Tag</th> <th>Name</th> <th>Format</th> <th>St</th> <th>Usage</th> </tr> </thead> <tbody> <tr> <td>C504</td> <td>CURRENCY DETAILS</td> <td></td> <td>R</td> <td></td> </tr> <tr> <td>6347</td> <td>Currency usage code qualifier</td> <td>an..3</td> <td>M</td> <td>6 = Information Currency</td> </tr> <tr> <td>6345</td> <td>Currency identification code</td> <td>an..3</td> <td>R</td> <td>BT:VAT accounting currency code(BT-6) DESC:The currency used for VAT accounting and reporting purposes as accepted or required in the country of the Seller. Use UN code list 6345</td> </tr> </tbody> </table>			e-SLOG 2.0		EN 16931			Tag	Name	Format	St	Usage	C504	CURRENCY DETAILS		R		6347	Currency usage code qualifier	an..3	M	6 = Information Currency	6345	Currency identification code	an..3	R	BT:VAT accounting currency code(BT-6) DESC:The currency used for VAT accounting and reporting purposes as accepted or required in the country of the Seller. Use UN code list 6345
e-SLOG 2.0		EN 16931																									
Tag	Name	Format	St	Usage																							
C504	CURRENCY DETAILS		R																								
6347	Currency usage code qualifier	an..3	M	6 = Information Currency																							
6345	Currency identification code	an..3	R	BT:VAT accounting currency code(BT-6) DESC:The currency used for VAT accounting and reporting purposes as accepted or required in the country of the Seller. Use UN code list 6345																							
Segment Notes:																											

Segment number: 57

SG8	- C	1 - PAT-DTM-PAI			
PAT	- M	1 - Payment terms basis			
Function:					
To specify the payment terms basis.					
Notes: 1. This segment will be removed effective with directory D.02B.					
e-SLOG 2.0					
Tag	Name	Format	St	Usage	Example
4279	Payment terms type code qualifier	an..3	M	1 = Basic BT:PAYOUT INSTRUCTIONS(BG-16) DESC:A group of business terms providing information about the payment.	1
Segment Notes:					

e-SLOG 2.0 Electronic Invoice – Part 2: Document Composition

Segment number: 58

SG8	- C	1 - PAT-DTM-PAI																									
DTM	- C	1 - Date/time/period																									
Function:																											
To specify date, and/or time, or period.																											
<table><thead><tr><th colspan="2">e-SLOG 2.0</th><th colspan="3">EN 16931</th></tr><tr><th>Tag</th><th>Name</th><th>Format</th><th>St</th><th>Usage</th></tr></thead><tbody><tr><td>C507</td><td>DATE/TIME/PERIOD</td><td></td><td>M</td><td></td></tr><tr><td>2005</td><td>Date or time or period function code qualifier</td><td>an..3</td><td>M</td><td>13 = Terms net due date</td></tr><tr><td>2380</td><td>Date or time or period value</td><td>an..35</td><td>R</td><td>BT:Payment due date (BT-9) DESC:The date when the payment is due.</td></tr></tbody></table>			e-SLOG 2.0		EN 16931			Tag	Name	Format	St	Usage	C507	DATE/TIME/PERIOD		M		2005	Date or time or period function code qualifier	an..3	M	13 = Terms net due date	2380	Date or time or period value	an..35	R	BT:Payment due date (BT-9) DESC:The date when the payment is due.
e-SLOG 2.0		EN 16931																									
Tag	Name	Format	St	Usage																							
C507	DATE/TIME/PERIOD		M																								
2005	Date or time or period function code qualifier	an..3	M	13 = Terms net due date																							
2380	Date or time or period value	an..35	R	BT:Payment due date (BT-9) DESC:The date when the payment is due.																							
Segment Notes:																											

Segment number: 59

SG8	- C	1 - PAT-DTM-PAI																														
PAI	- R	1 - Payment instructions																														
Function:																																
To specify the instructions for payment.																																
<table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th colspan="2" style="text-align: left; padding: 2px;">e-SLOG 2.0</th> <th colspan="3" style="text-align: center; padding: 2px;">EN 16931</th> </tr> <tr> <th style="text-align: left; width: 10%;">Tag</th> <th style="text-align: left; width: 40%;">Name</th> <th style="text-align: left; width: 10%;">Format</th> <th style="text-align: left; width: 10%;">St</th> <th style="text-align: left; width: 30%;">Usage</th> </tr> </thead> <tbody> <tr> <td>C534</td><td>PAYMENT INSTRUCTION DETAILS</td><td></td><td>M</td><td></td></tr> <tr> <td>4439</td><td>Payment conditions code</td><td>an..3</td><td>C</td><td></td></tr> <tr> <td>4431</td><td>Payment guarantee means code</td><td>an..3</td><td>C</td><td></td></tr> <tr> <td>4461</td><td>Payment means code</td><td>an..3</td><td>R</td><td>BT:Payment means type codeS(BT-81) DESC:The means, expressed as code, for how a payment is expected to be or has been settled.</td></tr> </tbody> </table>			e-SLOG 2.0		EN 16931			Tag	Name	Format	St	Usage	C534	PAYMENT INSTRUCTION DETAILS		M		4439	Payment conditions code	an..3	C		4431	Payment guarantee means code	an..3	C		4461	Payment means code	an..3	R	BT:Payment means type codeS(BT-81) DESC:The means, expressed as code, for how a payment is expected to be or has been settled.
e-SLOG 2.0		EN 16931																														
Tag	Name	Format	St	Usage																												
C534	PAYMENT INSTRUCTION DETAILS		M																													
4439	Payment conditions code	an..3	C																													
4431	Payment guarantee means code	an..3	C																													
4461	Payment means code	an..3	R	BT:Payment means type codeS(BT-81) DESC:The means, expressed as code, for how a payment is expected to be or has been settled.																												
Segment Notes:																																

e-SLOG 2.0 Electronic Invoice – Part 2: Document Composition

Segment number: 60

SG16	- C	9999 - ALC-SG19-SG20-SG22						
ALC	- M	1 - Allowance or charge						
Function:								
To identify allowance or charge details.								
e-SLOG 2.0			EN 16931					
Tag	Name	Format	St	Usage	Example			
5463	Allowance or charge code qualifier	an..3	M	A = Allowance BT:DOCUMENT LEVEL ALLOWANCES(BG-20) DESC:A group of business terms providing information about allowances applicable to the Invoice as a whole.	A			
C552	ALLOWANCE/CHARGE INFORMATION		C					
1230	Allowance or charge identifier	an..35	C	BT:Document level allowance reason(BT-97) DESC:The reason for the document level allowance, expressed as text.	Loyal customer			
5189	Allowance or charge identification code	an..3	C	BT:Document level allowance reason code (BT-98) DESC:The reason for the document level allowance, expressed as a code.	42			
Segment Notes:								

Segment number: 61

SG16	- C	9999 - ALC-SG19-SG20-SG22			
SG19	- C	1 - PCD			
PCD	- M	1 - Percentage details			
Function:					
To specify percentage information.					
e-SLOG 2.0			EN 16931		
Tag	Name	Format	St	Usage	Example
C501	PERCENTAGE DETAILS		M		
5245	Percentage type code qualifier	an..3	M	1 = Allowance	1
5482	Percentage	n..10	R	BT:Document level allowance percentage(BT-94) DESC:The percentage that may be used, in conjunction with the document level allowance base amount, to calculate the document level allowance amount.	10
Segment Notes:					

e-SLOG 2.0 Electronic Invoice – Part 2: Document Composition

Segment number: 62

SG16	- C	9999 - ALC-SG19-SG20-SG22			
SG20	- R	1 - MOA			
MOA	- M	1 - Monetary amount			
Function:					
To specify a monetary amount.					
e-SLOG 2.0					
Tag	Name	Format	St	Usage	Example
C516	MONETARY AMOUNT		M		
5025	Monetary amount type code qualifier	an..3	M	204 = Allowance amount	204
5004	Monetary amount	n..35	R	BT:Document level allowance amount(BT-92) DESC:The amount of an allowance, without VAT.	150.00
Segment Notes:					

Segment number: 63

SG16	- C	9999 - ALC-SG19-SG20-SG22			
SG20	- C	1 - MOA			
MOA	- M	1 - Monetary amount			
Function:					
To specify a monetary amount.					
e-SLOG 2.0			EN 16931		
Tag	Name	Format	St	Usage	Example
C516	MONETARY AMOUNT		M		
5025	Monetary amount type code qualifier	an..3	M	25 = Charge/allowance basis	25
5004	Monetary amount	n..35	R	BT:Document level allowance base amount(BT-93) DESC:The base amount that may be used, in conjunction with the document level allowance percentage, to calculate the document level allowance amount.	1500.00
Segment Notes:					

e-SLOG 2.0 Electronic Invoice – Part 2: Document Composition

Segment number: 64

SG16	- C	9999 - ALC-SG19-SG20-SG22			
SG22	- C	1 - TAX			
TAX	- M	1 - Duty/tax/fee details			
Function:					
To specify relevant duty/tax/fee information.					
e-SLOG 2.0			EN 16931		
Tag	Name	Format	St	Usage	Example
5283	Duty or tax or fee function code qualifier	an..3	M	7 = Tax	7
C241	DUTY/TAX/FEE TYPE		R		
5153	Duty or tax or fee type name code	an..3	R	VAT = Value added tax	VAT
C533	DUTY/TAX/FEE ACCOUNT DETAIL		N		
5289	Duty or tax or fee account code	an..6	N	Not used	
5286	Duty or tax or fee assessment basis value	an..15	C		
C243	DUTY/TAX/FEE DETAIL		C		
5279	Duty or tax or fee rate code	an..7	C		
1131	Code list identification code	an..17	C		
3055	Code list responsible agency code	an..3	C		
5278	Duty or tax or fee rate	an..17	R	BT:Document level allowance VAT rate(BT-96) DESC:The VAT rate, represented as percentage that applies to the document level allowance.	25
5305	Duty or tax or fee category code	an..3	R	BT:Document level allowance VAT category code(BT-95) DESC:A coded identification of what VAT category applies to the document level allowance. S = Standard rate Z = Zero rated goods E = Exempt from tax AE = VAT Reverse Charge K = VAT exempt for EEA intra-community supply of goods and services G = Free export item, tax not charged O = Services outside scope of tax L = Canary Islands general indirect tax M = Tax for production, services and importation in Ceuta and Melilla	S
Segment Notes:					

e-SLOG 2.0 Electronic Invoice – Part 2: Document Composition

Segment number: 65

SG16	- C	9999 - ALC-SG19-SG20-SG22								
ALC	- M	1 - Allowance or charge								
Function:										
To identify allowance or charge details.										
e-SLOG 2.0			EN 16931							
Tag	Name	Format	St	Usage	Example					
5463	Allowance or charge code qualifier	an..3	M	C = Charge BT:DOCUMENT LEVEL CHARGES(BG-21) DESC:A group of business terms providing information about charges and taxes other than VAT, applicable to the Invoice as a whole.	C					
C552	ALLOWANCE/CHARGE INFORMATION		C							
1230	Allowance or charge identifier	an..35	R	BT:Document level charge reason(BT-104) DESC:The reason for the document level charge, expressed as text.	Packaging					
4471	Settlement means code	an..3	C							
1227	Calculation sequence code	an..3	C							
C214	SPECIAL SERVICES IDENTIFICATION		C							
7161	Special service description code	an..3	R	BT:Document level charge reason code(BT-105) DESC:The reason for the document level charge, expressed as a code.	ABL					
Segment Notes:										

e-SLOG 2.0 Electronic Invoice – Part 2: Document Composition

Segment number: 66

SG16	- C	9999 - ALC-SG19-SG20-SG22			
SG19	- C	1 - PCD			
PCD	- M	1 - Percentage details			
Function:					
To specify percentage information.					
e-SLOG 2.0					
Tag	Name	Format	St	Usage	Example
C501	PERCENTAGE DETAILS		M		
5245	Percentage type code qualifier	an..3	M	2 = Charge	2
5482	Percentage	n..10	C	BT:Document level charge percentage(BT-101) DESC:The percentage that may be used, in conjunction with the document level charge base amount, to calculate the document level charge amount.	10
Segment Notes:					

Segment number: 67

SG16	- C	9999 - ALC-SG19-SG20-SG22			
SG20	- R	1 - MOA			
MOA	- M	1 - Monetary amount			
Function:					
To specify a monetary amount.					
e-SLOG 2.0			EN 16931		
Tag	Name	Format	St	Usage	Example
C516	MONETARY AMOUNT		M		
5025	Monetary amount type code qualifier	an..3	M	23 = Charge amount	23
5004	Monetary amount	n..35	R	BT:Document level charge amount(BT-99) DESC:The amount of a charge, without VAT.	150.00
Segment Notes:					

e-SLOG 2.0 Electronic Invoice – Part 2: Document Composition

Segment number: 68

SG16	- C	9999 - ALC-SG19-SG20-SG22			
SG20	- C	1 - MOA			
MOA	- M	1 - Monetary amount			
Function:					
To specify a monetary amount.					
e-SLOG 2.0			EN 16931		
Tag	Name	Format	St	Usage	Example
C516	MONETARY AMOUNT		M		
5025	Monetary amount type code qualifier	an..3	M	25 = Charge/allowance basis	25
5004	Monetary amount	n..35	R	BT:Document level charge base amount(BT-100) DESC:The base amount that may be used, in conjunction with the document level charge percentage, to calculate the document level charge amount.	1500.00
Segment Notes:					

e-SLOG 2.0 Electronic Invoice – Part 2: Document Composition

Segment number: 69

SG16	- C	9999 - ALC-SG19-SG20-SG22			
SG22	- C	5 - TAX			
TAX	- M	1 - Duty/tax/fee details			
Function:					
To specify relevant duty/tax/fee information.					
e-SLOG 2.0			EN 16931		
Tag	Name	Format	St	Usage	Example
5283	Duty or tax or fee function code qualifier	an..3	M	7 = Tax	7
C241	DUTY/TAX/FEE TYPE		R		
5153	Duty or tax or fee type name code	an..3	R	VAT = Value added tax	VAT
C533	DUTY/TAX/FEE ACCOUNT DETAIL		N		
5289	Duty or tax or fee account code	an..6	N	Not used	
5286	Duty or tax or fee assessment basis value	an..15	C		
C243	DUTY/TAX/FEE DETAIL		C		
5279	Duty or tax or fee rate code	an..7	C		
1131	Code list identification code	an..17	C		
3055	Code list responsible agency code	an..3	C		
5278	Duty or tax or fee rate	an..17	R	BT:Document level charge VAT rate(BT-103) DESC:The VAT rate, represented as percentage that applies to the document level charge.	25
5305	Duty or tax or fee category code	an..3	R	BT:Document level charge VAT category code(BT-102) DESC:A coded identification of what VAT category applies to the document level charge. S = Standard rate Z = Zero rated goods E = Exempt from tax AE = VAT Reverse Charge K = VAT exempt for EEA intra-community supply of goods and services G = Free export item, tax not charged O = Services outside scope of tax L = Canary Islands general indirect tax M = Tax for production, services and importation in Ceuta and Melilla	S
Segment Notes:					

e-SLOG 2.0 Electronic Invoice – Part 2: Document Composition

Segment number: 70

SG26	- R 9999999 - LIN-PIA-IMD-QTY-ALI-DTM-FTX-SG27-SG29-SG30-SG34-SG39				
LIN	- M 1 - Line item				
Function:					
To identify a line item and configuration.					
e-SLOG 2.0		EN 16931			
Tag	Name	Format	St	Usage	Example
1082	Line item identifier	an..6	R	BT:Invoice line identifier(BT-126) DESC:A unique identifier for the individual line within the Invoice.	1
1229	Action request/notification description code	an..3	C		
C212	ITEM NUMBER IDENTIFICATION		C		
7140	Item identifier	an..35	R	BT:Item standard identifier(BT-157) DESC:An item identifier based on a registered scheme.	1234567890 128
7143	Item type identification code	an..3	R	BT:Item standard identifier identification scheme identifier (BT-157-1) DESC:The identification scheme identifier of the Item standard identifier Use UN code list 7143	SRV
Segment Notes:					

e-SLOG 2.0 Electronic Invoice – Part 2: Document Composition

Segment number: 71

SG26	- R	9999999 - LIN-PIA-IMD-QTY-ALI-DTM-FTX-SG27-SG29-SG30-SG34-SG39																														
PIA	- C	1 - Additional product id																														
Function:																																
To specify additional or substitutional item identification codes.																																
<table border="1"> <thead> <tr> <th colspan="2">e-SLOG 2.0</th> <th colspan="3">EN 16931</th> </tr> <tr> <th>Tag</th> <th>Name</th> <th>Format</th> <th>St</th> <th>Usage</th> </tr> </thead> <tbody> <tr> <td>4347</td> <td>Product identifier code qualifier</td> <td>an..3</td> <td>M</td> <td>5 = Product identification</td> </tr> <tr> <td>C212</td> <td>ITEM NUMBER IDENTIFICATION</td> <td></td> <td>M</td> <td></td> </tr> <tr> <td>7140</td> <td>Item identifier</td> <td>an..35</td> <td>R</td> <td>BT:Item Seller's identifier(BT-155) DESC:An identifier, assigned by the Seller, for the item.</td> </tr> <tr> <td>7143</td> <td>Item type identification code</td> <td>an..3</td> <td>R</td> <td>SA = Supplier's article number</td> </tr> </tbody> </table>			e-SLOG 2.0		EN 16931			Tag	Name	Format	St	Usage	4347	Product identifier code qualifier	an..3	M	5 = Product identification	C212	ITEM NUMBER IDENTIFICATION		M		7140	Item identifier	an..35	R	BT:Item Seller's identifier(BT-155) DESC:An identifier, assigned by the Seller, for the item.	7143	Item type identification code	an..3	R	SA = Supplier's article number
e-SLOG 2.0		EN 16931																														
Tag	Name	Format	St	Usage																												
4347	Product identifier code qualifier	an..3	M	5 = Product identification																												
C212	ITEM NUMBER IDENTIFICATION		M																													
7140	Item identifier	an..35	R	BT:Item Seller's identifier(BT-155) DESC:An identifier, assigned by the Seller, for the item.																												
7143	Item type identification code	an..3	R	SA = Supplier's article number																												
Segment Notes:																																

e-SLOG 2.0 Electronic Invoice – Part 2: Document Composition

Segment number: 72

SG26	- R	9999999 - LIN-PIA-IMD-QTY-ALI-DTM-FTX-SG27-SG29-SG30-SG34-SG39																														
PIA	- C	1 - Additional product id																														
Function:																																
To specify additional or substitutional item identification codes.																																
<table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr style="background-color: #cccccc;"> <th colspan="2" style="text-align: left;">e-SLOG 2.0</th> <th colspan="3" style="text-align: center;">EN 16931</th> </tr> <tr> <th style="text-align: left;">Tag</th> <th style="text-align: left;">Name</th> <th style="text-align: left;">Format</th> <th style="text-align: left;">St</th> <th style="text-align: left;">Usage</th> </tr> </thead> <tbody> <tr> <td>4347</td> <td>Product identifier code qualifier</td> <td style="text-align: center;">an..3</td> <td style="text-align: center;">M</td> <td style="color: red; text-align: center;">5 = Product identification</td> </tr> <tr> <td>C212</td> <td>ITEM NUMBER IDENTIFICATION</td> <td></td> <td style="text-align: center;">M</td> <td></td> </tr> <tr> <td>7140</td> <td>Item identifier</td> <td style="text-align: center;">an..35</td> <td style="text-align: center;">R</td> <td>BT:Item Buyer's identifier(BT-156) DESC:An identifier, assigned by the Buyer, for the item.</td> </tr> <tr> <td>7143</td> <td>Item type identification code</td> <td style="text-align: center;">an..3</td> <td style="text-align: center;">R</td> <td style="color: red; text-align: center;">IN = Buyer's item number</td> </tr> </tbody> </table>			e-SLOG 2.0		EN 16931			Tag	Name	Format	St	Usage	4347	Product identifier code qualifier	an..3	M	5 = Product identification	C212	ITEM NUMBER IDENTIFICATION		M		7140	Item identifier	an..35	R	BT:Item Buyer's identifier(BT-156) DESC:An identifier, assigned by the Buyer, for the item.	7143	Item type identification code	an..3	R	IN = Buyer's item number
e-SLOG 2.0		EN 16931																														
Tag	Name	Format	St	Usage																												
4347	Product identifier code qualifier	an..3	M	5 = Product identification																												
C212	ITEM NUMBER IDENTIFICATION		M																													
7140	Item identifier	an..35	R	BT:Item Buyer's identifier(BT-156) DESC:An identifier, assigned by the Buyer, for the item.																												
7143	Item type identification code	an..3	R	IN = Buyer's item number																												
Segment Notes:																																

Segment number: 73

SG26	- R	9999999 - LIN-PIA-IMD-QTY-ALI-DTM-FTX-SG27-SG29-SG30-SG34-SG39																														
PIA	- C	25 - Additional product id																														
Function:																																
To specify additional or substitutional item identification codes.																																
<table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr style="background-color: #cccccc;"> <th colspan="2" style="text-align: left;">e-SLOG 2.0</th> <th colspan="3" style="text-align: center;">EN 16931</th> </tr> <tr> <th>Tag</th> <th>Name</th> <th>Format</th> <th>St</th> <th>Usage</th> </tr> </thead> <tbody> <tr> <td>4347</td> <td>Product identifier code qualifier</td> <td>an..3</td> <td>M</td> <td>1 = Additional identification</td> </tr> <tr> <td>C212</td> <td>ITEM NUMBER IDENTIFICATION</td> <td></td> <td>M</td> <td></td> </tr> <tr> <td>7140</td> <td>Item identifier</td> <td>an..35</td> <td>R</td> <td>BT:Item classification identifier(BT-158) DESC:A code for classifying the item by its type or nature.</td> </tr> <tr> <td>7143</td> <td>Item type identification code</td> <td>an..3</td> <td>R</td> <td>BT:Item classification identifier identification scheme identifier (BT-158-1) DESC:The identification scheme identifier of the Item classification identifier BT:Scheme version identifier (BT-158-2) DESC:The version of the identification scheme.</td> </tr> </tbody> </table>			e-SLOG 2.0		EN 16931			Tag	Name	Format	St	Usage	4347	Product identifier code qualifier	an..3	M	1 = Additional identification	C212	ITEM NUMBER IDENTIFICATION		M		7140	Item identifier	an..35	R	BT:Item classification identifier(BT-158) DESC:A code for classifying the item by its type or nature.	7143	Item type identification code	an..3	R	BT:Item classification identifier identification scheme identifier (BT-158-1) DESC:The identification scheme identifier of the Item classification identifier BT:Scheme version identifier (BT-158-2) DESC:The version of the identification scheme.
e-SLOG 2.0		EN 16931																														
Tag	Name	Format	St	Usage																												
4347	Product identifier code qualifier	an..3	M	1 = Additional identification																												
C212	ITEM NUMBER IDENTIFICATION		M																													
7140	Item identifier	an..35	R	BT:Item classification identifier(BT-158) DESC:A code for classifying the item by its type or nature.																												
7143	Item type identification code	an..3	R	BT:Item classification identifier identification scheme identifier (BT-158-1) DESC:The identification scheme identifier of the Item classification identifier BT:Scheme version identifier (BT-158-2) DESC:The version of the identification scheme.																												
Segment Notes:																																

e-SLOG 2.0 Electronic Invoice – Part 2: Document Composition

Segment number: 74

SG26	- R	9999999 - LIN-PIA-IMD-QTY-ALI-DTM-FTX-SG27-SG29-SG30-SG34-SG39																																																		
IMD	- R	1 - Item description																																																		
Function:																																																				
To describe an item in either an industry or free format.																																																				
<table border="1"> <thead> <tr> <th colspan="2">e-SLOG 2.0</th> <th colspan="3">EN 16931</th> </tr> <tr> <th>Tag</th> <th>Name</th> <th>Format</th> <th>St</th> <th>Usage</th> </tr> </thead> <tbody> <tr> <td>7077</td> <td>Description format code</td> <td>an..3</td> <td>R</td> <td>F = Free-form</td> </tr> <tr> <td>C272</td> <td>ITEM CHARACTERISTIC</td> <td></td> <td>N</td> <td></td> </tr> <tr> <td>7081</td> <td>Item characteristic code</td> <td>an..3</td> <td>N</td> <td>Not used</td> </tr> <tr> <td>C273</td> <td>ITEM DESCRIPTION</td> <td></td> <td>R</td> <td></td> </tr> <tr> <td>7009</td> <td>Item description code</td> <td>an..17</td> <td>C</td> <td></td> </tr> <tr> <td>1131</td> <td>Code list identification code</td> <td>an..17</td> <td>C</td> <td></td> </tr> <tr> <td>3055</td> <td>Code list responsible agency code</td> <td>an..3</td> <td>C</td> <td></td> </tr> <tr> <td>7008</td> <td>Item description</td> <td>an..256</td> <td>R</td> <td>BT:Item name(BT-153) DESC:A name for an item.</td> </tr> </tbody> </table>			e-SLOG 2.0		EN 16931			Tag	Name	Format	St	Usage	7077	Description format code	an..3	R	F = Free-form	C272	ITEM CHARACTERISTIC		N		7081	Item characteristic code	an..3	N	Not used	C273	ITEM DESCRIPTION		R		7009	Item description code	an..17	C		1131	Code list identification code	an..17	C		3055	Code list responsible agency code	an..3	C		7008	Item description	an..256	R	BT:Item name(BT-153) DESC:A name for an item.
e-SLOG 2.0		EN 16931																																																		
Tag	Name	Format	St	Usage																																																
7077	Description format code	an..3	R	F = Free-form																																																
C272	ITEM CHARACTERISTIC		N																																																	
7081	Item characteristic code	an..3	N	Not used																																																
C273	ITEM DESCRIPTION		R																																																	
7009	Item description code	an..17	C																																																	
1131	Code list identification code	an..17	C																																																	
3055	Code list responsible agency code	an..3	C																																																	
7008	Item description	an..256	R	BT:Item name(BT-153) DESC:A name for an item.																																																
Segment Notes:																																																				

e-SLOG 2.0 Electronic Invoice – Part 2: Document Composition

Segment number: 75

SG26	- R	9999999 - LIN-PIA-IMD-QTY-ALI-DTM-FTX-SG27-SG29-SG30-SG34-SG39																																																		
IMD	- C	1 - Item description																																																		
Function:																																																				
To describe an item in either an industry or free format.																																																				
<table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th colspan="2" style="text-align: left; padding: 2px;">e-SLOG 2.0</th> <th colspan="3" style="text-align: center; padding: 2px;">EN 16931</th> </tr> <tr> <th style="text-align: left; width: 10%;">Tag</th> <th style="text-align: left;">Name</th> <th style="text-align: left; width: 10%;">Format</th> <th style="text-align: left;">St</th> <th style="text-align: left;">Usage</th> </tr> </thead> <tbody> <tr> <td>7077</td> <td>Description format code</td> <td style="text-align: center;">an..3</td> <td style="text-align: center;">R</td> <td style="color: red;">A = Free-form long description</td> </tr> <tr> <td>C272</td> <td>ITEM CHARACTERISTIC</td> <td></td> <td style="text-align: center;">N</td> <td></td> </tr> <tr> <td>7081</td> <td>Item characteristic code</td> <td style="text-align: center;">an..3</td> <td style="text-align: center;">N</td> <td>Not used</td> </tr> <tr> <td>C273</td> <td>ITEM DESCRIPTION</td> <td></td> <td style="text-align: center;">R</td> <td></td> </tr> <tr> <td>7009</td> <td>Item description code</td> <td style="text-align: center;">an..17</td> <td style="text-align: center;">N</td> <td>Not used</td> </tr> <tr> <td>1131</td> <td>Code list identification code</td> <td style="text-align: center;">an..17</td> <td style="text-align: center;">N</td> <td>Not used</td> </tr> <tr> <td>3055</td> <td>Code list responsible agency code</td> <td style="text-align: center;">an..3</td> <td style="text-align: center;">N</td> <td>Not used</td> </tr> <tr> <td>7008</td> <td>Item description</td> <td style="text-align: center;">an..256</td> <td style="text-align: center;">R</td> <td>BT:Item description(BT-154) DESC:A description for an item.</td> </tr> </tbody> </table>			e-SLOG 2.0		EN 16931			Tag	Name	Format	St	Usage	7077	Description format code	an..3	R	A = Free-form long description	C272	ITEM CHARACTERISTIC		N		7081	Item characteristic code	an..3	N	Not used	C273	ITEM DESCRIPTION		R		7009	Item description code	an..17	N	Not used	1131	Code list identification code	an..17	N	Not used	3055	Code list responsible agency code	an..3	N	Not used	7008	Item description	an..256	R	BT:Item description(BT-154) DESC:A description for an item.
e-SLOG 2.0		EN 16931																																																		
Tag	Name	Format	St	Usage																																																
7077	Description format code	an..3	R	A = Free-form long description																																																
C272	ITEM CHARACTERISTIC		N																																																	
7081	Item characteristic code	an..3	N	Not used																																																
C273	ITEM DESCRIPTION		R																																																	
7009	Item description code	an..17	N	Not used																																																
1131	Code list identification code	an..17	N	Not used																																																
3055	Code list responsible agency code	an..3	N	Not used																																																
7008	Item description	an..256	R	BT:Item description(BT-154) DESC:A description for an item.																																																
Segment Notes:																																																				

e-SLOG 2.0 Electronic Invoice – Part 2: Document Composition

Segment number: 76

SG26	- R 9999999 - LIN-PIA-IMD-QTY-ALI-DTM-FTX-SG27-SG29-SG30-SG34-SG39																														
QTY	- R 1 - Quantity																														
Function:																															
To specify a pertinent quantity.																															
<table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr style="background-color: #cccccc;"> <th colspan="2" style="text-align: left; padding: 2px;">e-SLOG 2.0</th> <th colspan="3" style="text-align: center; padding: 2px;">EN 16931</th> </tr> <tr style="background-color: #cccccc;"> <th style="text-align: left; width: 10%;">Tag</th> <th style="text-align: left;">Name</th> <th style="text-align: left;">Format</th> <th style="text-align: left;">St</th> <th style="text-align: left;">Usage</th> </tr> </thead> <tbody> <tr> <td>C186</td> <td>QUANTITY DETAILS</td> <td></td> <td>M</td> <td></td> </tr> <tr> <td>6063</td> <td>Quantity type code qualifier</td> <td>an..3</td> <td>M</td> <td>47 = Invoiced quantity</td> </tr> <tr> <td>6060</td> <td>Quantity</td> <td>an..35</td> <td>R</td> <td>BT:Invoiced quantity(BT-129) DESC:The quantity of items (goods or services) that is charged in the Invoice line.</td> </tr> <tr> <td>6411</td> <td>Measurement unit code</td> <td>an..8</td> <td>R</td> <td>BT:Invoiced quantity unit of measure(BT-130) DESC:The unit of measure that applies to the invoiced quantity. Usage of Rec 20 with Rec 21 extensions is allowed as defined in usage note 2.a) of Rec 20</td> </tr> </tbody> </table>		e-SLOG 2.0		EN 16931			Tag	Name	Format	St	Usage	C186	QUANTITY DETAILS		M		6063	Quantity type code qualifier	an..3	M	47 = Invoiced quantity	6060	Quantity	an..35	R	BT:Invoiced quantity(BT-129) DESC:The quantity of items (goods or services) that is charged in the Invoice line.	6411	Measurement unit code	an..8	R	BT:Invoiced quantity unit of measure(BT-130) DESC:The unit of measure that applies to the invoiced quantity. Usage of Rec 20 with Rec 21 extensions is allowed as defined in usage note 2.a) of Rec 20
e-SLOG 2.0		EN 16931																													
Tag	Name	Format	St	Usage																											
C186	QUANTITY DETAILS		M																												
6063	Quantity type code qualifier	an..3	M	47 = Invoiced quantity																											
6060	Quantity	an..35	R	BT:Invoiced quantity(BT-129) DESC:The quantity of items (goods or services) that is charged in the Invoice line.																											
6411	Measurement unit code	an..8	R	BT:Invoiced quantity unit of measure(BT-130) DESC:The unit of measure that applies to the invoiced quantity. Usage of Rec 20 with Rec 21 extensions is allowed as defined in usage note 2.a) of Rec 20																											
Segment Notes:																															

e-SLOG 2.0 Electronic Invoice – Part 2: Document Composition

Segment number: 77

SG26	- R	9999999 - LIN-PIA-IMD-QTY-ALI-DTM-FTX-SG27-SG29-SG30-SG34-SG39															
ALI	- C	1 - Additional information															
Function:																	
To indicate that special conditions due to the origin, customs preference, fiscal or commercial factors are applicable.																	
<table border="1"> <thead> <tr> <th colspan="2">e-SLOG 2.0</th> <th colspan="3">EN 16931</th> </tr> <tr> <th>Tag</th> <th>Name</th> <th>Format</th> <th>St</th> <th>Usage</th> </tr> </thead> <tbody> <tr> <td>3239</td> <td>Country of origin name code</td> <td>an..3</td> <td>R</td> <td>BT:Item country of origin(BT-159) DESC:The code identifying the country from which the item originates.</td> </tr> </tbody> </table>			e-SLOG 2.0		EN 16931			Tag	Name	Format	St	Usage	3239	Country of origin name code	an..3	R	BT:Item country of origin(BT-159) DESC:The code identifying the country from which the item originates.
e-SLOG 2.0		EN 16931															
Tag	Name	Format	St	Usage													
3239	Country of origin name code	an..3	R	BT:Item country of origin(BT-159) DESC:The code identifying the country from which the item originates.													
Segment Notes:																	

e-SLOG 2.0 Electronic Invoice – Part 2: Document Composition

Segment number: 78

SG26	- R	9999999 - LIN-PIA-IMD-QTY-ALI-DTM-FTX-SG27-SG29-SG30-SG34-SG39			
DTM	- C	1 - Date/time/period			
Function:					
To specify date, and/or time, or period.					
e-SLOG 2.0		EN 16931			
Tag	Name	Format	St	Usage	Example
C507	DATE/TIME/PERIOD		M		
2005	Date or time or period function code qualifier	an..3	M	167 = Charge period start date BT:INVOICE LINE PERIOD(BG-26) DESC:A group of business terms providing information about the period relevant for the Invoice line.	167
2380	Date or time or period value	an..35	R	BT:Invoice line period start date(BT-134) DESC:The date when the Invoice period for this Invoice line starts.	2013-03-10
Segment Notes:					

e-SLOG 2.0 Electronic Invoice – Part 2: Document Composition

Segment number: 79

SG26	- R	9999999 - LIN-PIA-IMD-QTY-ALI-DTM-FTX-SG27-SG29-SG30-SG34-SG39			
DTM	- C	1 - Date/time/period			
Function:					
To specify date, and/or time, or period.					
e-SLOG 2.0		EN 16931			
Tag	Name	Format	St	Usage	Example
C507	DATE/TIME/PERIOD		M		
2005	Date or time or period function code qualifier	an..3	M	168 = Charge period end date BT:INVOICE LINE PERIOD(BG-26) DESC:A group of business terms providing information about the period relevant for the Invoice line.	168
2380	Date or time or period value	an..35	R	BT:Invoice line period end date(BT-135) DESC:The date when the Invoice period for this Invoice line ends.	2013-04-10
Segment Notes:					

e-SLOG 2.0 Electronic Invoice – Part 2: Document Composition

Segment number: 80

SG26	- R	9999999 - LIN-PIA-IMD-QTY-ALI-DTM-FTX-SG27-SG29-SG30-SG34-SG39																																								
FTX	- C	1 - Free text																																								
Function:																																										
To provide free form or coded text information.																																										
<table border="1"> <thead> <tr> <th colspan="2">e-SLOG 2.0</th> <th colspan="3">EN 16931</th> </tr> <tr> <th>Tag</th> <th>Name</th> <th>Format</th> <th>St</th> <th>Usage</th> </tr> </thead> <tbody> <tr> <td>4451</td> <td>Text subject code qualifier</td> <td>an..3</td> <td>M</td> <td>ACB = Additional information</td> </tr> <tr> <td>4453</td> <td>Free text function code</td> <td>an..3</td> <td>N</td> <td>Not used</td> </tr> <tr> <td>C107</td> <td>TEXT REFERENCE</td> <td></td> <td>N</td> <td></td> </tr> <tr> <td>4441</td> <td>Free text value code</td> <td>an..17</td> <td>N</td> <td>Not used</td> </tr> <tr> <td>C108</td> <td>TEXT LITERAL</td> <td></td> <td>R</td> <td></td> </tr> <tr> <td>4440</td> <td>Free text value</td> <td>an..512</td> <td>M</td> <td>BT:Invoice line noter(BT-127) DESC:A textual note that gives unstructured information that is relevant to the Invoice line.</td> </tr> </tbody> </table>			e-SLOG 2.0		EN 16931			Tag	Name	Format	St	Usage	4451	Text subject code qualifier	an..3	M	ACB = Additional information	4453	Free text function code	an..3	N	Not used	C107	TEXT REFERENCE		N		4441	Free text value code	an..17	N	Not used	C108	TEXT LITERAL		R		4440	Free text value	an..512	M	BT:Invoice line noter(BT-127) DESC:A textual note that gives unstructured information that is relevant to the Invoice line.
e-SLOG 2.0		EN 16931																																								
Tag	Name	Format	St	Usage																																						
4451	Text subject code qualifier	an..3	M	ACB = Additional information																																						
4453	Free text function code	an..3	N	Not used																																						
C107	TEXT REFERENCE		N																																							
4441	Free text value code	an..17	N	Not used																																						
C108	TEXT LITERAL		R																																							
4440	Free text value	an..512	M	BT:Invoice line noter(BT-127) DESC:A textual note that gives unstructured information that is relevant to the Invoice line.																																						
Segment Notes:																																										

Segment number: 81

SG26	- R	9999999 - LIN-PIA-IMD-QTY-ALI-DTM-FTX-SG27-SG29-SG30-SG34-SG39
FTX	- C	99 - Free text

Function:

To provide free form or coded text information.

e-SLOG 2.0			EN 16931		
Tag	Name	Format	St	Usage	Example
4451	Text subject code qualifier	an..3	M	ACF = Additional attribute information	ACF
4453	Free text function code	an..3	N	Not used	
C107	TEXT REFERENCE		N		
4441	Free text value code	an..17	N	Not used	
C108	TEXT LITERAL		R		
4440	Free text value	an..512	M	BT:Item attribute name(BT-160) DESC:The name of the attribute or property of the item.	Thickness
4440	Free text value	an..512	R	BT:Item attribute value(BT-161) DESC:The value of the attribute or property of the item.	2 mm

Segment Notes:

BT:ITEM ATTRIBUTES(BG-32)

DESC:A group of business terms providing information about properties of the goods and services invoiced.

e-SLOG 2.0 Electronic Invoice – Part 2: Document Composition

Segment number: 82

SG26	- R	9999999 - LIN-PIA-IMD-QTY-ALI-DTM-FTX-SG27-SG29-SG30-SG34-SG39			
SG27	- R	1 - MOA			
MOA	- M	1 - Monetary amount			
Function:					
To specify a monetary amount.					
e-SLOG 2.0					
Tag	Name	Format	St	Usage	Example
C516	MONETARY AMOUNT		M		
5025	Monetary amount type code qualifier	an..3	M	203 = Line item amount	203
5004	Monetary amount	n..35	R	BT:Invoice line net amount(BT-131) DESC:The total amount of the Invoice line.	1000.00
Segment Notes:					

e-SLOG 2.0 Electronic Invoice – Part 2: Document Composition

Segment number: 83

SG26	- R 9999999 - LIN-PIA-IMD-QTY-ALI-DTM-FTX-SG27-SG29-SG30-SG34-SG39				
SG29	- R 1 - PRI				
PRI	- M 1 - Price details				
Function:					
To specify price information.					
e-SLOG 2.0			EN 16931		
Tag	Name	Format	St	Usage	Example
C509	PRICE INFORMATION		R		
5125	Price code qualifier	an..3	M	AAA = Calculation net BT:PRICE DETAILS(BG-29) DESC:A group of business terms providing information about the price applied for the goods and services invoiced on the Invoice line.	AAA
5118	Price amount	n..15	R	BT:Item net price(BT-146) DESC:The price of an item, exclusive of VAT, after subtracting item price discount.	1.0000
5375	Price type code	an..3	C		
5387	Price specification code	an..3	C		
5284	Unit price basis value	n..9	C	BT:Item price base quantity(BT-149) DESC:The number of item units to which the price applies.	1
6411	Measurement unit code	an..8	C	BT:Item price base quantity unit of measure code(BT-150) DESC:The unit of measure that applies to the Item price base quantity.	C62
Segment Notes:					

e-SLOG 2.0 Electronic Invoice – Part 2: Document Composition

Segment number: 84

SG26	- R	9999999 - LIN-PIA-IMD-QTY-ALI-DTM-FTX-SG27-SG29-SG30-SG34-SG39			
SG29	- C	1 - PRI			
PRI	- M	1 - Price details			
Function:					
To specify price information.					
e-SLOG 2.0			EN 16931		
Tag	Name	Format	St	Usage	Example
C509	PRICE INFORMATION		R		
5125	Price code qualifier	an..3	M	AAB = Calculation gross BT:PRICE DETAILS(BG-29) DESC:A group of business terms providing information about the price applied for the goods and services invoiced on the Invoice line.	AAB
5118	Price amount	n..15	R	BT:Item gross price(BT-148) DESC:The unit price, exclusive of VAT, before subtracting Item price discount.	1.1000
5375	Price type code	an..3	C		
5387	Price specification code	an..3	C		
5284	Unit price basis value	n..9	C	BT:Item price base quantity(BT-149) DESC:The number of item units to which the price applies.	1
6411	Measurement unit code	an..8	C	BT:Item price base quantity unit of measure code(BT-150) DESC:The unit of measure that applies to the Item price base quantity.	C62
Segment Notes:					

e-SLOG 2.0 Electronic Invoice – Part 2: Document Composition

Segment number: 85

SG26	- R	9999999 - LIN-PIA-IMD-QTY-ALI-DTM-FTX-SG27-SG29-SG30-SG34-SG39			
SG30	- C	1 - RFF			
RFF	- M	1 - Reference			
Function:					
To specify a reference.					
e-SLOG 2.0			EN 16931		
Tag	Name	Format	St	Usage	Example
C506	REFERENCE		M		
1153	Reference code qualifier	an..3	M	AVE = Metering point DESC:An identifier for an object on which the invoice line is based, given by the Seller. BT:Invoice line object identifier identification scheme identifier (BT-128-1)	AVE
1154	Reference identifier	an..70	R	BT:Invoice line object identifier(BT-128) DESC:An identifier for an object on which the invoice line is based, given by the Seller.	Object 2
Segment Notes:					

e-SLOG 2.0 Electronic Invoice – Part 2: Document Composition

Segment number: 86

SG26	- R	9999999 - LIN-PIA-IMD-QTY-ALI-DTM-FTX-SG27-SG29-SG30-SG34-SG39			
SG30	- C	1 - RFF			
RFF	- M	1 - Reference			
Function:					
To specify a reference.					
e-SLOG 2.0			EN 16931		
Tag	Name	Format	St	Usage	Example
C506	REFERENCE		M		
1153	Reference code qualifier	an..3	M	ON = Order number (buyer) DESC:An identifier for an object on which the invoice line is based, given by the Seller. BT:Invoice line object identifier identification scheme identifier (BT- 128-1)	ON
1154	Reference identifier	an..70	C		
1156	Document line identifier	an..6	R	BT:Referenced purchase order line reference(BT-132) DESC:An identifier for a referenced line within a purchase order, issued by the Buyer.	1
Segment Notes:					

e-SLOG 2.0 Electronic Invoice – Part 2: Document Composition

Segment number: 87

SG26	- R	9999999 - LIN-PIA-IMD-QTY-ALI-DTM-FTX-SG27-SG29-SG30-SG34-SG39			
SG30	- C	1 - RFF			
RFF	- M	1 - Reference			
Function:					
To specify a reference.					
e-SLOG 2.0			EN 16931		
Tag	Name	Format	St	Usage	Example
C506	REFERENCE		M		
1153	Reference code qualifier	an..3	M	AWQ = Accounting entry	AWQ
1154	Reference identifier	an..70	R	BT:Invoice line Buyer accounting reference (BT-133) DESC:A textual value that specifies where to book the relevant data into the Buyer's financial accounts.	ACC7654
Segment Notes:					

e-SLOG 2.0 Electronic Invoice – Part 2: Document Composition

Segment number: 88

SG26	- R 9999999 - LIN-PIA-IMD-QTY-ALI-DTM-FTX-SG27-SG29-SG30-SG34-SG39				
SG34	- R 1 - TAX				
TAX	- M 1 - Duty/tax/fee details				
Function:					
To specify relevant duty/tax/fee information.					
e-SLOG 2.0			EN 16931		
Tag	Name	Format	St	Usage	Example
5283	Duty or tax or fee function code qualifier	an..3	M	7 = Tax	7
C241	DUTY/TAX/FEE TYPE		R		
5153	Duty or tax or fee type name code	an..3	R	VAT = Value added tax	VAT
C533	DUTY/TAX/FEE ACCOUNT DETAIL		N		
5289	Duty or tax or fee account code	an..6	N	Not used	
5286	Duty or tax or fee assessment basis value	an..15	C		
C243	DUTY/TAX/FEE DETAIL		C		
5279	Duty or tax or fee rate code	an..7	C		
1131	Code list identification code	an..17	C		
3055	Code list responsible agency code	an..3	C		
5278	Duty or tax or fee rate	an..17	R	BT:Invoiced item VAT rate (BT-152) DESC:The VAT rate, represented as percentage that applies to the invoiced item.	25
5305	Duty or tax or fee category code	an..3	R	BT:Invoiced item VAT category code (BT-151) DESC:The VAT category code for the invoiced item. S = Standard rate Z = Zero rated goods E = Exempt from tax AE = VAT Reverse Charge K = VAT exempt for EEA intra-community supply of goods and services G = Free export item, tax not charged O = Services outside scope of tax L = Canary Islands general indirect tax M = Tax for production, services and importation in Ceuta and Melilla	S
Segment Notes:					

e-SLOG 2.0 Electronic Invoice – Part 2: Document Composition

Segment number: 89

SG26	- R 9999999 - LIN-PIA-IMD-QTY-ALI-DTM-FTX-SG27-SG29-SG30-SG34-SG39				
SG39	- C 30 - ALC-SG41-SG42				
ALC	- M 1 - Allowance or charge				
Function:					
To identify allowance or charge details.					
e-SLOG 2.0			EN 16931		
Tag	Name	Format	St	Usage	Example
5463	Allowance or charge code qualifier	an..3	M	A = Allowance BT:INVOICE LINE ALLOWANCES(BG-27) DESC:A group of business terms providing information about allowances applicable to the individual Invoice line.	A
C552	ALLOWANCE/CHARGE INFORMATION		C		
1230	Allowance or charge identifier	an..35	C	BT:Invoice line allowance reason(BT-139) DESC:The reason for the Invoice line allowance, expressed as text.	Loyal customer
5189	Allowance or charge identification code	an..3	C	BT:Invoice line allowance reason code(BT-140) DESC:The reason for the Invoice line allowance, expressed as a code.	95
Segment Notes:					

e-SLOG 2.0 Electronic Invoice – Part 2: Document Composition

Segment number: 90

SG26	- R	9999999 - LIN-PIA-IMD-QTY-ALI-DTM-FTX-SG27-SG29-SG30-SG34-SG39			
SG39	- C	30 - ALC-SG41-SG42			
SG41	- C	1 - PCD			
PCD	- M	1 - Percentage details			
Function:					
To specify percentage information.					
e-SLOG 2.0					
Tag	Name	Format	St	Usage	Example
C501	PERCENTAGE DETAILS		M		
5245	Percentage type code qualifier	an..3	M	1 = Allowance	1
5482	Percentage	n..10	R	BT:Invoice line allowance percentage(BT-138) DESC:The percentage that may be used, in conjunction with the Invoice line allowance base amount, to calculate the Invoice line allowance amount.	10
Segment Notes:					

Segment number: 91

SG26	- R	9999999 - LIN-PIA-IMD-QTY-ALI-DTM-FTX-SG27-SG29-SG30-SG34-SG39			
SG39	- C	30 - ALC-SG41-SG42			
SG42	- R	2 - MOA			
MOA	- M	1 - Monetary amount			
Function:					
To specify a monetary amount.					
e-SLOG 2.0					
Tag	Name	Format	St	Usage	Example
C516	MONETARY AMOUNT		M		
5025	Monetary amount type code qualifier	an..3	M	204 = Allowance amount	204
5004	Monetary amount	n..35	R	BT:Invoice line allowance amount(BT-136) DESC:The amount of an allowance, without VAT.	100.00
Segment Notes:					

e-SLOG 2.0 Electronic Invoice – Part 2: Document Composition

Segment number: 92

SG26	- R	9999999 - LIN-PIA-IMD-QTY-ALI-DTM-FTX-SG27-SG29-SG30-SG34-SG39			
SG39	- C	30 - ALC-SG41-SG42			
SG42	- C	2 - MOA			
MOA	- M	1 - Monetary amount			
Function:					
To specify a monetary amount.					
e-SLOG 2.0					
Tag	Name	Format	St	Usage	Example
C516	MONETARY AMOUNT		M		
5025	Monetary amount type code qualifier	an..3	M	25 = Charge/allowance basis	25
5004	Monetary amount	n..35	R	BT:Invoice line allowance base amount(BT-137) DESC:The base amount that may be used, in conjunction with the Invoice line allowance percentage, to calculate the Invoice line allowance amount.	1000.00
Segment Notes:					

e-SLOG 2.0 Electronic Invoice – Part 2: Document Composition

Segment number: 93

SG26	- R	9999999 - LIN-PIA-IMD-QTY-ALI-DTM-FTX-SG27-SG29-SG30-SG34-SG39			
SG39	- C	30 - ALC-SG42			
ALC	- M	1 - Allowance or charge			
Function:					
To identify allowance or charge details.					
e-SLOG 2.0			EN 16931		
Tag	Name	Format	St	Usage	Example
5463	Allowance or charge code qualifier	an..3	M	<p>A = Allowance BT:INVOICE LINE ALLOWANCES(BG-27) DESC:A group of business terms providing information about allowances applicable to the individual Invoice line.</p>	A
Segment Notes:					

e-SLOG 2.0 Electronic Invoice – Part 2: Document Composition

Segment number: 94

SG26	- R	9999999 - LIN-PIA-IMD-QTY-ALI-DTM-FTX-SG27-SG29-SG30-SG34-SG39			
SG39	- C	30 - ALC-SG42			
SG42	- C	1 - MOA			
MOA	- M	1 - Monetary amount			
Function:					
To specify a monetary amount.					
e-SLOG 2.0					
Tag	Name	Format	St	Usage	Example
C516	MONETARY AMOUNT		M		
5025	Monetary amount type code qualifier	an..3	M	509 = Unit allowance amount	509
5004	Monetary amount	n..35	R	BT:Item price discount(BT-147) DESC:The total discount subtracted from the Item gross price to calculate the Item net price.	0.1000
Segment Notes:					

e-SLOG 2.0 Electronic Invoice – Part 2: Document Composition

Segment number: 95

SG26	- R 9999999 - LIN-PIA-IMD-QTY-ALI-DTM-FTX-SG27-SG29-SG30-SG34-SG39				
SG39	- C 30 - ALC-SG41-SG42				
ALC	- M 1 - Allowance or charge				
Function:					
To identify allowance or charge details.					
e-SLOG 2.0			EN 16931		
Tag	Name	Format	St	Usage	Example
5463	Allowance or charge code qualifier	an..3	M	C = Charge BT:INVOICE LINE CHARGES(BG-28) DESC:A group of business terms providing information about charges and taxes other than VAT applicable to the individual Invoice line.	C
C552	ALLOWANCE/CHARGE INFORMATION		C		
1230	Allowance or charge identifier	an..35	R	BT:Invoice line charge reason(BT-144) DESC:The reason for the Invoice line charge, expressed as text.	Packaging
4471	Settlement means code	an..3	C		
1227	Calculation sequence code	an..3	C		
C214	SPECIAL SERVICES IDENTIFICATION		C		
7161	Special service description code	an..3	R	BT:Invoice line charge reason code(BT-145) DESC:The reason for the Invoice line charge, expressed as a code.	ABL
Segment Notes:					

e-SLOG 2.0 Electronic Invoice – Part 2: Document Composition

Segment number: 96

SG26	- R	9999999 - LIN-PIA-IMD-QTY-ALI-DTM-FTX-SG27-SG29-SG30-SG34-SG39			
SG39	- C	30 - ALC-SG41-SG42			
SG41	- C	1 - PCD			
PCD	- M	1 - Percentage details			
Function:					
To specify percentage information.					
e-SLOG 2.0					
Tag	Name	Format	St	Usage	Example
C501	PERCENTAGE DETAILS		M		
5245	Percentage type code qualifier	an..3	M	2 = Charge	2
5482	Percentage	n..10	R	BT:Invoice line charge percentage(BT-143) DESC:The percentage that may be used, in conjunction with the Invoice line charge base amount, to calculate the Invoice line charge amount.	10
Segment Notes:					

Segment number: 97

SG26	- R	9999999 - LIN-PIA-IMD-QTY-ALI-DTM-FTX-SG27-SG29-SG30-SG34-SG39			
SG39	- C	30 - ALC-SG41-SG42			
SG42	- R	2 - MOA			
MOA	- M	1 - Monetary amount			
Function:					
To specify a monetary amount.					
e-SLOG 2.0					
Tag	Name	Format	St	Usage	Example
C516	MONETARY AMOUNT		M		
5025	Monetary amount type code qualifier	an..3	M	23 = Charge amount	23
5004	Monetary amount	n..35	R	BT:Invoice line charge amount(BT-141) DESC:The amount of a charge, without VAT.	100.00
Segment Notes:					

e-SLOG 2.0 Electronic Invoice – Part 2: Document Composition

Segment number: 98

SG26	- R	9999999 - LIN-PIA-IMD-QTY-ALI-DTM-FTX-SG27-SG29-SG30-SG34-SG39			
SG39	- C	30 - ALC-SG41-SG42			
SG42	- C	2 - MOA			
MOA	- M	1 - Monetary amount			
Function:					
To specify a monetary amount.					
e-SLOG 2.0					
Tag	Name	Format	St	Usage	Example
C516	MONETARY AMOUNT		M		
5025	Monetary amount type code qualifier	an..3	M	25 = Charge/allowance basis	25
5004	Monetary amount	n..35	R	BT:Invoice line charge base amount(BT- 142) DESC:The base amount that may be used, in conjunction with the Invoice line charge percentage, to calculate the Invoice line charge amount.	1000.00
Segment Notes:					

e-SLOG 2.0 Electronic Invoice – Part 2: Document Composition

Segment number: 99

SG26	- C	9999999 - LIN-PIA-IMD-QTY-ALI-DTM-FTX-SG27-SG29-SG30-SG34			
LIN	- M	1 - Line item			
Function:					
To identify a line item and configuration.					
e-SLOG 2.0		EN 16931			
Tag	Name	Format	St	Usage	Example
1082	Line item identifier	an..6	R	BT:Invoice line identifier(BT-126) DESC:A unique identifier for the individual line within the Invoice.	2
Segment Notes:					

e-SLOG 2.0 Electronic Invoice – Part 2: Document Composition

Segment number: 100

SG26	- C	9999999 - LIN-PIA-IMD-QTY-ALI-DTM-FTX-SG27-SG29-SG30-SG34																														
PIA	- C	1 - Additional product id																														
Function:																																
To specify additional or substitutional item identification codes.																																
<table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr style="background-color: #cccccc;"> <th colspan="2" style="text-align: left;">e-SLOG 2.0</th> <th colspan="3" style="text-align: center;">EN 16931</th> </tr> <tr> <th style="text-align: left;">Tag</th> <th style="text-align: left;">Name</th> <th style="text-align: left;">Format</th> <th style="text-align: left;">St</th> <th style="text-align: left;">Usage</th> </tr> </thead> <tbody> <tr> <td>4347</td> <td>Product identifier code qualifier</td> <td style="text-align: center;">an..3</td> <td style="text-align: center;">M</td> <td style="color: red; text-align: center;">5 = Product identification</td> </tr> <tr> <td>C212</td> <td>ITEM NUMBER IDENTIFICATION</td> <td></td> <td style="text-align: center;">M</td> <td></td> </tr> <tr> <td>7140</td> <td>Item identifier</td> <td style="text-align: center;">an..35</td> <td style="text-align: center;">R</td> <td>BT:Item Seller's identifier(BT-155) DESC:An identifier, assigned by the Seller, for the item.</td> </tr> <tr> <td>7143</td> <td>Item type identification code</td> <td style="text-align: center;">an..3</td> <td style="text-align: center;">R</td> <td style="color: red; text-align: center;">SA = Supplier's article number</td> </tr> </tbody> </table>			e-SLOG 2.0		EN 16931			Tag	Name	Format	St	Usage	4347	Product identifier code qualifier	an..3	M	5 = Product identification	C212	ITEM NUMBER IDENTIFICATION		M		7140	Item identifier	an..35	R	BT:Item Seller's identifier(BT-155) DESC:An identifier, assigned by the Seller, for the item.	7143	Item type identification code	an..3	R	SA = Supplier's article number
e-SLOG 2.0		EN 16931																														
Tag	Name	Format	St	Usage																												
4347	Product identifier code qualifier	an..3	M	5 = Product identification																												
C212	ITEM NUMBER IDENTIFICATION		M																													
7140	Item identifier	an..35	R	BT:Item Seller's identifier(BT-155) DESC:An identifier, assigned by the Seller, for the item.																												
7143	Item type identification code	an..3	R	SA = Supplier's article number																												
Segment Notes:																																

e-SLOG 2.0 Electronic Invoice – Part 2: Document Composition

Segment number: 101

SG26	- C	9999999 - LIN-PIA-IMD-QTY-ALI-DTM-FTX-SG27-SG29-SG30-SG34						
IMD	- R	1 - Item description						
Function:								
To describe an item in either an industry or free format.								
e-SLOG 2.0			EN 16931					
Tag	Name	Format	St	Usage	Example			
7077	Description format code	an..3	R	F = Free-form	F			
C272	ITEM CHARACTERISTIC		N					
7081	Item characteristic code	an..3	N	Not used				
C273	ITEM DESCRIPTION		R					
7009	Item description code	an..17	C					
1131	Code list identification code	an..17	C					
3055	Code list responsible agency code	an..3	C					
7008	Item description	an..256	R	BT:Item name(BT-153) DESC:A name for an item.	Parker Pen			

Segment Notes:

e-SLOG 2.0 Electronic Invoice – Part 2: Document Composition

Segment number: 102

SG26	- C	9999999 - LIN-PIA-IMD-QTY-ALI-DTM-FTX-SG27-SG29-SG30-SG34																																																		
IMD	- C	1 - Item description																																																		
Function:																																																				
To describe an item in either an industry or free format.																																																				
<table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr style="background-color: #cccccc;"> <th colspan="2" style="text-align: left;">e-SLOG 2.0</th> <th colspan="3" style="text-align: center;">EN 16931</th> </tr> <tr> <th style="text-align: left;">Tag</th> <th style="text-align: left;">Name</th> <th style="text-align: left;">Format</th> <th style="text-align: left;">St</th> <th style="text-align: left;">Usage</th> </tr> </thead> <tbody> <tr> <td>7077</td> <td>Description format code</td> <td>an..3</td> <td>R</td> <td>A = Free-form long description</td> </tr> <tr> <td>C272</td> <td>ITEM CHARACTERISTIC</td> <td></td> <td>N</td> <td></td> </tr> <tr> <td>7081</td> <td>Item characteristic code</td> <td>an..3</td> <td>N</td> <td>Not used</td> </tr> <tr> <td>C273</td> <td>ITEM DESCRIPTION</td> <td></td> <td>R</td> <td></td> </tr> <tr> <td>7009</td> <td>Item description code</td> <td>an..17</td> <td>N</td> <td>Not used</td> </tr> <tr> <td>1131</td> <td>Code list identification code</td> <td>an..17</td> <td>N</td> <td>Not used</td> </tr> <tr> <td>3055</td> <td>Code list responsible agency code</td> <td>an..3</td> <td>N</td> <td>Not used</td> </tr> <tr> <td>7008</td> <td>Item description</td> <td>an..256</td> <td>R</td> <td>BT:Item description(BT-154) DESC:A description for an item. Perker Pen, Black, model Sansa</td> </tr> </tbody> </table>			e-SLOG 2.0		EN 16931			Tag	Name	Format	St	Usage	7077	Description format code	an..3	R	A = Free-form long description	C272	ITEM CHARACTERISTIC		N		7081	Item characteristic code	an..3	N	Not used	C273	ITEM DESCRIPTION		R		7009	Item description code	an..17	N	Not used	1131	Code list identification code	an..17	N	Not used	3055	Code list responsible agency code	an..3	N	Not used	7008	Item description	an..256	R	BT:Item description(BT-154) DESC:A description for an item. Perker Pen, Black, model Sansa
e-SLOG 2.0		EN 16931																																																		
Tag	Name	Format	St	Usage																																																
7077	Description format code	an..3	R	A = Free-form long description																																																
C272	ITEM CHARACTERISTIC		N																																																	
7081	Item characteristic code	an..3	N	Not used																																																
C273	ITEM DESCRIPTION		R																																																	
7009	Item description code	an..17	N	Not used																																																
1131	Code list identification code	an..17	N	Not used																																																
3055	Code list responsible agency code	an..3	N	Not used																																																
7008	Item description	an..256	R	BT:Item description(BT-154) DESC:A description for an item. Perker Pen, Black, model Sansa																																																
Segment Notes:																																																				

e-SLOG 2.0 Electronic Invoice – Part 2: Document Composition

Segment number: 103

SG26	- C 9999999 - LIN-PIA-IMD-QTY-ALI-DTM-FTX-SG27-SG29-SG30-SG34				
QTY	- R 1 - Quantity				
Function:					
To specify a pertinent quantity.					
e-SLOG 2.0		EN 16931			
Tag	Name	Format	St	Usage	Example
C186	QUANTITY DETAILS		M		
6063	Quantity type code qualifier	an..3	M	47 = Invoiced quantity	47
6060	Quantity	an..35	R	BT:Invoiced quantity(BT-129) DESC:The quantity of items (goods or services) that is charged in the Invoice line.	100
6411	Measurement unit code	an..8	R	BT:Invoiced quantity unit of measure(BT-130) DESC:The unit of measure that applies to the invoiced quantity. Usage of Rec 20 with Rec 21 extensions is allowed as defined in usage note 2.a) of Rec 20	C62
Segment Notes:					

e-SLOG 2.0 Electronic Invoice – Part 2: Document Composition

Segment number: 104

SG26	- C	9999999 - LIN-PIA-IMD-QTY-ALI-DTM-FTX-SG27-SG29-SG30-SG34															
ALI	- C	1 - Additional information															
Function:																	
To indicate that special conditions due to the origin, customs preference, fiscal or commercial factors are applicable.																	
<table border="1"><thead><tr><th colspan="2">e-SLOG 2.0</th><th colspan="3">EN 16931</th></tr><tr><th>Tag</th><th>Name</th><th>Format</th><th>St</th><th>Usage</th></tr></thead><tbody><tr><td>3239</td><td>Country of origin name code</td><td>an..3</td><td>R</td><td>BT:Item country of origin(BT-159) DESC:The code identifying the country from which the item originates.</td></tr></tbody></table>			e-SLOG 2.0		EN 16931			Tag	Name	Format	St	Usage	3239	Country of origin name code	an..3	R	BT:Item country of origin(BT-159) DESC:The code identifying the country from which the item originates.
e-SLOG 2.0		EN 16931															
Tag	Name	Format	St	Usage													
3239	Country of origin name code	an..3	R	BT:Item country of origin(BT-159) DESC:The code identifying the country from which the item originates.													
Segment Notes:																	

e-SLOG 2.0 Electronic Invoice – Part 2: Document Composition

Segment number: 105

SG26	- C	9999999 - LIN-PIA-IMD-QTY-ALI-DTM-FTX-SG27-SG29-SG30-SG34			
DTM	- C	1 - Date/time/period			
Function:					
To specify date, and/or time, or period.					
e-SLOG 2.0		EN 16931			
Tag	Name	Format	St	Usage	Example
C507	DATE/TIME/PERIOD		M		
2005	Date or time or period function code qualifier	an..3	M	167 = Charge period start date BT:INVOICE LINE PERIOD(BG-26) DESC:A group of business terms providing information about the period relevant for the Invoice line.	167
2380	Date or time or period value	an..35	R	BT:Invoice line period start date(BT-134) DESC:The date when the Invoice period for this Invoice line starts.	2013-03-10
Segment Notes:					

e-SLOG 2.0 Electronic Invoice – Part 2: Document Composition

Segment number: 106

SG26	- C	9999999 - LIN-PIA-IMD-QTY-ALI-DTM-FTX-SG27-SG29-SG30-SG34			
DTM	- C	1 - Date/time/period			
Function:					
To specify date, and/or time, or period.					
e-SLOG 2.0		EN 16931			
Tag	Name	Format	St	Usage	Example
C507	DATE/TIME/PERIOD		M		
2005	Date or time or period function code qualifier	an..3	M	168 = Charge period end date BT:INVOICE LINE PERIOD(BG-26) DESC:A group of business terms providing information about the period relevant for the Invoice line.	168
2380	Date or time or period value	an..35	R	BT:Invoice line period end date(BT-135) DESC:The date when the Invoice period for this Invoice line ends.	2013-04-10
Segment Notes:					

Segment number: 107

SG26	- C	9999999 - LIN-PIA-IMD-QTY-ALI-DTM-FTX-SG27-SG29-SG30-SG34																																								
FTX	- C	1 - Free text																																								
Function:																																										
To provide free form or coded text information.																																										
<table border="1"> <thead> <tr> <th colspan="2">e-SLOG 2.0</th> <th colspan="3">EN 16931</th> </tr> <tr> <th>Tag</th> <th>Name</th> <th>Format</th> <th>St</th> <th>Usage</th> </tr> </thead> <tbody> <tr> <td>4451</td> <td>Text subject code qualifier</td> <td>an..3</td> <td>M</td> <td>ACB = Additional information</td> </tr> <tr> <td>4453</td> <td>Free text function code</td> <td>an..3</td> <td>N</td> <td>Not used</td> </tr> <tr> <td>C107</td> <td>TEXT REFERENCE</td> <td></td> <td>N</td> <td></td> </tr> <tr> <td>4441</td> <td>Free text value code</td> <td>an..17</td> <td>N</td> <td>Not used</td> </tr> <tr> <td>C108</td> <td>TEXT LITERAL</td> <td></td> <td>R</td> <td></td> </tr> <tr> <td>4440</td> <td>Free text value</td> <td>an..512</td> <td>M</td> <td>BT:Invoice line noter(BT-127) DESC:A textual note that gives unstructured information that is relevant to the Invoice line.</td> </tr> </tbody> </table>			e-SLOG 2.0		EN 16931			Tag	Name	Format	St	Usage	4451	Text subject code qualifier	an..3	M	ACB = Additional information	4453	Free text function code	an..3	N	Not used	C107	TEXT REFERENCE		N		4441	Free text value code	an..17	N	Not used	C108	TEXT LITERAL		R		4440	Free text value	an..512	M	BT:Invoice line noter(BT-127) DESC:A textual note that gives unstructured information that is relevant to the Invoice line.
e-SLOG 2.0		EN 16931																																								
Tag	Name	Format	St	Usage																																						
4451	Text subject code qualifier	an..3	M	ACB = Additional information																																						
4453	Free text function code	an..3	N	Not used																																						
C107	TEXT REFERENCE		N																																							
4441	Free text value code	an..17	N	Not used																																						
C108	TEXT LITERAL		R																																							
4440	Free text value	an..512	M	BT:Invoice line noter(BT-127) DESC:A textual note that gives unstructured information that is relevant to the Invoice line.																																						
Segment Notes:																																										

e-SLOG 2.0 Electronic Invoice – Part 2: Document Composition

Segment number: 108

SG26	- C	9999999 - LIN-PIA-IMD-QTY-ALI-DTM-FTX-SG27-SG29-SG30-SG34			
SG27	- R	1 - MOA			
MOA	- M	1 - Monetary amount			
Function:					
To specify a monetary amount.					
e-SLOG 2.0			EN 16931		
Tag	Name	Format	St	Usage	Example
C516	MONETARY AMOUNT		M		
5025	Monetary amount type code qualifier	an..3	M	203 = Line item amount	203
5004	Monetary amount	n..35	R	BT:Invoice line net amount(BT-131) DESC:The total amount of the Invoice line.	500.00
Segment Notes:					

e-SLOG 2.0 Electronic Invoice – Part 2: Document Composition

Segment number: 109

SG26	- C	9999999 - LIN-PIA-IMD-QTY-ALI-DTM-FTX-SG27-SG29-SG30-SG34			
SG29	- R	1 - PRI			
PRI	- M	1 - Price details			
Function:					
To specify price information.					
e-SLOG 2.0			EN 16931		
Tag	Name	Format	St	Usage	Example
C509	PRICE INFORMATION		R		
5125	Price code qualifier	an..3	M	AAA = Calculation net BT:PRICE DETAILS(BG-29) DESC:A group of business terms providing information about the price applied for the goods and services invoiced on the Invoice line.	AAA
5118	Price amount	n..15	R	BT:Item net price(BT-146) DESC:The price of an item, exclusive of VAT, after subtracting item price discount.	5.0000
Segment Notes:					

e-SLOG 2.0 Electronic Invoice – Part 2: Document Composition

Segment number: 110

SG26	- C	9999999 - LIN-PIA-IMD-QTY-ALI-DTM-FTX-SG27-SG29-SG30-SG34			
SG30	- C	1 - RFF			
RFF	- M	1 - Reference			
Function:					
To specify a reference.					
e-SLOG 2.0			EN 16931		
Tag	Name	Format	St	Usage	Example
C506	REFERENCE		M		
1153	Reference code qualifier	an..3	M	AVE = Metering point DESC:An identifier for an object on which the invoice line is based, given by the Seller. BT:Invoice line object identifier identification scheme identifier (BT-128-1)	AVE
1154	Reference identifier	an..70	R	BT:Invoice line object identifier(BT-128) DESC:An identifier for an object on which the invoice line is based, given by the Seller.	Object 2
Segment Notes:					

e-SLOG 2.0 Electronic Invoice – Part 2: Document Composition

Segment number: 111

SG26	- C	9999999 - LIN-PIA-IMD-QTY-ALI-DTM-FTX-SG27-SG29-SG30-SG34			
SG30	- C	1 - RFF			
RFF	- M	1 - Reference			
Function:					
To specify a reference.					
e-SLOG 2.0			EN 16931		
Tag	Name	Format	St	Usage	Example
C506	REFERENCE		M		
1153	Reference code qualifier	an..3	M	ON = Order number (buyer) DESC:An identifier for an object on which the invoice line is based, given by the Seller. BT:Invoice line object identifier identification scheme identifier (BT- 128-1)	ON
1154	Reference identifier	an..70	C		
1156	Document line identifier	an..6	R	BT:Referenced purchase order line reference(BT-132) DESC:An identifier for a referenced line within a purchase order, issued by the Buyer.	2
Segment Notes:					

e-SLOG 2.0 Electronic Invoice – Part 2: Document Composition

Segment number: 112

SG26	- C	9999999 - LIN-PIA-IMD-QTY-ALI-DTM-FTX-SG27-SG29-SG30-SG34			
SG30	- C	1 - RFF			
RFF	- M	1 - Reference			
Function:					
To specify a reference.					
e-SLOG 2.0			EN 16931		
Tag	Name	Format	St	Usage	Example
C506	REFERENCE		M		
1153	Reference code qualifier	an..3	M	AWQ = Accounting entry	AWQ
1154	Reference identifier	an..70	R	BT:Invoice line Buyer accounting reference (BT-133) DESC:A textual value that specifies where to book the relevant data into the Buyer's financial accounts.	ACC7654
Segment Notes:					

Segment number: 113

SG26	- C	9999999 - LIN-PIA-IMD-QTY-ALI-DTM-FTX-SG27-SG29-SG30-SG34			
SG34	- R	1 - TAX			
TAX	- M	1 - Duty/tax/fee details			
Function:					
To specify relevant duty/tax/fee information.					
e-SLOG 2.0			EN 16931		
Tag	Name	Format	St	Usage	Example
5283	Duty or tax or fee function code qualifier	an..3	M	7 = Tax	7
C241	DUTY/TAX/FEE TYPE		R		
5153	Duty or tax or fee type name code	an..3	R	VAT = Value added tax	VAT
C533	DUTY/TAX/FEE ACCOUNT DETAIL		N		
5289	Duty or tax or fee account code	an..6	N	Not used	
5286	Duty or tax or fee assessment basis value	an..15	C		
C243	DUTY/TAX/FEE DETAIL		C		
5279	Duty or tax or fee rate code	an..7	C		
1131	Code list identification code	an..17	C		
3055	Code list responsible agency code	an..3	C		
5278	Duty or tax or fee rate	an..17	R	BT:Invoiced item VAT rate (BT-152) DESC:The VAT rate, represented as percentage that applies to the invoiced item.	25
5305	Duty or tax or fee category code	an..3	R	BT:Invoiced item VAT category code (BT-151) DESC:The VAT category code for the invoiced item. S = Standard rate Z = Zero rated goods E = Exempt from tax AE = VAT Reverse Charge K = VAT exempt for EEA intra-community supply of goods and services G = Free export item, tax not charged O = Services outside scope of tax L = Canary Islands general indirect tax M = Tax for production, services and importation in Ceuta and Melilla	S
Segment Notes:					

e-SLOG 2.0 Electronic Invoice – Part 2: Document Composition

Segment number: 114

SG26	- C	9999999 - LIN-PIA-IMD-QTY-SG27-SG29-SG34			
LIN	- M	1 - Line item			
Function:					
To identify a line item and configuration.					
e-SLOG 2.0		EN 16931			
Tag	Name	Format	St	Usage	Example
1082	Line item identifier	an..6	R	BT:Invoice line identifier(BT-126) DESC:A unique identifier for the individual line within the Invoice.	3
Segment Notes:					

e-SLOG 2.0 Electronic Invoice – Part 2: Document Composition

Segment number: 115

SG26	- C	9999999 - LIN-PIA-IMD-QTY-SG27-SG29-SG34						
PIA	- C	1 - Additional product id						
Function:								
To specify additional or substitutional item identification codes.								
e-SLOG 2.0			EN 16931					
Tag	Name	Format	St	Usage	Example			
4347	Product identifier code qualifier	an..3	M	5 = Product identification	5			
C212	ITEM NUMBER IDENTIFICATION		M					
7140	Item identifier	an..35	R	BT:Item Seller's identifier(BT-155) DESC:An identifier, assigned by the Seller, for the item.	JB009			
7143	Item type identification code	an..3	R	SA = Supplier's article number	SA			
Segment Notes:								

e-SLOG 2.0 Electronic Invoice – Part 2: Document Composition

Segment number: 116

SG26	- C	9999999 - LIN-PIA-IMD-QTY-SG27-SG29-SG34						
IMD	- R	1 - Item description						
Function:								
To describe an item in either an industry or free format.								
e-SLOG 2.0			EN 16931					
Tag	Name	Format	St	Usage	Example			
7077	Description format code	an..3	R	F = Free-form	F			
C272	ITEM CHARACTERISTIC		N					
7081	Item characteristic code	an..3	N	Not used				
C273	ITEM DESCRIPTION		R					
7009	Item description code	an..17	C					
1131	Code list identification code	an..17	C					
3055	Code list responsible agency code	an..3	C					
7008	Item description	an..256	R	BT:Item name(BT-153) DESC:A name for an item.	American Cookies			
Segment Notes:								

e-SLOG 2.0 Electronic Invoice – Part 2: Document Composition

Segment number: 117

SG26	- C	9999999 - LIN-PIA-IMD-QTY-SG27-SG29-SG34						
QTY	- R	1 - Quantity						
Function:								
To specify a pertinent quantity.								
e-SLOG 2.0			EN 16931					
Tag	Name	Format	St	Usage	Example			
C186	QUANTITY DETAILS		M					
6063	Quantity type code qualifier	an..3	M	47 = Invoiced quantity	47			
6060	Quantity	an..35	R	BT:Invoiced quantity(BT-129) DESC:The quantity of items (goods or services) that is charged in the Invoice line.	500			
6411	Measurement unit code	an..8	R	BT:Invoiced quantity unit of measure(BT-130) DESC:The unit of measure that applies to the invoiced quantity. Usage of Rec 20 with Rec 21 extensions is allowed as defined in usage note 2.a) of Rec 20	C62			
Segment Notes:								

e-SLOG 2.0 Electronic Invoice – Part 2: Document Composition

Segment number: 118

SG26	- C	9999999 - LIN-PIA-IMD-QTY-SG27-SG29-SG34			
SG27	- R	99 - MOA			
MOA	- M	1 - Monetary amount			
Function:					
To specify a monetary amount.					
e-SLOG 2.0					
Tag	Name	Format	St	Usage	Example
C516	MONETARY AMOUNT		M		
5025	Monetary amount type code qualifier	an..3	M	203 = Line item amount	203
5004	Monetary amount	n..35	M	BT:Invoice line net amount(BT-131) DESC:The total amount of the Invoice line.	2500.00
Segment Notes:					

e-SLOG 2.0 Electronic Invoice – Part 2: Document Composition

egment number: 119

SG26	- C	9999999 - LIN-PIA-IMD-QTY-SG27-SG29-SG34			
SG29	- R	1 - PRI			
PRI	- M	1 - Price details			
Function:					
To specify price information.					
e-SLOG 2.0			EN 16931		
Tag	Name	Format	St	Usage	Example
C509	PRICE INFORMATION		R		
5125	Price code qualifier	an..3	M	AAA = Calculation net BT:PRICE DETAILS(BG-29) DESC:A group of business terms providing information about the price applied for the goods and services invoiced on the Invoice line.	AAA
5118	Price amount	n..15	R	BT:Item net price(BT-146) DESC:The price of an item, exclusive of VAT, after subtracting item price discount.	5.0000
Segment Notes:					

e-SLOG 2.0 Electronic Invoice – Part 2: Document Composition

Segment number: 120

SG26	- C	9999999 - LIN-PIA-IMD-QTY-SG27-SG29-SG34
SG34	- R	1 - TAX
TAX	- M	1 - Duty/tax/fee details

Function:

To specify relevant duty/tax/fee information.

e-SLOG 2.0			EN 16931		
Tag	Name	Format	St	Usage	Example
5283	Duty or tax or fee function code qualifier	an..3	M	7 = Tax	7
C241	DUTY/TAX/FEE TYPE		R		
5153	Duty or tax or fee type name code	an..3	R	VAT = Value added tax	VAT
C533	DUTY/TAX/FEE ACCOUNT DETAIL		N		
5289	Duty or tax or fee account code	an..6	N	Not used	
5286	Duty or tax or fee assessment basis value	an..15	C		
C243	DUTY/TAX/FEE DETAIL		C		
5279	Duty or tax or fee rate code	an..7	C		
1131	Code list identification code	an..17	C		
3055	Code list responsible agency code	an..3	C		
5278	Duty or tax or fee rate	an..17	R	BT:Invoiced item VAT rate (BT-152) DESC:The VAT rate, represented as percentage that applies to the invoiced item.	12
5305	Duty or tax or fee category code	an..3	R	BT:Invoiced item VAT category code (BT-151) DESC:The VAT category code for the invoiced item. S = Standard rate Z = Zero rated goods E = Exempt from tax AE = VAT Reverse Charge K = VAT exempt for EEA intra-community supply of goods and services G = Free export item, tax not charged O = Services outside scope of tax L = Canary Islands general indirect tax	S

e-SLOG 2.0 Electronic Invoice – Part 2: Document Composition

Segment number: 120

e-SLOG 2.0			EN 16931		
Tag	Name	Format	St	Usage	Example
				M = Tax for production, services and importation in Ceuta and Melilla	
Segment Notes:					

e-SLOG 2.0 Electronic Invoice – Part 2: Document Composition

Segment number: 121

UNS	- C	1 - Section control						
Function:								
To separate header, detail and summary sections of a message.								
Notes:								
To be used by message designers only when required to avoid ambiguities.								
e-SLOG 2.0			EN 16931					
Tag	Name	Format	St	Usage	Example			
0081	Section identification	a1	M		D			
Segment Notes:								
BT:DOCUMENT TOTALS(BG-22)								
DESC:A group of business terms providing the monetary totals for the Invoice.								

Segment number: 122

SG50	- M	1 - MOA			
MOA	- M	1 - Monetary amount			
Function:					
To specify a monetary amount.					
e-SLOG 2.0		EN 16931			
Tag	Name	Format	St	Usage	Example
C516	MONETARY AMOUNT		M		
5025	Monetary amount type code qualifier	an..3	M	79 = Total line items amount	79
5004	Monetary amount	n..35	R	BT:Sum of Invoice line net amount(BT-106) DESC:Sum of all Invoice line net amounts in the Invoice.	4000.00
Segment Notes:					

e-SLOG 2.0 Electronic Invoice – Part 2: Document Composition

Segment number: 123

SG50	- M	1 - MOA																									
MOA	- M	1 - Monetary amount																									
Function:																											
To specify a monetary amount.																											
<table style="width: 100%; border-collapse: collapse;"> <thead> <tr style="background-color: #cccccc;"> <th colspan="2" style="text-align: left; padding: 2px;">e-SLOG 2.0</th> <th colspan="3" style="text-align: center; padding: 2px;">EN 16931</th> </tr> <tr style="background-color: #cccccc;"> <th style="text-align: left; width: 10%;">Tag</th> <th style="text-align: left; width: 40%;">Name</th> <th style="text-align: left; width: 10%;">Format</th> <th style="text-align: left; width: 20%;">St</th> <th style="text-align: left; width: 20%;">Usage</th> </tr> </thead> <tbody> <tr> <td>C516</td><td>MONETARY AMOUNT</td><td></td><td>M</td><td></td></tr> <tr> <td>5025</td><td>Monetary amount type code qualifier</td><td>an..3</td><td>M</td><td>389 = Amount excluding Value Added Tax (VAT)</td></tr> <tr> <td>5004</td><td>Monetary amount</td><td>n..35</td><td>R</td><td>BT:Invoice total amount without VAT(BT- 109) DESC:The total amount of the Invoice without VAT.</td></tr> </tbody> </table>			e-SLOG 2.0		EN 16931			Tag	Name	Format	St	Usage	C516	MONETARY AMOUNT		M		5025	Monetary amount type code qualifier	an..3	M	389 = Amount excluding Value Added Tax (VAT)	5004	Monetary amount	n..35	R	BT:Invoice total amount without VAT(BT- 109) DESC:The total amount of the Invoice without VAT.
e-SLOG 2.0		EN 16931																									
Tag	Name	Format	St	Usage																							
C516	MONETARY AMOUNT		M																								
5025	Monetary amount type code qualifier	an..3	M	389 = Amount excluding Value Added Tax (VAT)																							
5004	Monetary amount	n..35	R	BT:Invoice total amount without VAT(BT- 109) DESC:The total amount of the Invoice without VAT.																							
Segment Notes:																											

e-SLOG 2.0 Electronic Invoice – Part 2: Document Composition

Segment number: 124

SG50	- M	1 - MOA																										
MOA	- M	1 - Monetary amount																										
Function:																												
To specify a monetary amount.																												
<table style="width: 100%; border-collapse: collapse;"> <thead> <tr style="background-color: #cccccc;"> <th style="text-align: center; padding: 2px;">e-SLOG 2.0</th> <th style="text-align: center; padding: 2px;">EN 16931</th> </tr> <tr> <th style="text-align: center; padding: 2px;">Tag</th> <th style="text-align: center; padding: 2px;">Name</th> <th style="text-align: center; padding: 2px;">Format</th> <th style="text-align: center; padding: 2px;">St</th> <th style="text-align: center; padding: 2px;">Usage</th> <th style="text-align: center; padding: 2px;">Example</th> </tr> </thead> <tbody> <tr> <td style="text-align: center; padding: 2px;">C516</td><td style="text-align: center; padding: 2px;">MONETARY AMOUNT</td><td style="text-align: center; padding: 2px;"></td><td style="text-align: center; padding: 2px;">M</td><td style="text-align: center; padding: 2px;"></td><td style="text-align: center; padding: 2px;"></td></tr> <tr> <td style="text-align: center; padding: 2px;">5025</td><td style="text-align: center; padding: 2px;">Monetary amount type code qualifier</td><td style="text-align: center; padding: 2px;">an..3</td><td style="text-align: center; padding: 2px;">M</td><td style="text-align: center; padding: 2px;">388 = Total amount including Value Added Tax (VAT)</td><td style="text-align: center; padding: 2px;">388</td></tr> <tr> <td style="text-align: center; padding: 2px;">5004</td><td style="text-align: center; padding: 2px;">Monetary amount</td><td style="text-align: center; padding: 2px;">n..35</td><td style="text-align: center; padding: 2px;">R</td><td style="text-align: center; padding: 2px;">BT:Invoice total amount with VAT(BT- 112) DESC:The total amount of the Invoice with VAT.</td><td style="text-align: center; padding: 2px;">4675.00</td></tr> </tbody> </table>			e-SLOG 2.0	EN 16931	Tag	Name	Format	St	Usage	Example	C516	MONETARY AMOUNT		M			5025	Monetary amount type code qualifier	an..3	M	388 = Total amount including Value Added Tax (VAT)	388	5004	Monetary amount	n..35	R	BT:Invoice total amount with VAT(BT- 112) DESC:The total amount of the Invoice with VAT.	4675.00
e-SLOG 2.0	EN 16931																											
Tag	Name	Format	St	Usage	Example																							
C516	MONETARY AMOUNT		M																									
5025	Monetary amount type code qualifier	an..3	M	388 = Total amount including Value Added Tax (VAT)	388																							
5004	Monetary amount	n..35	R	BT:Invoice total amount with VAT(BT- 112) DESC:The total amount of the Invoice with VAT.	4675.00																							
Segment Notes:																												

e-SLOG 2.0 Electronic Invoice – Part 2: Document Composition

Segment number: 125

SG50	- M	1 - MOA			
MOA	- M	1 - Monetary amount			
Function:					
To specify a monetary amount.					
e-SLOG 2.0		EN 16931			
Tag	Name	Format	St	Usage	Example
C516	MONETARY AMOUNT		M		
5025	Monetary amount type code qualifier	an..3	M	9 = Amount due/amount payable	9
5004	Monetary amount	n..35	R	BT:Amount due for payment(BT-115) DESC:The outstanding amount that is requested to be paid.	2337.50
Segment Notes:					

Segment number: 126

SG50	- C	1 - MOA																									
MOA	- M	1 - Monetary amount																									
Function:																											
To specify a monetary amount.																											
<table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th colspan="2" style="text-align: left; padding: 2px;">e-SLOG 2.0</th> <th colspan="3" style="text-align: center; padding: 2px;">EN 16931</th> </tr> <tr> <th style="text-align: left; width: 10%;">Tag</th> <th style="text-align: left; width: 40%;">Name</th> <th style="text-align: left; width: 10%;">Format</th> <th style="text-align: left; width: 20%;">St</th> <th style="text-align: left; width: 20%;">Usage</th> </tr> </thead> <tbody> <tr> <td>C516</td> <td>MONETARY AMOUNT</td> <td></td> <td>M</td> <td></td> </tr> <tr> <td>5025</td> <td>Monetary amount type code qualifier</td> <td>an..3</td> <td>M</td> <td>260 = Total allowances</td> </tr> <tr> <td>5004</td> <td>Monetary amount</td> <td>n..35</td> <td>R</td> <td>BT:Sum of allowances on document level(BT-107) DESC:Sum of all allowances on document level in the Invoice.</td> </tr> </tbody> </table>			e-SLOG 2.0		EN 16931			Tag	Name	Format	St	Usage	C516	MONETARY AMOUNT		M		5025	Monetary amount type code qualifier	an..3	M	260 = Total allowances	5004	Monetary amount	n..35	R	BT:Sum of allowances on document level(BT-107) DESC:Sum of all allowances on document level in the Invoice.
e-SLOG 2.0		EN 16931																									
Tag	Name	Format	St	Usage																							
C516	MONETARY AMOUNT		M																								
5025	Monetary amount type code qualifier	an..3	M	260 = Total allowances																							
5004	Monetary amount	n..35	R	BT:Sum of allowances on document level(BT-107) DESC:Sum of all allowances on document level in the Invoice.																							
Segment Notes:																											

e-SLOG 2.0 Electronic Invoice – Part 2: Document Composition

Segment number: 127

SG50	- C	1 - MOA															
MOA	- M	1 - Monetary amount															
Function:																	
To specify a monetary amount.																	
<table style="width: 100%; border-collapse: collapse;"> <thead> <tr style="background-color: #cccccc;"> <th style="text-align: center; width: 33%;">e-SLOG 2.0</th> <th style="text-align: center; width: 33%;">EN 16931</th> <th style="text-align: center; width: 33%;"></th> </tr> <tr> <th style="text-align: center;">Tag</th> <th style="text-align: center;">Name</th> <th style="text-align: center;">Format</th> </tr> </thead> <tbody> <tr> <td style="text-align: center;">C516</td><td>MONETARY AMOUNT</td><td style="text-align: center;"></td></tr> <tr> <td style="text-align: center;">5025</td><td>Monetary amount type code qualifier</td><td style="text-align: center;">an..3</td></tr> <tr> <td style="text-align: center;">5004</td><td>Monetary amount</td><td style="text-align: center;">n..35</td></tr> </tbody> </table>			e-SLOG 2.0	EN 16931		Tag	Name	Format	C516	MONETARY AMOUNT		5025	Monetary amount type code qualifier	an..3	5004	Monetary amount	n..35
e-SLOG 2.0	EN 16931																
Tag	Name	Format															
C516	MONETARY AMOUNT																
5025	Monetary amount type code qualifier	an..3															
5004	Monetary amount	n..35															
Segment Notes:																	

e-SLOG 2.0 Electronic Invoice – Part 2: Document Composition

Segment number: 128

SG50	- C	1 - MOA																									
MOA	- M	1 - Monetary amount																									
Function:																											
To specify a monetary amount.																											
<table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr style="background-color: #cccccc;"> <th colspan="2" style="text-align: left; padding: 2px;">e-SLOG 2.0</th> <th colspan="3" style="text-align: center; padding: 2px;">EN 16931</th> </tr> <tr> <th style="text-align: left; padding: 2px;">Tag</th> <th style="text-align: left; padding: 2px;">Name</th> <th style="text-align: left; padding: 2px;">Format</th> <th style="text-align: left; padding: 2px;">St</th> <th style="text-align: left; padding: 2px;">Usage</th> </tr> </thead> <tbody> <tr> <td style="padding: 2px;">C516</td><td style="padding: 2px;">MONETARY AMOUNT</td><td style="padding: 2px;"></td><td style="padding: 2px;">M</td><td style="padding: 2px;"></td></tr> <tr> <td style="padding: 2px;">5025</td><td style="padding: 2px;">Monetary amount type code qualifier</td><td style="padding: 2px;">an..3</td><td style="padding: 2px;">M</td><td style="padding: 2px; color: red;">2 = VAT, 2nd value</td></tr> <tr> <td style="padding: 2px;">5004</td><td style="padding: 2px;">Monetary amount</td><td style="padding: 2px;">n..35</td><td style="padding: 2px;">R</td><td style="padding: 2px;">BT:Invoice total VAT amount in accounting currency (BT-111) DESC:The VAT total amount expressed in the accounting currency accepted or required in the country of the Seller.</td></tr> </tbody> </table>			e-SLOG 2.0		EN 16931			Tag	Name	Format	St	Usage	C516	MONETARY AMOUNT		M		5025	Monetary amount type code qualifier	an..3	M	2 = VAT, 2nd value	5004	Monetary amount	n..35	R	BT:Invoice total VAT amount in accounting currency (BT-111) DESC:The VAT total amount expressed in the accounting currency accepted or required in the country of the Seller.
e-SLOG 2.0		EN 16931																									
Tag	Name	Format	St	Usage																							
C516	MONETARY AMOUNT		M																								
5025	Monetary amount type code qualifier	an..3	M	2 = VAT, 2nd value																							
5004	Monetary amount	n..35	R	BT:Invoice total VAT amount in accounting currency (BT-111) DESC:The VAT total amount expressed in the accounting currency accepted or required in the country of the Seller.																							
Segment Notes:																											

e-SLOG 2.0 Electronic Invoice – Part 2: Document Composition

Segment number: 129

SG50	- C	1 - MOA			
MOA	- M	1 - Monetary amount			
Function:					
To specify a monetary amount.					
e-SLOG 2.0		EN 16931			
Tag	Name	Format	St	Usage	Example
C516	MONETARY AMOUNT		M		
5025	Monetary amount type code qualifier	an..3	M	113 = Prepaid amount	113
5004	Monetary amount	n..35	R	BT:Paid amount (BT-113) DESC:The sum of amounts which have been paid in advance.	2337.50
Segment Notes:					

Segment number: 130

SG50	- C	1 - MOA																									
MOA	- M	1 - Monetary amount																									
Function:																											
To specify a monetary amount.																											
<table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th colspan="2" style="text-align: left; padding: 2px;">e-SLOG 2.0</th> <th colspan="3" style="text-align: center; padding: 2px;">EN 16931</th> </tr> <tr> <th style="text-align: left; width: 10%;">Tag</th> <th style="text-align: left; width: 40%;">Name</th> <th style="text-align: left; width: 10%;">Format</th> <th style="text-align: left; width: 20%;">St</th> <th style="text-align: left; width: 20%;">Usage</th> </tr> </thead> <tbody> <tr> <td>C516</td> <td>MONETARY AMOUNT</td> <td></td> <td>M</td> <td></td> </tr> <tr> <td>5025</td> <td>Monetary amount type code qualifier</td> <td>an..3</td> <td>M</td> <td>366 = Rounding amount</td> </tr> <tr> <td>5004</td> <td>Monetary amount</td> <td>n..35</td> <td>R</td> <td>BT:Rounding amount (BT-114) DESC:The amount to be added to the invoice total to round the amount to be paid.</td> </tr> </tbody> </table>			e-SLOG 2.0		EN 16931			Tag	Name	Format	St	Usage	C516	MONETARY AMOUNT		M		5025	Monetary amount type code qualifier	an..3	M	366 = Rounding amount	5004	Monetary amount	n..35	R	BT:Rounding amount (BT-114) DESC:The amount to be added to the invoice total to round the amount to be paid.
e-SLOG 2.0		EN 16931																									
Tag	Name	Format	St	Usage																							
C516	MONETARY AMOUNT		M																								
5025	Monetary amount type code qualifier	an..3	M	366 = Rounding amount																							
5004	Monetary amount	n..35	R	BT:Rounding amount (BT-114) DESC:The amount to be added to the invoice total to round the amount to be paid.																							
Segment Notes:																											

e-SLOG 2.0 Electronic Invoice – Part 2: Document Composition

Segment number: 131

SG50	- C	1 - MOA																									
MOA	- M	1 - Monetary amount																									
Function:																											
To specify a monetary amount.																											
<table><thead><tr><th colspan="2">e-SLOG 2.0</th><th colspan="3">EN 16931</th></tr><tr><th>Tag</th><th>Name</th><th>Format</th><th>St</th><th>Usage</th></tr></thead><tbody><tr><td>C516</td><td>MONETARY AMOUNT</td><td></td><td>M</td><td></td></tr><tr><td>5025</td><td>Monetary amount type code qualifier</td><td>an..3</td><td>M</td><td>176 = Message total duty/tax/fee amount</td></tr><tr><td>5004</td><td>Monetary amount</td><td>n..35</td><td>R</td><td>BT:Invoice total VAT amount (BT-110) DESC:The total VAT amount for the Invoice.</td></tr></tbody></table>			e-SLOG 2.0		EN 16931			Tag	Name	Format	St	Usage	C516	MONETARY AMOUNT		M		5025	Monetary amount type code qualifier	an..3	M	176 = Message total duty/tax/fee amount	5004	Monetary amount	n..35	R	BT:Invoice total VAT amount (BT-110) DESC:The total VAT amount for the Invoice.
e-SLOG 2.0		EN 16931																									
Tag	Name	Format	St	Usage																							
C516	MONETARY AMOUNT		M																								
5025	Monetary amount type code qualifier	an..3	M	176 = Message total duty/tax/fee amount																							
5004	Monetary amount	n..35	R	BT:Invoice total VAT amount (BT-110) DESC:The total VAT amount for the Invoice.																							
Segment Notes:																											

Segment number: 132

SG52	- R	10 - TAX-MOA						
TAX	- M	1 - Duty/tax/fee details						
Function:								
To specify relevant duty/tax/fee information.								
e-SLOG 2.0			EN 16931					
Tag	Name	Format	St	Usage	Example			
5283	Duty or tax or fee function code qualifier	an..3	M	7 = Tax	7			
C241	DUTY/TAX/FEE TYPE		C					
5153	Duty or tax or fee type name code	an..3	C	VAT = Value added tax	VAT			
C533	DUTY/TAX/FEE ACCOUNT DETAIL		N					
5289	Duty or tax or fee account code	an..6	N	Not used				
5286	Duty or tax or fee assessment basis value	an..15	N	Not used				
C243	DUTY/TAX/FEE DETAIL		C					
5279	Duty or tax or fee rate code	an..7	N	Not used				
1131	Code list identification code	an..17	N	Not used				
3055	Code list responsible agency code	an..3	N	Not used				
5278	Duty or tax or fee rate	an..17	R	BT:VAT category rate(BT-119) DESC:The VAT rate, represented as percentage that applies for the relevant VAT category.	25			
5305	Duty or tax or fee category code	an..3	R	BT:VAT category code(BT-118) DESC:Coded identification of a VAT category. S = Standard rate Z = Zero rated goods E = Exempt from tax AE = VAT Reverse Charge K = VAT exempt for EEA intra-community supply of goods and services G = Free export item, tax not charged O = Services outside scope of tax L = Canary Islands general indirect tax M = Tax for production, services and importation in Ceuta and Melilla	S			
Segment Notes:								

e-SLOG 2.0 Electronic Invoice – Part 2: Document Composition

egment number: 133

SG52	- R	10 - TAX-MOA																									
MOA	- R	1 - Monetary amount																									
Function:																											
To specify a monetary amount.																											
<table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr style="background-color: #cccccc;"> <th colspan="2" style="text-align: left; padding: 2px;">e-SLOG 2.0</th> <th colspan="3" style="text-align: center; padding: 2px;">EN 16931</th> </tr> <tr style="background-color: #cccccc;"> <th style="text-align: left; width: 10%;">Tag</th> <th style="text-align: left;">Name</th> <th style="text-align: left;">Format</th> <th style="text-align: left;">St</th> <th style="text-align: left;">Usage</th> </tr> </thead> <tbody> <tr> <td>C516</td><td>MONETARY AMOUNT</td><td></td><td>M</td><td></td></tr> <tr> <td>5025</td><td>Monetary amount type code qualifier</td><td>an..3</td><td>M</td><td>125 = Taxable amount</td></tr> <tr> <td>5004</td><td>Monetary amount</td><td>n..35</td><td>M</td><td>BT:VAT category taxable amount(BT-116) DESC:Sum of all taxable amounts subject to a specific VAT category code and VAT category rate (if the VAT category rate is applicable).</td></tr> </tbody> </table>			e-SLOG 2.0		EN 16931			Tag	Name	Format	St	Usage	C516	MONETARY AMOUNT		M		5025	Monetary amount type code qualifier	an..3	M	125 = Taxable amount	5004	Monetary amount	n..35	M	BT:VAT category taxable amount(BT-116) DESC:Sum of all taxable amounts subject to a specific VAT category code and VAT category rate (if the VAT category rate is applicable).
e-SLOG 2.0		EN 16931																									
Tag	Name	Format	St	Usage																							
C516	MONETARY AMOUNT		M																								
5025	Monetary amount type code qualifier	an..3	M	125 = Taxable amount																							
5004	Monetary amount	n..35	M	BT:VAT category taxable amount(BT-116) DESC:Sum of all taxable amounts subject to a specific VAT category code and VAT category rate (if the VAT category rate is applicable).																							
Segment Notes:																											

Segment number: 134

SG52	- R	10 - TAX-MOA																									
MOA	- R	1 - Monetary amount																									
Function:																											
To specify a monetary amount.																											
<table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th colspan="2" style="text-align: left; padding: 2px;">e-SLOG 2.0</th> <th colspan="3" style="text-align: center; padding: 2px;">EN 16931</th> </tr> <tr> <th style="text-align: left; width: 10%;">Tag</th> <th style="text-align: left; width: 40%;">Name</th> <th style="text-align: left; width: 10%;">Format</th> <th style="text-align: left; width: 30%;">St</th> <th style="text-align: left; width: 20%;">Usage</th> </tr> </thead> <tbody> <tr> <td>C516</td> <td>MONETARY AMOUNT</td> <td></td> <td>M</td> <td></td> </tr> <tr> <td>5025</td> <td>Monetary amount type code qualifier</td> <td>an..3</td> <td>M</td> <td>124 = Tax amount</td> </tr> <tr> <td>5004</td> <td>Monetary amount</td> <td>n..35</td> <td>M</td> <td>BT:VAT category tax amount(BT-117) DESC:The total VAT amount for a given VAT category.</td> </tr> </tbody> </table>			e-SLOG 2.0		EN 16931			Tag	Name	Format	St	Usage	C516	MONETARY AMOUNT		M		5025	Monetary amount type code qualifier	an..3	M	124 = Tax amount	5004	Monetary amount	n..35	M	BT:VAT category tax amount(BT-117) DESC:The total VAT amount for a given VAT category.
e-SLOG 2.0		EN 16931																									
Tag	Name	Format	St	Usage																							
C516	MONETARY AMOUNT		M																								
5025	Monetary amount type code qualifier	an..3	M	124 = Tax amount																							
5004	Monetary amount	n..35	M	BT:VAT category tax amount(BT-117) DESC:The total VAT amount for a given VAT category.																							
Segment Notes:																											

e-SLOG 2.0 Electronic Invoice – Part 2: Document Composition

Segment number: 135

SG52	- R	10 - TAX-MOA			
TAX	- M	1 - Duty/tax/fee details			
Function:					
To specify relevant duty/tax/fee information.					
e-SLOG 2.0		EN 16931			
Tag	Name	Format	St	Usage	Example
5283	Duty or tax or fee function code qualifier	an..3	M	7 = Tax	7
C241	DUTY/TAX/FEE TYPE		C		
5153	Duty or tax or fee type name code	an..3	C	VAT = Value added tax	VAT
C533	DUTY/TAX/FEE ACCOUNT DETAIL		N		
5289	Duty or tax or fee account code	an..6	N	Not used	
5286	Duty or tax or fee assessment basis value	an..15	N	Not used	
C243	DUTY/TAX/FEE DETAIL		C		
5279	Duty or tax or fee rate code	an..7	N	Not used	
1131	Code list identification code	an..17	N	Not used	
3055	Code list responsible agency code	an..3	N	Not used	
5278	Duty or tax or fee rate	an..17	R	BT:VAT category rate(BT-119) DESC:The VAT rate, represented as percentage that applies for the relevant VAT category.	12
5305	Duty or tax or fee category code	an..3	R	BT:VAT category code(BT-118) DESC:Coded identification of a VAT category. S = Standard rate Z = Zero rated goods E = Exempt from tax AE = VAT Reverse Charge K = VAT exempt for EEA intra-community supply of goods and services G = Free export item, tax not charged O = Services outside scope of tax L = Canary Islands general indirect tax M = Tax for production, services and importation in Ceuta and Melilla	S
Segment Notes:					

Segment number: 136

SG52	- R	10 - TAX-MOA			
MOA	- R	1 - Monetary amount			
Function:					
To specify a monetary amount.					
e-SLOG 2.0		EN 16931			
Tag	Name	Format	St	Usage	Example
C516	MONETARY AMOUNT		M		
5025	Monetary amount type code qualifier	an..3	M	125 = Taxable amount	125
5004	Monetary amount	n..35	R	BT:VAT category taxable amount(BT-116) DESC:Sum of all taxable amounts subject to a specific VAT category code and VAT category rate (if the VAT category rate is applicable).	2500.00
Segment Notes:					

e-SLOG 2.0 Electronic Invoice – Part 2: Document Composition

Segment number: 137

SG52	- R	10 - TAX-MOA																									
MOA	- R	1 - Monetary amount																									
Function:																											
To specify a monetary amount.																											
<table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr style="background-color: #cccccc;"> <th colspan="2" style="text-align: left; padding: 2px;">e-SLOG 2.0</th> <th colspan="3" style="text-align: center; padding: 2px;">EN 16931</th> </tr> <tr> <th style="text-align: left; padding: 2px;">Tag</th> <th style="text-align: left; padding: 2px;">Name</th> <th style="text-align: left; padding: 2px;">Format</th> <th style="text-align: left; padding: 2px;">St</th> <th style="text-align: left; padding: 2px;">Usage</th> </tr> </thead> <tbody> <tr> <td style="padding: 2px;">C516</td><td style="padding: 2px;">MONETARY AMOUNT</td><td style="padding: 2px;"></td><td style="padding: 2px;">M</td><td style="padding: 2px;"></td></tr> <tr> <td style="padding: 2px;">5025</td><td style="padding: 2px;">Monetary amount type code qualifier</td><td style="padding: 2px;">an..3</td><td style="padding: 2px;">M</td><td style="padding: 2px;">124 = Tax amount</td></tr> <tr> <td style="padding: 2px;">5004</td><td style="padding: 2px;">Monetary amount</td><td style="padding: 2px;">n..35</td><td style="padding: 2px;">R</td><td style="padding: 2px;">BT:VAT category tax amount(BT-117) DESC:The total VAT amount for a given VAT category.</td></tr> </tbody> </table>			e-SLOG 2.0		EN 16931			Tag	Name	Format	St	Usage	C516	MONETARY AMOUNT		M		5025	Monetary amount type code qualifier	an..3	M	124 = Tax amount	5004	Monetary amount	n..35	R	BT:VAT category tax amount(BT-117) DESC:The total VAT amount for a given VAT category.
e-SLOG 2.0		EN 16931																									
Tag	Name	Format	St	Usage																							
C516	MONETARY AMOUNT		M																								
5025	Monetary amount type code qualifier	an..3	M	124 = Tax amount																							
5004	Monetary amount	n..35	R	BT:VAT category tax amount(BT-117) DESC:The total VAT amount for a given VAT category.																							
Segment Notes:																											

e-SLOG 2.0 Electronic Invoice – Part 2: Document Composition

Segment number: 138

UNT - C 1 - Message trailer					
Function:					
To end and check the completeness of a message.					
Notes:					
1. 0062, the value shall be identical to the value in 0062 in the corresponding UNH segment.			EN 16931		
Tag	Name	Format	St	Usage	Example
0074	Number of segments in a message	n..10	M		140
0062	Message reference number	an..14	M		TOSL110
Segment Notes:					

Annex A
(informative)

Business terms (BT)

A.1 List and description of business terms (BT) and business terms groups (BG)

The table contains a list and description of business terms and e-SLOG 2.0 XPaths.

ID	Business term	Description of business term	e-SLOG 2.0 XPath
BT-1	Invoice number	A unique identification of the Invoice.	/Invoice/M_INVOIC/S_BGM/C_C106/D_1004
BT-2	Invoice issue date	The date when the Invoice was issued.	/Invoice/M_INVOIC/S_DTM[C_C507/D_2005='137']/C_C507/D_2380
BT-3	Invoice type code	A code specifying the functional type of the Invoice.	/Invoice/M_INVOIC/S_BGM/C_C002/D_1001
BT-5	Invoice currency code	The currency in which all Invoice amounts are given, except for the Total VAT amount in accounting currency.	/Invoice/M_INVOIC/G_SG7[S_CUX/C_C504/D_6347='2']/S_CUX/C_C504/D_6345
BT-6	VAT accounting currency code	The currency used for VAT accounting and reporting purposes as accepted or required in the country of the Seller.	/Invoice/M_INVOIC/G_SG7[S_CUX/C_C504/D_6347='6']/S_CUX/C_C504/D_6345
BT-7	Value added tax point date	The date when the VAT becomes accountable for the Seller and for the Buyer in so far as that date can be determined and differs from the date of issue of the invoice, according to the VAT directive...	/Invoice/M_INVOIC/S_DTM[C_C507/D_2005='131']/C_C507/D_2380
BT-8	Value added tax point date code	The code of the date when the VAT becomes accountable for the Seller and for the Buyer.	/Invoice/M_INVOIC/S_DTM[C_C507/D_2005='3' or C_C507/D_2005='35' or C_C507/D_2005='432']/C_C507/D_2005
BT-9	Payment due date	The date when the payment is due.	/Invoice/M_INVOIC/G_SG8[S_PAT/D_4279='1']/S_DTM[C_C507/D_2005='13']/C_C507/D_2380

ID	Business term	Description of business term	e-SLOG 2.0 XPath
BT-10	Buyer reference	An identifier assigned by the Buyer used for internal routing purposes.	/Invoice/M_INVOIC/G_SG2[S_NAD/D_3035='BY']/G_SG3[S_RFF/C_C506/D_1153='CR']/S_RFF/C_C506/D_1154
BT-11	Project reference	The identification of the project the invoice refers to.	/Invoice/M_INVOIC/G_SG1[S_RFF/C_C506/D_1153='AEP']/S_RFF/C_C506/D_1154
BT-12	Contract reference	The identification of a contract.	/Invoice/M_INVOIC/G_SG1[S_RFF/C_C506/D_1153='CT']/S_RFF/C_C506/D_1154
BT-13	Purchase order reference	An identifier of a referenced purchase order, issued by the Buyer.	/Invoice/M_INVOIC/G_SG1[S_RFF/C_C506/D_1153='ON']/S_RFF/C_C506/D_1154
BT-14	Sales order reference	An identifier of a referenced sales order, issued by the Seller.	/Invoice/M_INVOIC/G_SG1[S_RFF/C_C506/D_1153='VN']/S_RFF/C_C506/D_1154
BT-15	Receiving advice reference	An identifier of a referenced receiving advice.	/Invoice/M_INVOIC/G_SG1[S_RFF/C_C506/D_1153='ALO']/S_RFF/C_C506/D_1154
BT-16	Despatch advice reference	An identifier of a referenced despatch advice.	/Invoice/M_INVOIC/G_SG1[S_RFF/C_C506/D_1153='AAK']/S_RFF/C_C506/D_1154
BT-17	Tender or lot reference	The identification of the call for tender or lot the invoice relates to.	/Invoice/M_INVOIC/G_SG1[S_RFF/C_C506/D_1153='GC']/S_RFF/C_C506/D_1154
BT-18	Invoiced object identifier	The identification of the call for tender or lot the invoice relates to.	/Invoice/M_INVOIC/G_SG1[S_RFF/C_C506/D_1153='ATS']/S_RFF/C_C506/D_1154
BT-18-1	Scheme identifier	The identification scheme identifier of the Invoiced object identifier.	/Invoice/M_INVOIC/G_SG1/S_RFF/C_C506/D_1153='ATS'
BT-19	Buyer accounting reference	A textual value that specifies where to book the relevant data into the Buyer's financial accounts.	/Invoice/M_INVOIC/G_SG2[S_NAD/D_3035='BY']/G_SG3[S_RFF/C_C506/D_1153='AOU']/S_RFF/C_C506/D_1154
BT-20	Payment terms	A textual description of the payment terms that apply to the amount due for payment (Including description of possible penalties).	/Invoice/M_INVOIC/S_FTX[D_4451='AAB']/C_C108/D_4440
BG-1	INVOICE NOTE	A group of business terms providing textual notes that are relevant for the invoice, together with an indication of the note subject.	

e-SLOG 2.0 Electronic Invoice - Part 2: Document Composition

ID	Business term	Description of business term	e-SLOG 2.0 XPath
BT-21	Invoice note subject code	The subject of the following textual note.	/Invoice/M_INVOIC/S_FTX/D_4451='GEN'
BT-22	Invoice note	A textual note that gives unstructured information that is relevant to the Invoice as a whole.	/Invoice/M_INVOIC/S_FTX[D_4451='GEN']/C_C108/D_4440
BG-2	PROCESS CONTROL	A group of business terms providing information on the business process and rules applicable to the	
BT-23	Business process type	Identifies the business process context in which the transaction appears, to enable the Buyer to process the Invoice in an appropriate way.	/Invoice/M_INVOIC/S_FTX[D_4451='DOC']/C_C107/D_4441
BT-24	Specification identifier	An identification of the specification containing the total set of rules regarding semantic content, cardinalities and business rules to which the data contained in the instance document conforms.	/Invoice/M_INVOIC/S_FTX[D_4451='DOC']/C_C108/D_4440
BG-3	PRECEDING INVOICE REFERENCE	A group of business terms providing information on one or more preceding Invoices.	
BT-25	Preceding Invoice number	The identification of an Invoice that was previously sent by the Seller.	/Invoice/M_INVOIC/G_SG1[S_RFF/C_C506/D_1153='OI']/S_RFF/C_C506/D_1154
BT-26	Preceding Invoice issue date	The date when the Preceding Invoice was issued.	/Invoice/M_INVOIC/G_SG1[S_RFF/C_C506/D_1153='OI']/S_DTM[C_C507/D_2005='384']/C_C507/D_2380
BG-5	SELLER	A group of business terms providing information about the Seller.	
BT-27	Seller name	The full formal name by which the Seller is registered in the national registry of legal entities or as a Taxable person or otherwise trades as a person or persons.	/Invoice/M_INVOIC/G_SG2[S_NAD/D_3035='SE']/S_NAD/C_C080/D_3036

ID	Business term	Description of business term	e-SLOG 2.0 XPath
BT-28	Seller trading name	A name by which the Seller is known, other than Seller name (also known as Business name).	/Invoice/M_INVOIC/G_SG2[S_NAD/D_3035='SE']/S_NAD/C_C080/D_3036_2
BT-29	Seller identifier	An identification of the Seller.	/Invoice/M_INVOIC/G_SG2[S_NAD/D_3035='SE']/S_NAD/C_C082/D_3039
BT-29-1	Seller identifier identification scheme identifier	The identification scheme identifier of the Seller identifier.	/Invoice/M_INVOIC/G_SG2[S_NAD/D_3035='SE']/S_NAD/C_C082/D_1131
BT-30	Seller legal registration identifier	An identifier issued by an official registrar that identifies the Seller as a legal entity or person.	/Invoice/M_INVOIC/G_SG2[S_NAD/D_3035='SE']/G_SG3/S_RFF/C_C506/D_1153='GN']/S_RFF/C_C506/D_1154
BT-30-1	Seller legal registration identifier identification scheme identifier	The identification scheme identifier of the Seller legal registration identifier.	/Invoice/M_INVOIC/G_SG2[S_NAD/D_3035='SE']/G_SG3/S_RFF/C_C506/D_1153='GN'
BT-31	Seller VAT identifier	The Seller's VAT identifier (also known as Seller VAT identification number).	/Invoice/M_INVOIC/G_SG2[S_NAD/D_3035='SE']/G_SG3/S_RFF/C_C506/D_1153='VA']/S_RFF/C_C506/D_1154
BT-32	Seller tax registration identifier	The local identification (defined by the Seller's address) of the Seller for tax purposes or a reference that enables the Seller to state his registered tax status.	/Invoice/M_INVOIC/G_SG2[S_NAD/D_3035='SE']/G_SG3/S_RFF/C_C506/D_1153='AHP']/S_RFF/C_C506/D_1154
BT-33	Seller additional legal information	Additional legal information relevant for the Seller.	/Invoice/M_INVOIC/S_FTX[D_4451='REG']/C_C108/D_4440
BT-34	Seller electronic address	Identifies the Seller's electronic address to which a business document may be delivered.	/Invoice/M_INVOIC/G_SG2[S_NAD/D_3035='SE']/G_SG5/S_CTA/D_3139='IC']/S_COM[C_C076/D_3155='EM']/C_C076/D_3148
BT-34-1	Seller electronic address identification scheme identifier	The identification scheme identifier of the Seller electronic address	/Invoice/M_INVOIC/G_SG2[S_NAD/D_3035='SE']/G_SG5/S_CTA/D_3139='IC']/S_COM/C_C076/D_3155='EM'
BG-5	SELLER POSTAL ADDRESS	A group of business terms providing information about the address of the Seller.	
BT-35	Seller address line 1	The main address line in an address.	/Invoice/M_INVOIC/G_SG2[S_NAD/D_3035='SE']/S_NAD/C_C059/D_3042

e-SLOG 2.0 Electronic Invoice - Part 2: Document Composition

ID	Business term	Description of business term	e-SLOG 2.0 XPath
BT-36	Seller address line 2	An additional address line in an address that can be used to give further details supplementing the main line.	/Invoice/M_INVOIC/G_SG2[S_NAD/D_3035='SE']/S_NAD/C_C059/D_3042_2
BT-162	Seller address line 3	An additional address line in an address that can be used to give further details supplementing the main line.	/Invoice/M_INVOIC/G_SG2[S_NAD/D_3035='SE']/S_NAD/C_C059/D_3042_3
BT-37	Seller city	The common name of the city, town or village, where the Seller address is located.	/Invoice/M_INVOIC/G_SG2[S_NAD/D_3035='SE']/S_NAD/D_3164
BT-38	Seller post code	The identifier for an addressable group of properties according to the relevant postal service.	/Invoice/M_INVOIC/G_SG2[S_NAD/D_3035='SE']/S_NAD/D_3251
BT-39	Seller country subdivision	The subdivision of a country.	/Invoice/M_INVOIC/G_SG2[S_NAD/D_3035='SE']/S_NAD/C_C819/D_3228
BT-40	Seller country code	A code that identifies the country.	/Invoice/M_INVOIC/G_SG2[S_NAD/D_3035='SE']/S_NAD/D_3207
BG-6	SELLER CONTACT	A group of business terms providing contact information about the Seller.s	
BT-41	Seller contact point	A contact point for a legal entity or person.	/Invoice/M_INVOIC/G_SG2[S_NAD/D_3035='SE']/G_SG5[S_CTA/D_3139='SU']/S_CTA/C_C056/D_3412
BT-42	Seller contact telephone number	A phone number for the contact point.	/Invoice/M_INVOIC/G_SG2[S_NAD/D_3035='SE']/G_SG5[S_CTA/D_3139='SU']/S_COM[C_C076/D_3155='TE']/C_C076/D_3148
BT-43	Seller contact email address	An e-mail address for the contact point.	/Invoice/M_INVOIC/G_SG2[S_NAD/D_3035='SE']/G_SG5[S_CTA/D_3139='SU']/S_COM[C_C076/D_3155='EM']/C_C076/D_3148
BG-7	BUYER	A group of business terms providing information about the Buyer.	
BT-44	Buyer name	The full name of the Buyer.	/Invoice/M_INVOIC/G_SG2[S_NAD/D_3035='BY']/S_NAD/C_C080/D_3036
BT-45	Buyer trading name	A name by which the Buyer is known, other than Buyer name (also known as Business name).	/Invoice/M_INVOIC/G_SG2[S_NAD/D_3035='BY']/S_NAD/C_C080/D_3036_2
BT-46	Buyer identifier	An identifier of the Buyer.	/Invoice/M_INVOIC/G_SG2[S_NAD/D_3035='BY']/S_NAD/C_C082/D_3039

ID	Business term	Description of business term	e-SLOG 2.0 XPath
BT-46-1	Buyer identifier identification scheme identifier	The identification scheme identifier of the Buyer identifier.	/Invoice/M_INVOIC/G_SG2[S_NAD/D_3035='BY']/S_NAD/C_C082/D_1131
BT-47	Buyer legal registration identifier	An identifier issued by an official registrar that identifies the Buyer as a legal entity or person.	/Invoice/M_INVOIC/G_SG2[S_NAD/D_3035='BY']/G_SG3[S_RFF/C_C506/D_1153='GN']/S_RFF/C_C506/D_1154
BT-47-1	Buyer legal registration identifier identification scheme identifier	The identification scheme identifier of the Buyer legal registration identifier.	/Invoice/M_INVOIC/G_SG2[S_NAD/D_3035='BY']/G_SG3/S_RFF/C_C506/D_1153='GN'
BT-48	Buyer VAT identifier	The Buyer's VAT identifier (also known as Buyer VAT identification number).	/Invoice/M_INVOIC/G_SG2[S_NAD/D_3035='BY']/G_SG3[S_RFF/C_C506/D_1153='VA']/S_RFF/C_C506/D_1154
BT-49	Buyer electronic address	Identifies the Buyer's electronic address to which a business document should be delivered.	/Invoice/M_INVOIC/G_SG2[S_NAD/D_3035='BY']/G_SG5[S_CTA/D_3139='IC']/S_COM[C_C076/D_3155='EM']/C_C076/D_3148
BT-49-1	Buyer electronic address identification scheme identifier	The identification scheme identifier of the Buyer electronic address.	/Invoice/M_INVOIC/G_SG2[S_NAD/D_3035='BY']/G_SG5[S_CTA/D_3139='IC']/S_COM/C_C076/D_3155='EM'
BG-8	BUYER POSTAL ADDRESS	A group of business terms providing information about the postal address for the Buyer.	
BT-50	Buyer address line 1	The main address line in an address.	/Invoice/M_INVOIC/G_SG2[S_NAD/D_3035='BY']/S_NAD/C_C059/D_3042
BT-51	Buyer address line 2	An additional address line in an address that can be used to give further details supplementing the main line.	/Invoice/M_INVOIC/G_SG2[S_NAD/D_3035='BY']/S_NAD/C_C059/D_3042_2
BT-163	Buyer address line 3	An additional address line in an address that can be used to give further details supplementing the main line.	/Invoice/M_INVOIC/G_SG2[S_NAD/D_3035='BY']/S_NAD/C_C059/D_3042_3
BT-52	Buyer city	The common name of the city, town or village, where the Buyer's address is located.	/Invoice/M_INVOIC/G_SG2[S_NAD/D_3035='BY']/S_NAD/D_3164

e-SLOG 2.0 Electronic Invoice - Part 2: Document Composition

ID	Business term	Description of business term	e-SLOG 2.0 XPath
BT-53	Buyer post code	The identifier for an addressable group of properties according to the relevant postal service.	/Invoice/M_INVOIC/G_SG2[S_NAD/D_3035='BY']/S_NAD/D_3251
BT-54	Buyer country subdivision	The subdivision of a country.	/Invoice/M_INVOIC/G_SG2[S_NAD/D_3035='BY']/S_NAD/C_C819/D_3228
BT-55	Buyer country code	A code that identifies the country.	/Invoice/M_INVOIC/G_SG2[S_NAD/D_3035='BY']/S_NAD/D_3207
BG-9	BUYER CONTACT	A group of business terms providing contact information relevant for the Buyer.	
BT-56	Buyer contact point	A contact point for a legal entity or person.	/Invoice/M_INVOIC/G_SG2[S_NAD/D_3035='BY']/G_SG5[S_CTA/D_3139='PD']/S_CTA/C_C056/D_3413
BT-57	Buyer contact telephone number	A phone number for the contact point.	/Invoice/M_INVOIC/G_SG2[S_NAD/D_3035='BY']/G_SG5[S_CTA/D_3139='PD']/S_COM[C_C076/D_3155='TE']/C_C076/D_3148
BT-58	Buyer contact email address	An e-mail address for the contact point.	/Invoice/M_INVOIC/G_SG2[S_NAD/D_3035='BY']/G_SG5[S_CTA/D_3139='PD']/S_COM[C_C076/D_3155='EM']/C_C076/D_3148
BG-10	PAYEE	A group of business terms providing information about the Payee, i.e. the role that receives the payment.	
BT-59	Payee name	The name of the Payee.	/Invoice/M_INVOIC/G_SG2[S_NAD/D_3035='PE']/S_NAD/C_C080/D_3036
BT-60	Payee identifier	An identifier for the Payee.	/Invoice/M_INVOIC/G_SG2[S_NAD/D_3035='PE']/S_NAD/C_C082/D_3039
BT-60-1	Payee identifier identification scheme identifier	The identification scheme identifier of the Payee identifier.	/Invoice/M_INVOIC/G_SG2[S_NAD/D_3035='PE']/S_NAD/C_C082/D_1131
BT-61	Payee legal registration identifier	An identifier issued by an official registrar that identifies the Payee as a legal entity or person.	/Invoice/M_INVOIC/G_SG2[S_NAD/D_3035='PE']/G_SG3[S_RFF/C_C506/D_1153='GN']/S_RFF/C_C506/D_1154
BT-61-1	Payee legal registration identifier identification scheme identifier	The identification scheme identifier of the Payee legal registration identifier.	/Invoice/M_INVOIC/G_SG2[S_NAD/D_3035='PE']/G_SG3/S_RFF/C_C506/D_1153='GN'
BG-11	SELLER TAX REPRESENTATIVE PARTY	A group of business terms providing information about the Seller's tax representative.	

ID	Business term	Description of business term	e-SLOG 2.0 XPath
BT-62	Seller tax representative name	The full name of the Seller's tax representative party.	/Invoice/M_INVOIC/G_SG2[S_NAD/D_3035='LC']/S_NAD/C_C080/D_3036
BT-63	Seller tax representative VAT identifier	The VAT identifier of the Seller's tax representative party.	/Invoice/M_INVOIC/G_SG2[S_NAD/D_3035='LC']/G_SG3[S_RFF/C_C506/D_1153='VA']/S_RFF/C_C506/D_1154
BG-12	SELLER TAX REPRESENTATIVE POSTAL ADDRESS	A group of business terms providing information about the postal address for the tax representative party.	
BT-64	Tax representative address line 1	The main address line in an address.	/Invoice/M_INVOIC/G_SG2[S_NAD/D_3035='LC']/S_NAD/C_C059/D_3042
BT-65	Tax representative address line 2	An additional address line in an address that can be used to give further details supplementing the main line.	/Invoice/M_INVOIC/G_SG2[S_NAD/D_3035='LC']/S_NAD/C_C059/D_3042_2
BT-164	Tax representative address line 3	An additional address line in an address that can be used to give further details supplementing the main line.	/Invoice/M_INVOIC/G_SG2[S_NAD/D_3035='LC']/S_NAD/C_C059/D_3042_3
BT-66	Tax representative city	The common name of the city, town or village, where the tax representative address is located.	/Invoice/M_INVOIC/G_SG2[S_NAD/D_3035='LC']/S_NAD/D_3164
BT-67	Tax representative post code	The identifier for an addressable group of properties according to the relevant postal service.	/Invoice/M_INVOIC/G_SG2[S_NAD/D_3035='LC']/S_NAD/D_3251
BT-68	Tax representative country subdivision	The subdivision of a country.	/Invoice/M_INVOIC/G_SG2[S_NAD/D_3035='LC']/S_NAD/C_C819/D_3228
BT-69	Tax representative country code	A code that identifies the country.	/Invoice/M_INVOIC/G_SG2[S_NAD/D_3035='LC']/S_NAD/D_3207
BG-13	DELIVERY INFORMATION	A group of business terms providing information about where and when the goods and services invoiced are delivered.	
BT-70	Deliver to party name	The name of the party to which the goods and services are delivered.	/Invoice/M_INVOIC/G_SG2[S_NAD/D_3035='DP']/S_NAD/C_C080/D_3036

e-SLOG 2.0 Electronic Invoice - Part 2: Document Composition

ID	Business term	Description of business term	e-SLOG 2.0 XPath
BT-71	Deliver to location identifier	An identifier for the location at which the goods and services are delivered.	/Invoice/M_INVOIC/G_SG2[S_NAD/D_3035='DP']/S_NAD/C_C082/D_3039
BT-71-1	Deliver to location identifier identification scheme identifier	The identification scheme identifier of the Deliver to location identifier.	/Invoice/M_INVOIC/G_SG2[S_NAD/D_3035='DP']/S_NAD/C_C082/D_1131
BT-72	Actual delivery date	The date on which the delivery is made.	/Invoice/M_INVOIC/S_DTM[C_C507/D_2005='35']/C_C507/D_2380
BG-14	DELIVERY OR INVOICE PERIOD	A group of business terms providing information on the invoice period.	
BT-73	Invoicing period start date	The date when the Invoice period starts.	/Invoice/M_INVOIC/S_DTM[C_C507/D_2005='167']/C_C507/D_2380
BT-74	Invoicing period end date	The date when the Invoice period ends.	/Invoice/M_INVOIC/S_DTM[C_C507/D_2005='168']/C_C507/D_2380
BG-15	DELIVER TO ADDRESS	A group of business terms providing information about the address to which goods and services invoiced were or are delivered.	
BT-75	Deliver to address line 1	The main address line in an address.	/Invoice/M_INVOIC/G_SG2[S_NAD/D_3035='DP']/S_NAD/C_C059/D_3042
BT-76	Deliver to address line 2	An additional address line in an address that can be used to give further details supplementing the main line.	/Invoice/M_INVOIC/G_SG2[S_NAD/D_3035='DP']/S_NAD/C_C059/D_3042_2
BT-165	Deliver to address line 3	An additional address line in an address that can be used to give further details supplementing the main line.	/Invoice/M_INVOIC/G_SG2[S_NAD/D_3035='DP']/S_NAD/C_C059/D_3042_3
BT-77	Deliver to city	The common name of the city, town or village, where the deliver to address is located.	/Invoice/M_INVOIC/G_SG2[S_NAD/D_3035='DP']/S_NAD/D_3164
BT-78	Deliver to post code	The identifier for an addressable group of properties according to the relevant postal service.	/Invoice/M_INVOIC/G_SG2[S_NAD/D_3035='DP']/S_NAD/D_3251
BT-79	Deliver to country subdivision	The subdivision of a country.	/Invoice/M_INVOIC/G_SG2[S_NAD/D_3035='DP']/S_NAD/C_C819/D_3228
BT-80	Deliver to country code	A code that identifies the country.	/Invoice/M_INVOIC/G_SG2[S_NAD/D_3035='DP']/S_NAD/D_3207

ID	Business term	Description of business term	e-SLOG 2.0 XPath
BG-16	PAYMENT INSTRUCTIONS	A group of business terms providing information about the payment.	
BT-81	Payment means type code	The means, expressed as code, for how a payment is expected to be or has been settled.	/Invoice/M_INVOIC/G_SG8[S_PAT/D_4279='1']/S_PA/C_C534/D_4461
BT-82	Payment means text	The means, expressed as text, for how a payment is expected to be or has been settled.	/Invoice/M_INVOIC/S_FTX[D_4451='AAT']/C_C108/D_4440
BT-83	Remittance information	A textual value used to establish a link between the payment and the Invoice, issued by the Seller.	/Invoice/M_INVOIC/G_SG1[S_RFF/C_C506/D_1153='PQ']/S_RFF/C_C506/D_1154
BG-17	CREDIT TRANSFER	A group of business terms to specify credit transfer payments.	
BT-84	Payment account identifier	A unique identifier of the financial payment account, at a payment service provider, to which payment should be made.	/Invoice/M_INVOIC/G_SG2[S_NAD/D_3035='SE']/S_FII[D_3035='RB']/C_C078/D_3194
BT-85	Payment account name	The name of the payment account, at a payment service provider, to which payment should be made.	/Invoice/M_INVOIC/G_SG2[S_NAD/D_3035='SE']/S_FII[D_3035='RB']/C_C078/D_3192
BT-86	Payment service provider identifier	An identifier for the payment service provider where a payment account is located.	/Invoice/M_INVOIC/G_SG2[S_NAD/D_3035='SE']/S_FII[D_3035='RB']/C_C088/D_3433
BG-18	PAYMENT CARD INFORMATION	A group of business terms providing information about card used for payment contemporaneous with invoice issuance.	
BT-87	Payment card primary account number	The Primary Account Number (PAN) of the card used for payment.	/Invoice/M_INVOIC/G_SG2[S_NAD/D_3035='BY']/S_FII[D_3035='PB']/C_C078/D_3194
BT-88	Payment card holder name	The name of the payment card holder.	/Invoice/M_INVOIC/G_SG2[S_NAD/D_3035='BY']/S_FII[D_3035='PB']/C_C078/D_3192
BG-19	DIRECT DEBIT	A group of business terms to specify a direct debit.	

e-SLOG 2.0 Electronic Invoice - Part 2: Document Composition

ID	Business term	Description of business term	e-SLOG 2.0 XPath
BT-89	Mandate reference identifier	Unique identifier assigned by the Payee for referencing the direct debit mandate.	/Invoice/M_INVOIC/G_SG2[S_NAD/D_3035='BY']/G_SG3[S_RFF/C_C506/D_1153='AVS']/S_RFF/C_C506/D_1154
BT-90	Bank assigned creditor identifier	Unique banking reference identifier of the Payee or Seller assigned by the Payee or Seller bank.	/Invoice/M_INVOIC/G_SG2[S_NAD/D_3035='BY']/G_SG3[S_RFF/C_C506/D_1153='AII']/S_RFF/C_C506/D_1154
BT-91	Debited account identifier	The account to be debited by the direct debit.	/Invoice/M_INVOIC/G_SG2[S_NAD/D_3035='BY']/S_FII[D_3035='BI']/C_C078/D_3194
BG-20	DOCUMENT LEVEL ALLOWANCES	A group of business terms providing information about allowances applicable to the Invoice as a whole.	
BT-92	Document level allowance amount	The amount of an allowance, without VAT.	/Invoice/M_INVOIC/G_SG16[S_ALC/D_5463='A']/G_SG20[S_MOA/C_C516/D_5025='204']/S_MOA/C_C516/D_5004
BT-93	Document level allowance base amount	The base amount that may be used, in conjunction with the document level allowance percentage, to calculate the document level allowance amount.	/Invoice/M_INVOIC/G_SG16[S_ALC/D_5463='A']/G_SG20[S_MOA/C_C516/D_5025='25']/S_MOA/C_C516/D_5004
BT-94	Document level allowance percentage	The percentage that may be used, in conjunction with the document level allowance base amount, to calculate the document level allowance amount.	/Invoice/M_INVOIC/G_SG16[S_ALC/D_5463='A']/G_SG19[S_PCD/C_C501/D_5245='1']/S_PCD/C_C501/D_5482
BT-95	Document level allowance VAT category code	A coded identification of what VAT category applies to the document level allowance.	/Invoice/M_INVOIC/G_SG16[S_ALC/D_5463='A']/G_SG22[S_TAX/D_5283='7' and S_TAX/C_C241/D_5153='VAT']/S_TAX/D_5305
BT-96	Document level allowance VAT rate	The VAT rate, represented as percentage that applies to the document level allowance.	/Invoice/M_INVOIC/G_SG16[S_ALC/D_5463='A']/G_SG22[S_TAX/D_5283='7' and S_TAX/C_C241/D_5153='VAT']/S_TAX/C_C243/D_5278
BT-97	Document level allowance reason	The reason for the document level allowance, expressed as text.	/Invoice/M_INVOIC/G_SG16[S_ALC/D_5463='A']/C_C552/D_1230
BT-98	Document level allowance reason code	The reason for the document level allowance, expressed as a code.	/Invoice/M_INVOIC/G_SG16[S_ALC/D_5463='A']/C_C552/D_5189

ID	Business term	Description of business term	e-SLOG 2.0 XPath
BG-21	DOCUMENT LEVEL CHARGES	A group of business terms providing information about charges and taxes other than VAT, applicable to the Invoice as a whole.	
BT-99	Document level charge amount	The amount of a charge, without VAT.	/Invoice/M_INVOIC/G_SG16[S_ALC/D_5463='C']/G_SG20[S_MOA/C_C516/D_5025='23']/S_MOA/C_C516/D_5004
BT-100	Document level charge base amount	The base amount that may be used, in conjunction with the document level charge percentage, to calculate the document level charge amount.	/Invoice/M_INVOIC/G_SG16[S_ALC/D_5463='C']/G_SG20[S_MOA/C_C516/D_5025='25']/S_MOA/C_C516/D_5004
BT-101	Document level charge percentage	The percentage that may be used, in conjunction with the document level charge base amount, to calculate the document level charge amount.	/Invoice/M_INVOIC/G_SG16[S_ALC/D_5463='C']/G_SG19[S_PCD/C_C501/D_5245='2']/S_PCD/C_C501/D_5482
BT-102	Document level charge VAT category code	A coded identification of what VAT category applies to the document level charge.	/Invoice/M_INVOIC/G_SG16[S_ALC/D_5463='C']/G_SG22[S_TAX/D_5283='7' and S_TAX/C_C241/D_5153='VAT']/S_TAX/D_5305
BT-103	Document level charge VAT rate	The VAT rate, represented as percentage that applies to the document level charge.	/Invoice/M_INVOIC/G_SG16[S_ALC/D_5463='C']/G_SG22[S_TAX/D_5283='7' and S_TAX/C_C241/D_5153='VAT']/S_TAX/C_C243/D_5278
BT-104	Document level charge reason	The reason for the document level charge, expressed as text.	/Invoice/M_INVOIC/G_SG16[S_ALC/D_5463='C']/C_C552/D_1230
BT-105	Document level charge reason code	The reason for the document level charge, expressed as a code.	/Invoice/M_INVOIC/G_SG16[S_ALC/D_5463='C']/C_C214/D_7161
BG-22	DOCUMENT TOTALS	A group of business terms providing the monetary totals for the Invoice.	
BT-106	Sum of Invoice line net amount	Sum of all Invoice line net amounts in the Invoice.	/Invoice/M_INVOIC/G_SG50[S_MOA/C_C516/D_5025='79']/S_MOA/C_C516/D_5004
BT-107	Sum of allowances on document level	Sum of all allowances on document level in the Invoice.	/Invoice/M_INVOIC/G_SG50[S_MOA/C_C516/D_5025='260']/S_MOA/C_C516/D_5004
BT-108	Sum of charges on document level	Sum of all charges on document level in the Invoice.	/Invoice/M_INVOIC/G_SG50[S_MOA/C_C516/D_5025='259']/S_MOA/C_C516/D_5004

e-SLOG 2.0 Electronic Invoice - Part 2: Document Composition

ID	Business term	Description of business term	e-SLOG 2.0 XPath
BT-109	Invoice total amount without VAT	The total amount of the Invoice without VAT.	/Invoice/M_INVOIC/G_SG50[S_MOA/C_C516/D_5025='389']/S_MOA/C_C516/D_5004
BT-110	Invoice total VAT amount	The total VAT amount for the Invoice.	/Invoice/M_INVOIC/G_SG50[S_MOA/C_C516/D_5025='176']/S_MOA/C_C516/D_5004
BT-111	Invoice total VAT amount in accounting currency	The VAT total amount expressed in the accounting currency accepted or required in the country of the Seller.	/Invoice/M_INVOIC/G_SG50[S_MOA/C_C516/D_5025='2']/S_MOA/C_C516/D_5004
BT-112	Invoice total amount with VAT	The total amount of the Invoice with VAT.	/Invoice/M_INVOIC/G_SG50[S_MOA/C_C516/D_5025='388']/S_MOA/C_C516/D_5004
BT-113	Paid amount	The sum of amounts which have been paid in advance.	/Invoice/M_INVOIC/G_SG50[S_MOA/C_C516/D_5025='113']/S_MOA/C_C516/D_5004
BT-114	Rounding amount	The amount to be added to the invoice total to round the amount to be paid.	/Invoice/M_INVOIC/G_SG50[S_MOA/C_C516/D_5025='366']/S_MOA/C_C516/D_5004
BT-115	Amount due for payment	The outstanding amount that is requested to be paid.	/Invoice/M_INVOIC/G_SG50[S_MOA/C_C516/D_5025='9']/S_MOA/C_C516/D_5004
BG-23	VAT BREAKDOWN	A group of business terms providing information about VAT breakdown by different categories, rates and exemption reasons	
BT-116	VAT category taxable amount	Sum of all taxable amounts subject to a specific VAT category code and VAT category rate (if the VAT category rate is applicable).	/Invoice/M_INVOIC/G_SG52[S_TAX/D_5283='7']/S_MOA[C_C516/D_5025='125']/C_C516/D_5004
BT-117	VAT category tax amount	The total VAT amount for a given VAT category.	/Invoice/M_INVOIC/G_SG52[S_TAX/D_5283='7']/S_MOA[C_C516/D_5025='124']/C_C516/D_5004
BT-118	VAT category code	Coded identification of a VAT category.	/Invoice/M_INVOIC/G_SG52[S_TAX/D_5283='7']/S_TAX[C_C241/D_5153='VAT']/D_5305
BT-119	VAT category rate	The VAT rate, represented as percentage that applies for the relevant VAT category.	/Invoice/M_INVOIC/G_SG52[S_TAX/D_5283='7']/S_TAX[C_C241/D_5153='VAT']/C_C243/D_5278
BT-120	VAT exemption reason text	A textual statement of the reason why the amount is exempted from VAT or why no VAT is being charged	/Invoice/M_INVOIC/S_FTX[D_4451='AGM']/C_C108/D_4440

ID	Business term	Description of business term	e-SLOG 2.0 XPath
BT-121	VAT exemption reason code	A coded statement of the reason for why the amount is exempted from VAT.	/Invoice/M_INVOIC/S_FTX[D_4451='AGM']/C_C107/D_4441
BG-25	INVOICE LINE	A group of business terms providing information on individual Invoice lines.	
BT-126	Invoice line identifier	A unique identifier for the individual line within the Invoice.	/Invoice/M_INVOIC/G_SG26/S_LIN/D_1082
BT-127	Invoice line note	A textual note that gives unstructured information that is relevant to the Invoice line.	/Invoice/M_INVOIC/G_SG26/S_FTX[D_4451='ACB']/C_C108/D_4440
BT-128	Invoice line object identifier	An identifier for an object on which the invoice line is based, given by the Seller.	/Invoice/M_INVOIC/G_SG26/G_SG30[S_RFF/C_C506/D_1153='AVE']/S_RFF/C_C506/D_1154
BT-128-1	Invoice line object identifier identification scheme identifier	The identification scheme identifier of the Invoice line object identifier.	/Invoice/M_INVOIC/G_SG26/G_SG30/S_RFF/C_C506/D_1153='AVE'
BT-129	Invoiced quantity	The quantity of items (goods or services) that is charged in the Invoice line.	/Invoice/M_INVOIC/G_SG26/S_QTY[C_C186/D_6063='47']/C_C186/D_6060
BT-130	Invoiced quantity unit of measure	The unit of measure that applies to the invoiced quantity.	/Invoice/M_INVOIC/G_SG26/S_QTY[C_C186/D_6063='47']/C_C186/D_6411
BT-131	Invoice line net amount	The total amount of the Invoice line.	/Invoice/M_INVOIC/G_SG26/G_SG27[S_MOA/C_C516/D_5025='203']/S_MOA/C_C516/D_5004
BT-132	Referenced purchase order line reference	An identifier for a referenced line within a purchase order, issued by the Buyer.	/Invoice/M_INVOIC/G_SG26/G_SG30[S_RFF/C_C506/D_1153='ON']/S_RFF/C_C506/D_1156
BT-133	Invoice line Buyer accounting reference	A textual value that specifies where to book the relevant data into the Buyer's financial accounts.	/Invoice/M_INVOIC/G_SG26/G_SG30[S_RFF/C_C506/D_1153='AWQ']/S_RFF/C_C506/D_1154
BG-26	INVOICE LINE PERIOD	A group of business terms providing information about the period relevant for the Invoice line.	

e-SLOG 2.0 Electronic Invoice - Part 2: Document Composition

ID	Business term	Description of business term	e-SLOG 2.0 XPath
BT-134	Invoice line period start date	The date when the Invoice period for this Invoice line starts.	/Invoice/M_INVOIC/G_SG26/S_DTM[C_C507/D_2005='167']/C_C507/D_2380
BT-135	Invoice line period end date	The date when the Invoice period for this Invoice line ends.	/Invoice/M_INVOIC/G_SG26/S_DTM[C_C507/D_2005='168']/C_C507/D_2380
BG-27	INVOICE LINE ALLOWANCES	A group of business terms providing information about allowances applicable to the individual Invoice line.	
BT-136	Invoice line allowance amount	The amount of an allowance, without VAT.	/Invoice/M_INVOIC/G_SG26/G_SG39[S_ALC/D_5463='A']/G_SG42[S_MOA/C_C516/D_5025='204']/S_MOA/C_C516/D_5004
BT-137	Invoice line allowance base amount	The base amount that may be used, in conjunction with the Invoice line allowance percentage, to calculate the Invoice line allowance amount.	/Invoice/M_INVOIC/G_SG26/G_SG39[S_ALC/D_5463='A']/G_SG42[S_MOA/C_C516/D_5025='25']/S_MOA/C_C516/D_5004
BT-138	Invoice line allowance percentage	The percentage that may be used, in conjunction with the Invoice line allowance base amount, to calculate the Invoice line allowance amount.	/Invoice/M_INVOIC/G_SG26/G_SG39[S_ALC/D_5463='A']/G_SG41[S_PCD/C_C501/D_5245='1']/S_PCD/C_C501/D_5482
BT-139	Invoice line allowance reason	The reason for the Invoice line allowance, expressed as text.	/Invoice/M_INVOIC/G_SG26/G_SG39[S_ALC/D_5463='A']/S_ALC/C_C552/D_1230
BT-140	Invoice line allowance reason code	The reason for the Invoice line allowance, expressed as a code.	/Invoice/M_INVOIC/G_SG26/G_SG39[S_ALC/D_5463='A']/S_ALC/C_C552/D_5189
BG-28	INVOICE LINE CHARGES	A group of business terms providing information about charges and taxes other than VAT applicable to the individual Invoice line.	
BT-141	Invoice line charge amount	The amount of a charge, without VAT.	/Invoice/M_INVOIC/G_SG26/G_SG39[S_ALC/D_5463='C']/G_SG42[S_MOA/C_C516/D_5025='23']/S_MOA/C_C516/D_5004
BT-142	Invoice line charge base amount	The base amount that may be used, in conjunction with the Invoice line charge percentage, to calculate the Invoice line charge amount.	/Invoice/M_INVOIC/G_SG26/G_SG39[S_ALC/D_5463='C']/G_SG42[S_MOA/C_C516/D_5025='25']/S_MOA/C_C516/D_5004

ID	Business term	Description of business term	e-SLOG 2.0 XPath
BT-143	Invoice line charge percentage	The percentage that may be used, in conjunction with the Invoice line charge base amount, to calculate the Invoice line charge amount.	/Invoice/M_INVOIC/G_SG26/G_SG39[S_ALC/D_5463='C']/G_SG41[S_PCD/C_C501/D_5245='2']/S_PCD/C_C501/D_5482
BT-144	Invoice line charge reason	The reason for the Invoice line charge, expressed as text.	/Invoice/M_INVOIC/G_SG26/G_SG39[S_ALC/D_5463='C']/S_ALC/C_C552/D_1230
BT-145	Invoice line charge reason code	The reason for the Invoice line charge, expressed as a code.	/Invoice/M_INVOIC/G_SG26/G_SG39[S_ALC/D_5463='C']/S_ALC/C_C552/D_5189
BG-29	PRICE DETAILS	A group of business terms providing information about the price applied for the goods and services invoiced on the Invoice line.	
BT-146	Item net price	The price of an item, exclusive of VAT, after subtracting item price discount.	/Invoice/M_INVOIC/G_SG26/G_SG29[S_PRI/C_C509/D_5125='AAA']/S_PRI/C_C509/D_5118
BT-147	Item price discount	The total discount subtracted from the Item gross price to calculate the Item net price.	/Invoice/M_INVOIC/G_SG26/G_SG39[S_ALC/D_5463='A' and G_SG42/S_MOA/C_C516/D_5025='509']/G_SG42[S_MOA/C_C516/D_5025='509']/S_MOA/C_C516/D_5004
BT-148	Item gross price	The unit price, exclusive of VAT, before subtracting Item price discount.	/Invoice/M_INVOIC/G_SG26/G_SG29[S_PRI/C_C509/D_5125='AAB']/S_PRI/C_C509/D_5118
BT-149	Item price base quantity	The number of item units to which the price applies.	/Invoice/M_INVOIC/G_SG26/G_SG29[S_PRI/C_C509/D_5125='AAA']/S_PRI/C_C509/D_5284 (net price) /Invoice/M_INVOIC/G_SG26/G_SG29[S_PRI/C_C509/D_5125='AAB']/S_PRI/C_C509/D_5284 (gross price)
BT-150	Item price base quantity unit of measure code	The unit of measure that applies to the Item price base quantity.	/Invoice/M_INVOIC/G_SG26/G_SG29[S_PRI/C_C509/D_5125='AAA']/S_PRI/C_C509/D_6411 (net price) /Invoice/M_INVOIC/G_SG26/G_SG29[S_PRI/C_C509/D_5125='AAB']/S_PRI/C_C509/D_6411 (gross price)
BG-30	LINE VAT INFORMATION	A group of business terms providing information about the VAT applicable for the goods and services invoiced on the Invoice line.	

e-SLOG 2.0 Electronic Invoice - Part 2: Document Composition

ID	Business term	Description of business term	e-SLOG 2.0 XPath
BT-151	Invoiced item VAT category code	The VAT category code for the invoiced item.	/Invoice/M_INVOIC/G_SG26/G_SG34/S_TAX/D_5305
BT-152	Invoiced item VAT rate	The VAT rate, represented as percentage that applies to the invoiced item.	/Invoice/M_INVOIC/G_SG26/G_SG34[S_TAX/D_5283='7' and S_TAX/C_C241/D_5153='VAT']/S_TAX/C_C243/D_5278
BG-31	ITEM INFORMATION	A group of business terms providing information about the goods and services invoiced.	
BT-153	Item name	A name for an item.	/Invoice/M_INVOIC/G_SG26/S_IMD[D_7077='F']/C_C273/D_7008
BT-154	Item description	A description for an item.	/Invoice/M_INVOIC/G_SG26/S_IMD[D_7077='A']/C_C273/D_7008
BT-155	Item Seller's identifier	An identifier, assigned by the Seller, for the item.	/Invoice/M_INVOIC/G_SG26/S_PIA[D_4347='5']/C_C212[D_7143='SA']/D_7140
BT-156	Item Buyer's identifier	An identifier, assigned by the Buyer, for the item.	/Invoice/M_INVOIC/G_SG26/S_PIA[D_4347='5']/C_C212[D_7143='IN']/D_7140
BT-157	Item standard identifier	An item identifier based on a registered scheme.	/Invoice/M_INVOIC/G_SG26/S_LIN/C_C212/D_7140
BT-157-1	Item standard identifier identification scheme identifier	The identification scheme identifier of the Item standard identifier	/Invoice/M_INVOIC/G_SG26/S_LIN/C_C212/D_7143
BT-158	Item classification identifier	A code for classifying the item by its type or nature.	/Invoice/M_INVOIC/G_SG26/S_PIA[D_4347='1']/C_C212/D_7140
BT-158-1	Item classification identifier identification scheme identifier	The identification scheme identifier of the Item classification identifier	/Invoice/M_INVOIC/G_SG26/S_PIA[D_4347='1']/C_C212/D_7143
BT-158-2	Scheme version identifier	The version of the identification scheme.	
BT-159	Item country of origin	The code identifying the country from which the item originates.	/Invoice/M_INVOIC/G_SG26/S_ALI/D_3239
BG-32	ITEM ATTRIBUTES	A group of business terms providing information about properties of the goods and services invoiced.	

ID	Business term	Description of business term	e-SLOG 2.0 XPath
BT-160	Item attribute name	The name of the attribute or property of the item.	/Invoice/M_INVOIC/S_FTX[D_4451='ACF']/C_C108/D_4440
BT-161	Item attribute value	The value of the attribute or property of the item.	/Invoice/M_INVOIC/S_FTX[D_4451='ACF']/C_C108/D_4440_2

Annex B
(informative)

e-SLOG 2.0 Schema

B.1 XML Schema

The current e-SLOG 2.0 XML document schema is available on the link:

http://www.roseslovenia.eu/e_files/news/eSLOG20_INVOIC_v200.xsd.

Annex C
(informative)

Demonstration example of use application

C.1 An example of using segment elements

In Chapter 6, an example of use is given for individual segment elements. An example of use of the e-SLOG 2.0 document, which contains all of the above examples of elements, is available on the link:

http://www.roseslovenia.eu/e_files/news/sample_eSLOG20_INVOIC_v200.xml.

Annex D
(informative)

Mapping table e-SLOG 1.6

D.1 Mapping table between e-SLOG 1.6 and e-SLOG 2.0

The interoperability between e-SLOG 1.6 and e-SLOG 2.0 is supported by mapping tables that translate elements between the two standards.

Mapping table that translates from e-SLOG 1.6 to e-SLOG 2.0, is available on the link:

http://www.roseslovenia.eu/e_files/news/map_eSLOG16_eSLOG20.xlsx.

Mapping table that translates from e-SLOG 2.0 to e-SLOG 1.6, is available on the link:

http://www.roseslovenia.eu/e_files/news/map_eSLOG20_eSLOG16.xlsx.

Literature

- [1] Directive 2014/55/EU of the European Parliament and of the Council of 16 April 2014 on electronic invoicing in public procurement. Available at <http://eurlex.europa.eu/legal-content/EN/TXT/?uri=CELEX:32014L0055>.
- [2] SIST EN 16931-1:2017, *Electronic Invoicing - Part 1: Semantic data model of the core elements of an electronic invoice.*
- [3] SIST-TS CEN/TS 16931-2:2017, *Electronic Invoicing - Part 2: List of syntaxes that comply with EN 16931-1.*
- [4] SIST-TS CEN/TS 16931-3-4:2018, *Electronic invoicing - Part 3-4: Syntax binding for UN/EDIFACT INVOIC D16B.*
- [5] EDIFACT INVOIC D01B.
- [6] ISO/TS 20625:2002, *Electronic data interchange for administration, commerce and transport (EDIFACT) – Rules for the generation of XML schema files (XSD) on the basis of EDI(FACT) implementation guidelines.*
- [7] W3C XML schema. Available at <https://www.w3.org/TR/xmldsig-core/xmldsig-core-schema.xsd>.